

# ATE New Parts ATE Neuteile

09/2022



Brakethrough Technology



## Erstklassig First-class

### Besser ist besser

Wenn es um Qualität geht, genügt uns ein „sehr gut“ noch lange nicht. Wir erfüllen hohe Ansprüche an das Qualitätsmanagement und die europäische Sicherheitsnorm ECE-R90 wird von ATE sogar übertroffen. Zudem führen wir zahlreiche zusätzliche Tests durch, unter anderem zu Verschleiß und Wärmeleistung.

Auch Nachhaltigkeit ist uns wichtig: Wir stellen die Mischungen für ATE Bremsbeläge auf kupferfreie Materialien um und setzen bei ATE Ceramic auf geringen Abrieb. Nutzen ausschließlich umweltfreundliches Material für die Beschichtung von Bremscheiben. Und bereiten Produkte wie Bremsattel wieder auf.

### Better is better

When it comes to quality, “very good” is simply not good enough for us. We meet high standards of quality management – and ATE even exceeds the European safety standard ECE-R90. We also perform many additional tests, including wear and thermal performance.

Sustainability is also important to us: we convert the compounds for ATE brake pads to copperfree materials and opt for low abrasion with ATE Ceramic. We only use environmentally friendly material for the coating of brake discs – and we remanufacture products like brake callipers.

# Höchste Qualität für optimale Leistung.



## NEU: SUPER DOT 5.1

Neue Premium-Flüssigkeit ATE SUPER DOT 5.1 mit bester Funktionalität bei heißen wie kalten Einsatzbedingungen: 5°C höherer Nasssiedepunkt und höheres Wechselintervall als ATE SL.6 bei gleich guter Viskosität, ideal für Fahrzeuge mit modernen Fahrerassistenzsystemen wie ESP®, ABS und ASR.

## Große Auswahl für alle Einsatzgebiete

- | ATE SL als bewährter DOT 4 Typ, ATE TYP 200 für Rennsportbegeisterte und ATE DOT 3 G für Oldtimer und Fahrzeuge, wo die Verwendung einer DOT 3-Flüssigkeit vom Fahrzeughersteller vorgeschrieben ist
- | ATE SL.6 ist optimal für ESP®, ABS und ASR: dünnflüssig auch bei niedrigen Temperaturen, schnelle Reaktionszeit
- | Siedepunkte und Viskosität übertreffen gesetzliche und technische Anforderungen
- | Schutz vor Korrosion durch hochwertige Additive

## Die Eigenschaften von ATE Bremsflüssigkeiten

	Siedepunkt	Nasssiedepunkt	Viskosität bei -40°C	Wechselintervall
<b>ATE SUPER DOT 5.1</b>	min. 265°C	min. 180°C	max. 750 mm <sup>2</sup> /s	bis 3 Jahre
<b>ATE TYP 200 DOT 4</b> Racing-Qualität	min. 280°C	min. 198°C	max. 1.400 mm <sup>2</sup> /s	bis 3 Jahre
<b>ATE SL.6 DOT 4</b> Ideal für ESP®, ABS, ASR	min. 265°C	min. 175°C	max. 700 mm <sup>2</sup> /s	bis 2 Jahre
<b>ATE SL DOT 4</b>	min. 260°C	min. 165°C	max. 1.400 mm <sup>2</sup> /s	bis 1 Jahr
<b>ATE G DOT 3</b>	min. 245°C	min. 150°C	max. 1.500 mm <sup>2</sup> /s	bis 1 Jahr

Zur Erhaltung der Funktionssicherheit der Bremsanlage muss Bremsflüssigkeit entsprechend der vom Fahrzeughersteller vorgegebenen Qualität und in den angegebenen Wechselintervallen ausgetauscht werden.

## Servicegeräte

Natürlich bieten wir auch Geräte für Tests, Entlüftung und Entsorgung von Bremsflüssigkeiten an. Sie arbeiten exakt und zuverlässig, sind leicht zu bedienen und technologisch auf dem neuesten Stand.

Erfahren Sie mehr über ATE Bremsflüssigkeiten auf [www.ate.de/bremsfluessigkeit](http://www.ate.de/bremsfluessigkeit) sowie über unsere Servicegeräte auf [www.ate-info.de](http://www.ate-info.de)



Typ	ATE Sachnummer	EAN-Nr. 4006633	Gebinde	Paletteneinheit
<b>SUPER DOT 5.1</b> SAE-Spezifikation, J1704-FMVSS 116/DOT 5.1 ISO Klasse 5-1 – <b>niedrigviskos</b>	<b>706602</b> 03.9901-6602.2	45757 6	1 l	600 Kannen <sup>2</sup>
	<b>706603</b> 03.9901-6603.2	45759 0	5 l	400 Kannen <sup>3</sup>
	<b>706611</b> 03.9901-6611.2	45761 3	20 l	36 Kannen
<b>TYP 200</b> SAE-Spezifikation, J1704-FMVSS 116/DOT 4	<b>706202</b> 03.9901-6202.2	10825 6	1 l	600 Kannen <sup>2</sup>
	<b>706203</b> 03.9901-6203.2	12166 8	5 l	400 Kannen <sup>3</sup>
	<b>706220</b> 03.9901-6220.2	12780 6	30 l	22 Kannen
<b>SL.6</b> SAE-Spezifikation, J1704-FMVSS 116/DOT 4 ISO-Klasse 6 – <b>niedrigviskos</b>	<b>706402</b> 03.9901-6402.2	20746 1	1 l	600 Kannen <sup>2</sup>
	<b>706403</b> 03.9901-6403.2	20748 5	5 l	400 Kannen <sup>3</sup>
	<b>706411</b> 03.9901-6411.2	20750 8	20 l	36 Kannen
	<b>706420</b> 03.9901-6420.2	23120 6	30 l	22 Kannen
	<b>706414</b> 03.9901-6414.2	23005 6	50 l	12 Kannen
	<b>706405</b> 03.9901-6405.2	23121 3	200 l	1 Stück
<b>SL</b> SAE-Spezifikation, J1704-FMVSS 116/DOT 4	<b>705801</b> 03.9901-5801.2	49001 6	1/2 l	1.200 Kannen <sup>1</sup>
	<b>705802</b> 03.9901-5802.2	49002 3	1 l	600 Kannen <sup>2</sup>
	<b>705803</b> 03.9901-5803.2	49003 0	5 l	400 Kannen <sup>3</sup>
	<b>705811</b> 03.9901-5811.2	29907 7	20 l	12 Kannen
	<b>705820</b> 03.9901-5820.2	10824 9	30 l	22 Kannen
	<b>705814</b> 03.9901-5814.2	10366 4	50 l	12 Kannen
	<b>705805</b> 03.9901-5805.2	49005 4	200 l	1 Stück
<b>G</b> SAE-Spezifikation, J1703-FMVSS 116/DOT 3	<b>705302</b> 03.9901-5302.2	10199 8	1 l	600 Kannen <sup>2</sup>
	<b>705303</b> 03.9901-5303.2	10201 8	5 l	400 Kannen <sup>3</sup>

Abweichende Artikelnummern für Lieferländer außerhalb Deutschlands möglich.

### Paletteneinheit:

<sup>1</sup> 20 Kannen je Karton

<sup>2</sup> 10 Kannen je Karton

<sup>3</sup> 4 Kannen je Karton

# Top quality for optimum performance.



## NEW: SUPER DOT 5.1

The new premium ATE SUPER DOT 5.1 brake fluid with optimum performance in both hot and cold conditions: 5°C higher wet boiling point than ATE SL.6, same excellent viscosity, longer change interval, ideal for vehicles with advanced driver assistance systems like ESP®, ABS and ASR.

## Wide selection for all applications

- | ATE SL as a proven DOT 4 grade, ATE TYPE 200 for racing enthusiasts and ATE DOT 3 G for classic cars and vehicles for which the manufacturer specifies a DOT 3 brake fluid
- | ATE SL.6 is optimal for ESP®, ABS and ASR: low viscosity even at low temperatures, with a fast reaction time
- | Boiling points and viscosities are better than in statutory and technical regulations
- | Protection from corrosion by high-grade additives

## Properties of ATE brake fluids

	Boiling point	Wet boiling point	Viscosity at -40°C	Change interval
<b>ATE SUPER DOT 5.1</b>	min. 265 °C / 509 °F	min. 180 °C / 356 °F	max. 750 mm <sup>2</sup> /s	up to 3 years
<b>ATE TYPE 200 DOT 4</b> Racing quality	min. 280 °C / 536 °F	min. 198 °C / 388 °F	max. 1,400 mm <sup>2</sup> /s	up to 3 years
<b>ATE SL.6 DOT 4</b> Ideal for ESP®, ABS, ASR	min. 265 °C / 509 °F	min. 175 °C / 347 °F	max. 700 mm <sup>2</sup> /s	up to 2 years
<b>ATE SL DOT 4</b>	min. 260 °C / 500 °F	min. 165 °C / 329 °F	max. 1,400 mm <sup>2</sup> /s	up to 1 year
<b>ATE G/ATE Blue DOT 3</b>	min. 245 °C / 473 °F	min. 150 °C / 302 °F	max. 1,500 mm <sup>2</sup> /s	up to 1 year

To maintain the operational reliability and safety of the brake system, you must change the brake fluid in accordance with the vehicle manufacturer's recommendations on quality and at the specified change intervals.

## Service units

Of course we also offer devices for testing, bleeding and disposing of brake fluids. The devices work accurately and reliably, are easy to use and their technology is state-of-the-art.



To learn more about ATE brake fluids go to [www.ate.de/bremsfluessigkeit](http://www.ate.de/bremsfluessigkeit). Information on our service units is available at [www.ate-info.de](http://www.ate-info.de)

Type	ATE item code	Language variations	Container	Pallet unit
<b>SUPER DOT 5.1</b> SAE specification, J1704-FMVSS 116/DOT 5.1 ISO Class 5-1 – low viscosity	706602 03.9901-6602.2	DE, EN, ES, PT, CN, FR, IT, AR, SE, NL, JP, TH, GR	1 L	600 cans <sup>2</sup>
	706612 03.9901-6612.2	PL, RU, CZ, SK, SLO, HU, BG, KA, HR, SR, RO	1 L	600 cans <sup>2</sup>
	706603 03.9901-6603.2	DE, EN, ES, PT, CN, FR, IT, AR, SE, NL, JP, TH, GR, PL, RU, CZ, SK, SLO, HU, BG, KA, HR, SR, RO	5 L	400 cans <sup>3</sup>
	706611 03.9901-6611.2	DE, EN, ES, PT, CN, FR, IT, AR, SE, NL, JP, TH, GR, PL, RU, CZ, SK, SLO, HU, BG, KA, HR, SR, RO	20 L	36 cans
<b>TYP 200</b> SAE specification, J1704-FMVSS 116/DOT 4	706202 03.9901-6202.2	DE, EN, ES, PT, CN, FR, IT, AR, SE, NL, JP, TH, GR	1 L	600 cans <sup>2</sup>
	706212 03.9901-6212.2	PL, RU, CZ, SK, SLO, HU, BG, KA, HR, SR, RO	1 L	600 cans <sup>2</sup>
	706203 03.9901-6203.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR, LV, NO, LT, MS, HY	5 L	400 cans <sup>3</sup>
	706220 03.9901-6220.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR	30 L	22 cans
<b>SL.6</b> SAE specification, J1704-FMVSS 116/DOT 4 ISO Class 6 – low viscosity	706402 03.9901-6402.2	DE, EN, ES, PT, CN, FR, IT, AR, SE, NL, JP, TH, GR	1 L	600 cans <sup>2</sup>
	706432 03.9901-6432.2	PL, RU, CZ, SK, SLO, HU, BG, KA, HR, SR, RO	1 L	600 cans <sup>2</sup>
	706403 03.9901-6403.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR, LV, NO, LT, MS, HY	5 L	400 cans <sup>3</sup>
	706411 03.9901-6411.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR, LV	20 L	36 cans
	706420 03.9901-6420.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR	30 L	22 cans
	706414 03.9901-6414.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR	50 L	12 cans
	706405 03.9901-6405.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR	200 L	1 item
<b>SL</b> SAE specification, J1704-FMVSS 116/DOT 4	705801 03.9901-5801.2	DE, EN, ES, AR, TH, CN	1/2 L	1,200 cans <sup>1</sup>
	705831 03.9901-5831.2	PL, RO, RU, HR, SLO, KA	1/2 L	1,200 cans <sup>2</sup>
	705802 03.9901-5802.2	DE, EN, ES, PT, CN, FR, IT, AR, SE, NL, JP, TH, GR	1 L	600 cans <sup>2</sup>
	705832 03.9901-5832.2	PL, RU, CZ, SK, SLO, HU, BG, KA, HR, SR, RO	1 L	600 cans <sup>2</sup>
	705803 03.9901-5803.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR, LV, NO, LT, MS, HY	5 L	400 cans <sup>3</sup>
	705811 03.9901-5811.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR, LV	20 L	12 cans
	705820 03.9901-5820.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR	30 L	22 cans
	705814 03.9901-5814.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR	50 L	12 cans
	705805 03.9901-5805.2	DE, EN, PL, ES, CN, FR, IT, RO, AR, SE, RU, HR, SR, CZ, SK, SLO, GR, HU, JP, TH, BG, NL, PT, KA, DK, FI, SQ, TR	200 L	1 item
<b>G</b> SAE specification, J1703-FMVSS 116/DOT 3	705302 03.9901-5302.2	-	1 L	600 cans <sup>2</sup>
	705303 03.9901-5303.2	-	5 L	400 cans <sup>3</sup>
<b>BLUE</b> SAE specification, J1703-FMVSS 116/DOT 3	700301 03.9901-0301.2	-	1/2 L	1,200 cans <sup>2</sup>
	700302 03.9901-0302.2	-	1 L	600 cans <sup>2</sup>

Item codes may be different for countries of delivery other than Germany.

Pallet unit: <sup>1</sup>20 cans per box, <sup>2</sup>10 cans per box, <sup>3</sup>4 cans per box

## EN Table of contents

Index of vehicles
Product details
Applications of vehicles
Technical translations

8	Herstellerverzeichnis
11	Produktdetails
25	Fahrzeugverwendungen
110	Technische Übersetzungen

## DE Inhaltsverzeichnis

## ES Índice

8	Índice de vehículos	8
11	Descripción del producto	11
25	Aplicaciones	25
110	Traducciones técnicas	110

## FR Table des matières

Liste des véhicules
Présentation du produit
Applications
Traductions techniques

8	Indice autovetture	8
11	Panoramica prodotti	11
25	Applicazioni autoveicoli	25
110	Traduzioni tecniche	110

## IT Sommario



- EN** Index of vehicles
- DE** Herstellerverzeichnis
- ES** Índice de vehículos
- FR** Liste des véhicules
- IT** Indice autovetture

**09/2022**



<b>AUDI</b>	<b>26</b>	<b>HONDA</b>	<b>41</b>	<b>KIA</b>	<b>55</b>
A1 (8X1, 8XK)	26	ACCORD IX Coupe	41	RIO III Saloon (UB)	65
A1 City Carver (GBH)	26	ACCORD IX Saloon (CR)	42	RIO IV (YB, SC, FB)	65
A1 Sportback (8XA, 8XF)	26	ACCORD VIII (CP)	41	RIO IV Hatchback Van (YB, SC, FB)	65
A1 Sportback (GBA)	26	ACCORD VIII (CU)	41	RIO IV Saloon (SC, FB)	65
A3 (8L1)	27	ACCORD VIII Estate (CW)	41	SELTOS (SP2, SP2I)	66
A3 (8P1)	27	CR-V II (RD_)	42	SOUL II (PS)	66
A3 Convertible (8P7)	27	STEPWGN (DBA-RK_)	42	SOUL III (SK3)	66
A3 Sportback (8PA)	27			SOUL III Cargo (SK3)	66
A4 B5 (8D2)	28			SPORTAGE III (SL)	67
A4 B5 Avant (8D5)	28	<b>HYUNDAI</b>	<b>42</b>	SPORTAGE IV (QL, QLE)	67
A6 C5 (4B2)	29	ACCENT IV (RB)	42	SPORTAGE IV VAN (QL, QLE)	67
A6 C5 Avant (4B5)	29	ACCENT IV Saloon (RB)	42	STONIC (YB)	67
A8 D2 (4D2, 4D8)	30	ACCENT V Saloon (HC)	43	STONIC Hatchback Van (YB)	68
Q5 (FYB, FYG)	30	BAYON (BC3)	43	XCEED (CD)	68
Q5 Sportback (FYT)	31	CRETA	43	XCEED Van (CD)	69
Q5 Van (FYB, FYG)	31	ELANTRA IV Saloon (HD)	43		
TT (8N3)	31	ELANTRA V Coupe (JK)	43		
		ELANTRA VI Saloon (AD, ADA)	44	<b>LEXUS</b>	<b>69</b>
		ELANTRA V Saloon (MD, UD)	43	CT (ZWA10_)	69
<b>BMW</b>	<b>31</b>	i10 I (PA)	44		
2 Coupe (G42)	31	i10 II (BA, IA)	44		
3 (G20, G80, G28)	31	i10 III (AC3, AI3)	45		
3 Gran Turismo (F34)	31	i10 II Saloon	45	<b>MAZDA</b>	<b>69</b>
3 Touring (G21, G81)	32	i20 ACTIVE (IB, GB)	46	B-SERIE (UF)	69
3 Touring Van (G21)	32	i20 II (GB, IB)	45	B-SERIE (UN)	69
4 Convertible (G23, G83)	32	i20 II Coupe (GB)	45	BT-50 Pickup (CD, UN)	69
4 Coupe (G22, G82)	32	i20 II Hatchback Van (GB, IB)	46	BT-50 Platform/Chassis (CD, UN)	70
4 Coupe (G22, G82)	32	i20 III (BC3, BI3)	46		
4 Gran Coupe (F36)	32	i30 (GD)	46		
4 Gran Coupe (G26)	32	i30 (PDE, PD, PDEN)	47	<b>MERCEDES-BENZ</b>	<b>70</b>
5 (E34)	32	i30 Coupe	47	A-CLASS (W177)	70
5 Touring (E34)	33	i30 Estate (GD)	48	A-CLASS Saloon (V177)	70
i4 (G26)	33	i30 Estate (PDE)	49	B-CLASS Sports Tourer (W247)	70
X3 (F25)	33	i30 FASTBACK (PDE, PDEN)	49	C-CLASS (W205)	71
X4 (F26)	33	i30 Hatchback Van (GDE)	50	C-CLASS Convertible (A205)	71
X5 (E70)	34	i30 Hatchback Van (PDE)	50	C-CLASS Coupe (C205)	71
X5 (F15, F85)	34	i30 Kombi Van (GDE, GD)	51	C-CLASS T-Model (S205)	72
X6 (E71, E72)	34	i30 Kombi Van (PDE)	51	CLA (C118)	72
X6 (F16, F86)	34	i40 I (VF)	51	CLA Shooting Brake (X118)	72
		i40 I CW (VF)	51	CLS (C257)	72
		i40 I Kombi Van (VF)	52	E-CLASS (W213)	73
<b>CHRYSLER</b>	<b>34</b>	IONIQ (AE)	52	E-CLASS Convertible (A238)	73
GRAND VOYAGER V (RT)	34	IONIQ 5 (NE)	52	E-CLASS Coupe (C238)	73
		ix35 (LM, EL, ELH)	52	E-CLASS T-Model (S213)	73
		ix35 Van	53	EQA (H243)	74
		KONA (OS, OSE, OSI)	53	EQB (X243)	74
		KONA SUV Van (OS, OSE, OSI)	54	eSPRINTER Van (B910)	74
		SOLARIS Saloon (HCR)	54	GLA (H247)	74
		TUCSON (TL, TLE)	54	GLB (X247)	74
		TUCSON SUV Van (TLE)	55	GLK-CLASS (X204)	74
		VELOSTER (FS)	55	SPRINTER 3,5-t Platform/Chassis (B907, B910)	74
				SPRINTER 3,5-t Van (B907, B910)	75
				SPRINTER 3-t Platform/Chassis (B910, B907)	75
				SPRINTER 3-t Van (B910)	75
				SPRINTER 4-t Platform/Chassis (B907, B910)	75
				SPRINTER 4-t Van (B907, B910)	75
		<b>KIA</b>	<b>55</b>		
		CADENZA I (VG)	55	<b>NISSAN</b>	<b>75</b>
		CARENS IV	55	LEAF (ZE1)	75
		CARENS IV Van (A4)	55	QASHQAI II SUV (J11, J11_)	75
		CEE'D (JD)	56	QASHQAI II VAN (J11_)	75
		CEE'D Combi Van (JD)	56	X-TRAIL I (T30)	75
		CEE'D Sportswagon (JD)	57	X-TRAIL III (T32_, T32R, T32RR)	76
		CEED (CD)	57	X-TRAIL VAN (T32)	76
		CEED Combi Van (CD)	58		
		CEED Hatchback Van (CD)	59	<b>PEUGEOT</b>	<b>76</b>
		CEED Sportswagon (CD)	59	1007 (KM_)	77
		CERATO III Hatchback (YD)	60	307 (3A/C)	76
		CERATO III Saloon (YD)	60	307 Break (3E)	76
		CERATO IV Saloon (BD, BDM)	60	307 CC (3B)	76
		CERATO KOUP II (TD)	60	307 Saloon	77
		CERATO KOUP III (YD)	61	307 SW (3H)	77
		NIRO (DE)	61	307 SW Estate Van (3E_, 3H_)	77
		NIRO VAN (DE)	61	PARTNER Box Body/MPV (5_, G_)	77
		OPTIMA (FSGDS6B)	61	PARTNER MPV (5_, G_)	78
		OPTIMA (JF)	62		
		OPTIMA Sportswagon (JF)	62		
		PRO CEE'D (JD)	62		
		PRO CEE'D Hatchback Van (JD)	63		
		PROCEED (CD)	63		
		PROCEED Combi Van (CD)	64		
		RIO III (UB)	64		
		RIO III Hatchback Van (UB)	64		
<b>HONDA</b>	<b>41</b>				
ACCORD Hatchback (TF)	42				

<b>PEUGEOT</b>	<b>76</b>	<b>VW</b>	<b>92</b>
PARTNER ORIGIN Box Body/MPV (G_)	78	BEETLE (5C1, 5C2)	93
PARTNER ORIGIN MPV (G_)	78	BEETLE Convertible (5C7, 5C8)	93
PARTNER Platform/Chassis (5_, G_)	79	BORA (9M2)	94
		BORA I (1J2)	94
		BORA Variant (1J6)	95
<b>RENAULT</b>	<b>79</b>	CADDY Box Body/MPV (6K9, 9E7, 9E9)	96
KADJAR (HA_, HL_)	79	CADDY III Box Body/MPV (2KA, 2KH, 2CA, 2CH)	96
KOLEOS II (HC_)	79	CADDY III MPV (2KB, 2KJ, 2CB, 2CJ)	96
		CRAFTER Bus (SY1, SYJ)	96
<b>SEAT</b>	<b>79</b>	CRAFTER Platform/Chassis (SZ_)	97
ALTEA (5P1)	79	CRAFTER Van (SY_, SX_)	97
ALTEA XL (5P5, 5P8)	79	EOS (1F7, 1F8)	97
ARONA (KJ7, KJP)	80	GOLF IV (1J1)	97
AROSA (6H1)	80	GOLF IV Van (1J1)	98
IBIZA IV (6J5, 6P1)	80	GOLF IV Variant (1J5)	98
IBIZA IV SC (6J1, 6P5)	80	GOLF PLUS V (5M1, 521)	101
IBIZA IV ST (6J8, 6P8)	81	GOLF PLUS Van (521)	101
IBIZA V (KJ1, KJG)	81	GOLF V (1K1)	98
LEON (1M1)	81	GOLF VAN VII Variant (BA5)	101
LEON (1P1)	81	GOLF VI (5K1)	99
LEON (5F1)	82	GOLF VI Convertible (517)	99
LEON Hatchback Van (5F1)	82	GOLF VII (5G1, BQ1, BE1, BE2)	100
LEON SC (5F5)	82	GOLF VII Van (5G1)	100
LEON ST (5F8)	83	GOLF VII Variant (BA5, BV5)	101
LEON ST Estate Van (5F8)	83	GOLF VI Van (5K1_)	99
TOLEDO II (1M2)	84	GRAND CALIFORNIA Camper (SCB, SCC)	101
TOLEDO III (5P2)	84	JETTA IV (162, 163, AV3, AV2)	101
TOLEDO IV (KG3)	84	JETTA VII Saloon (BU3, BU4)	102
		NEW BEETLE (9C1, 1C1)	102
<b>SKODA</b>	<b>84</b>	PASSAT ALLTRACK B8 Variant (3G5, CB5)	102
FABIA II (542)	84	PASSAT B5.5 (3B3)	102
FABIA II Combi (545)	85	PASSAT B5.5 Variant (3B6)	103
FABIA III (NJ3)	85	PASSAT B5 (3B2)	103
FABIA III Estate (NJ5)	85	PASSAT B5 Variant (3B5)	104
FABIA IV (PJ3)	85	PASSAT B8 (3G2, CB2)	105
KAMIQ (NW4)	86	PASSAT B8 Variant (3G5, CB5)	105
OCTAVIA II (1Z3)	86	POLO IV Saloon (9A4, 9A2, 9N2, 9A6)	105
OCTAVIA II Combi (1Z5)	87	POLO IV Saloon (9N4)	106
RAPID (NA2)	87	POLO V (6R1, 6C1)	106
RAPID (NH3, NK3, NK6)	88	POLO Van (6R)	107
RAPID Spaceback (NH1)	88	POLO VI (AW1, BZ1, AE1)	107
ROOMSTER (5J7)	88	POLO VIVO Hatchback (6S1, 6S3)	107
ROOMSTER Praktik (5J)	89	POLO V Saloon (602, 604, 612, 614)	106
SCALA (NW1)	89	SCIROCCO III (137, 138)	107
SUPERB I (3U4)	89	SCIROCCO Van (137)	108
YETI (5L)	90	TAIGO (CS1)	108
		T-CROSS (C11)	109
<b>SSANGYONG</b>	<b>90</b>		
TIVOLI	90		
XLV SUV	90		
XLV VAN	90		
<b>SUBARU</b>	<b>90</b>		
TREZIA	90		
<b>TOYOTA</b>	<b>90</b>		
AURIS (_E15_)	90		
COROLLA Saloon (_E15_)	91		
COROLLA Saloon (_E16_)	91		
COROLLA Saloon (_E18_, ZRE1_)	91		
IQ (_J1_)	91		
PRIUS (_W3_)	91		
PRIUS (_W5_)	91		
PRIUS PHV (_W52_)	91		
RACTIS (_P10_)	91		
URBAN CRUISER (_P1_)	91		
VERSO S (_P12_)	92		
YARIS / VIOS Saloon (_P15_)	92		
YARIS / VIOS Saloon (_P9_)	92		
YARIS (_P13_)	92		
YARIS (_P15_)	92		
YARIS (_P9_)	92		
YARIS Hatchback Van (_P13_)	92		



- EN** Product details
- DE** Produktdetails
- ES** Descripción del producto
- FR** Présentation du produit
- IT** Panoramica prodotti

**09/2022**

**03.9901-6614.2****706614****Brake Fluid**

DOT specification: DOT 5.1

Packing Type: Barrel

Content [litre] 50

Language Version Bulgarian / Czech / Croatian / Hungarian / Georgian / Polish / Romanian / Russian / Slovak / Slovenian / Arabic

MAPP code available

**03.9901-6620.2****706620****Brake Fluid**


DOT specification: DOT 5.1

Packing Type: Barrel

Content [litre] 30


Language Version Bulgarian / Czech / Croatian / Hungarian / Georgian / Polish / Romanian / Russian / Slovak / Slovenian / Arabic

MAPP code available

**13.0460-2600.2****602600**

103,6 x 44,6 x 15,0

25965 15,0



103,6 x 46,4 x 15,0

25966 15,0



103,6 x 46,4 x 15,0

25967 15,0

**Brake Pad Set, disc brake**

Thickness [mm] 15

Height 1 [mm]: 44.6

Brake System: Lucas / TRW

Test Mark: E1 90R-02A0232/0160

Wear Warning Contact: with acoustic wear warning

Width [mm] 103.6


Height 2 [mm]: 46.4

MAPP code available

**NISSAN, RENAULT**

## 13.0460-2820.2

## 602820



20961 17,2

87,6 x 52,9 x 17,2



### Brake Pad Set, disc brake

Thickness [mm] 17.2

Supplementary Article/Info 2: with brake caliper screws

Brake System: Lucas / TRW

Test Mark: E1 90R-02A0333/0192 / E1 90R-02A0650/0200

Observe dimensions

Wear Warning Contact: excl. wear warning contact

Height [mm] 52.9

Article number of recommended accessories: 13.0460-0072.2

Width [mm] 87.6

Number of bolts/screws: 4

MAPP code available


**AUDI, CITROËN, PEUGEOT, SEAT, SKODA, VW**

## 13.0460-5650.2


## 605650



25337 15,5




25338 15,5



25339 15,5

99,8 x 41,1 x 15,5



### Brake Pad Set, disc brake

Thickness [mm] 15.5

Brake System: Akebono

Test Mark: E1 90R-02A0333/0236

Supplementary Article/Supplementary Info: with accessories

Wear Warning Contact: with acoustic wear warning

Height [mm] 41.1

Width [mm] 99.8

MAPP code available


**HYUNDAI, KIA, SSANGYONG**

## 13.0460-5741.2


## 605741



24434 15,6



24678 15,6



24679 15,6

88,8 x 47,4 x 15,6



### Brake Pad Set, disc brake

Thickness [mm] 15.6

Supplementary Article/Info 2: with anti-squeak plate

Test Mark: E1 90R-02A0525/0379

Supplementary Article/Supplementary Info: with accessories

Wear Warning Contact: with acoustic wear warning

Height [mm] 47.4


Width [mm] 88.8

MAPP code available

**HONDA**

13.0460-5796.2

605796



151,5 x 61,7 x 15,2



**Brake Pad Set, disc brake**

Thickness [mm] 15.2

Test Mark: E1 90R-02A0465/0648

Supplementary Article/Supplementary Info: with accessories

Wear Warning Contact: with acoustic wear warning

Height [mm] 61.7


Width [mm] 151.5

MAPP code available


**FORD, MAZDA**

13.0460-7335.2

607335



22631 18,0



22632 18,0

146,0 x 61,8 x 18,0



**Brake Pad Set, disc brake**

Thickness [mm] 18

Brake System: Volkswagen

Test Mark: E1 90R-02A0332/0562

Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact

Height [mm] 61.8

Width [mm] 146


MAPP code available

**AUDI, SEAT, SKODA, VW**

13.0470-2820.2

LD2820

ATE Ceramic



20961 17,2

87,6 x 52,9 x 17,2



**Brake Pad Set, disc brake**

Thickness [mm] 17.2

Supplementary Article/Info 2: with brake caliper screws

Brake System: Lucas / TRW

Test Mark: E1 90R-02A0258/0193

Observe dimensions

Wear Warning Contact: excl. wear warning contact

Height [mm] 52.9

Article number of recommended accessories: 13.0460-0072.2

Width [mm] 87.6


Number of bolts/screws: 4

MAPP code available


**AUDI, CITROËN, PEUGEOT, SEAT, SKODA, VW**

## 13.0470-4700.2 LD4700

ATE Ceramic



26196 16,9



26197 16,9

135,6 x 81,3 x 16,9



### Brake Pad Set, disc brake

Thickness [mm] 16.9

Brake System: Brembo

Test Mark: E9 90R-02A1396/5256

Wear Warning Contact: prepared for wear indicator / excl. wear warning contact

Height [mm] 81.3

Article number of recommended accessories: 24.8190-0809.2

Width [mm] 135.6

MAPP code available


**AUDI**

## 13.0470-5510.2 LD5510


ATE Ceramic



22804 19,6





22805 19,6



22806 19,6

148,8 x 59,5 x 19,6



### Brake Pad Set, disc brake

Thickness [mm] 19.6

Supplementary Article/Info 2: with anti-squeak plate

Brake System: Mobis

Test Mark: E9 90R-02A1396/4999

Supplementary Article/Supplementary Info: with accessories

Wear Warning Contact: with acoustic wear warning

Height [mm] 59.5

Width [mm] 148.8

MAPP code available


**HYUNDAI, KIA**

## 13.0470-5650.2 LD5650


ATE Ceramic



25337 15,5




25338 15,5



25339 15,5

99,8 x 41,1 x 15,5



### Brake Pad Set, disc brake

Thickness [mm] 15.5

Brake System: Akebono

Test Mark: E1 90R-02A0258/0268

Supplementary Article/Supplementary Info: with accessories

Wear Warning Contact: with acoustic wear warning

Height [mm] 41.1

Width [mm] 99.8


MAPP code available

**HYUNDAI, KIA, SSANGYONG**


## 13.0470-5690.2

## LD5690


ATE Ceramic



24612 15,0



24610 15,0



24611 15,0

98,5 x 42,4 x 15,0



**Brake Pad Set, disc brake**

Thickness [mm] 15

Brake System: Akebono

Test Mark: E9 90R-02A1242/2194

Wear Warning Contact: with acoustic wear warning

Height [mm] 42.4

Width [mm] 98.5


MAPP code available

**LEXUS, SUBARU, TOYOTA**


## 13.0470-7335.2

## LD7335

ATE Ceramic



22631 18,0



22632 18,0

146,0 x 61,8 x 18,0



**Brake Pad Set, disc brake**

Thickness [mm] 18

Brake System: Volkswagen

Test Mark: E1 90R-02A0479/0663

Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact

Height [mm] 61.8

Width [mm] 146


MAPP code available

**AUDI, SEAT, SKODA, VW**



24.0123-0118.1

423118



	A	B	C	D	E	F(x)	G	H	I
	280,0	23,1	21,4	44,3	114,3	5	69,0	143,5	12,6




**Brake Disc**

- Inner diameter [mm]: 143.5
- Minimum thickness [mm] 21.4
- Machining: Alloyed / High-carbon
- Brake Disc Thickness [mm] 23.1
- Test Mark: E1 90R-02C0115/1042
- Surface Coated
- Centering Diameter [mm]: 69
- Number of Holes: 5
- Bore Ø [mm] 12.6
- Bolt Hole Circle Ø [mm]: 114.3
- Height [mm] 44.3
- MAPP code available
- Brake Disc Type: Vented
- Outer diameter [mm]: 280
- HYUNDAI, KIA**

24.0123-0123.1

423123



	A	B	C	D	E	F(x)	G	H	I
	280,0	23,1	21,0	44,4	114,3	5	69,0	143,4	12,7




**Brake Disc**

- Inner diameter [mm]: 143.4
- Minimum thickness [mm] 21
- Machining: High-carbon
- Brake Disc Thickness [mm] 23.1
- Test Mark: E1 90R-02C0115/1042
- Surface Coated
- Centering Diameter [mm]: 69
- Number of Holes: 5
- Bore Ø [mm] 12.7
- Bolt Hole Circle Ø [mm]: 114.3
- Height [mm] 44.4
- MAPP code available
- Brake Disc Type: Vented
- Outer diameter [mm]: 280
- HYUNDAI, KIA**

24.0128-0290.1

428290



	A	B	C	D	E	F(x)	G	H	I
	302,0	28,0	26,4	38,2	127,0	5	72,5	165,5	14,0

**Brake Disc**

Inner diameter [mm]: 165.5

Minimum thickness [mm] 26.4

Machining: High-carbon

Brake Disc Thickness [mm] 28

Test Mark: E1 90R-02C0118/0657

Surface Coated

Centering Diameter [mm]: 72.5

Number of Holes: 5

Bore Ø [mm] 14

Bolt Hole Circle Ø [mm]: 127

Height [mm] 38.2

MAPP code available


Brake Disc Type: Vented

Outer diameter [mm]: 302

**CHRYSLER, FIAT**

24.0128-0324.1

428324



	A	B	C	D	E	F(x)	G	H	I
	303,0	28,0	25,0	98,0	145,0	6	120,0	172,0	15,0

**Brake Disc**

Inner diameter [mm]: 172

Minimum thickness [mm] 25

Machining: Alloyed / High-carbon

Brake Disc Thickness [mm] 28

Test Mark: E1 90R-02C0296/0656

Surface Coated

Centering Diameter [mm]: 120

Number of Holes: 6

Bore Ø [mm] 15

Bolt Hole Circle Ø [mm]: 145

Height [mm] 98

MAPP code available

Brake Disc Type: Vented

Outer diameter [mm]: 303

**VW**

24.0710-2130.3

360655

**Wheel Speed Sensor**

MAPP code available

Length [mm]: 1,055

**BMW**

24.0710-2131.3

360656



**Wheel Speed Sensor**

Supplementary Article/Info 2: without cable

MAPP code available

Length [mm]: 52.9

**MERCEDES-BENZ**

24.0710-2133.3

360657



**Wheel Speed Sensor**

MAPP code available

Length [mm]: 630

**BMW**

24.3351-1709.5

241451



**Brake Caliper**

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 35

paired article number: 24.3351-1710.5

Brake Caliper Type: Fist-type Caliper

**NISSAN**

24.3351-1710.5

241452



**Brake Caliper**

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 35

paired article number: 24.3351-1709.5

Brake Caliper Type: Fist-type Caliper

**NISSAN**

24.3384-1770.5

241152



**Brake Caliper**

Brake System: Lucas / TRW

Supplementary Article/Supplementary Info: without holder

Service exchange part

Article number of recommended accessories: 24.0101-3802.2

Piston Diameter [mm]: 38

paired article number: 24.3384-1769.5

MAPP code available

Brake Caliper Type: Fist-type Caliper

**CITROËN**

24.3441-1707.5

241453



**Brake Caliper**

Brake System: Bosch

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 44

paired article number: 24.3441-1708.5

MAPP code available

Brake Caliper Type: Fist-type Caliper (2 pistons)

**MERCEDES-BENZ**

24.3441-1708.5

241454



**Brake Caliper**

Brake System: Bosch

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 44

paired article number: 24.3441-1707.5

MAPP code available

Brake Caliper Type: Fist-type Caliper (2 pistons)

**MERCEDES-BENZ**

24.3446-9993.5

241393



**Brake Caliper**

Brake System: ATE

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 44

paired article number: 24.3446-9994.5

MAPP code available

Brake Caliper Type: Fist-type Caliper

**BMW**

24.3446-9994.5

241394



**Brake Caliper**

Brake System: ATE

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 44

paired article number: 24.3446-9993.5

MAPP code available

Brake Caliper Type: Fist-type Caliper

**BMW**

24.3481-1753.5

240287



**Brake Caliper**

Brake System: ATE

Supplementary Article/Supplementary Info: without holder

Service exchange part

Article number of recommended accessories: 11.0101-4803.2 / 11.0441-4808.2 / 24.0102-4803.2

Piston Diameter [mm]: 48

paired article number: 24.3481-1754.5

MAPP code available

Brake Caliper Type: Fist-type Caliper

**SEAT**

24.3571-1813.5

241479



**Brake Caliper**

Brake Caliper Colour: Blue

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 57

paired article number: 24.3571-1814.5

Brake Caliper Type: Fist-type Caliper

**VW**

24.3571-1814.5

241480



**Brake Caliper**

Brake Caliper Colour: Blue

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 57

paired article number: 24.3571-1813.5

Brake Caliper Type: Fist-type Caliper

**VW**

24.3571-9973.5

241437



**Brake Caliper**

Brake System: FTE

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 57

paired article number: 24.3571-9974.5

Brake Caliper Type: Fist-type Caliper

**BMW**

24.3601-1749.5

241441



**Brake Caliper**

Supplementary Article/Supplementary Info: without holder

Service exchange part

Piston Diameter [mm]: 60

paired article number: 24.3601-1750.5

Brake Caliper Type: Fist-type Caliper

**HYUNDAI, KIA**

24.5102-0362.3

331652



**Brake Hose**

External Thread [mm]: M10x1

Internal Thread [mm]: M10x1

MAPP code available

Length [mm]: 390

Spanner size 1 [mm]: 14

**MERCEDES-BENZ**

24.5141-0331.3

331653



**Brake Hose**

External Thread [mm]: M10x1

Internal Thread [mm]: M10x1

Length [mm]: 375

MAPP code available

Spanner size 2 [mm]: 17

Spanner size 1 [mm]: 11

**FORD**

24.5265-0498.3

331546



**Brake Hose**

Flange Hole Diameter [mm]: 10  
Internal Thread [mm]: M10x1  
Supplementary Article/Info 2: without hollow screw  
Length 2 [mm]: 215  
Length 1 [mm]: 262  
Length [mm]: 498  
MAPP code available  
Spanner size 1 [mm]: 17

**TOYOTA**

24.8190-0999.2

620999




**Warning Contact, brake pad wear**

Brake Type: Disc Brake  
Length [mm]: 319

**FORD**

83.7704-0100.3

331598



**Brake Hose**

External Thread [mm]: M10x1  
Internal Thread [mm]: M10x1  
MAPP code available  
Length [mm]: 100  
Spanner size 1 [mm]: 14

**BMW**







**EN** Applications of vehicles





**DE** Fahrzeugverwendungen





**ES** Aplicaciones



**FR** Applications




**IT** Applicazioni autoveicoli




**09/2022**








	kW				
<b>AUDI - A1 (8X1, 8XK) 05/10→10/18</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TFSI	60 - 03/15→10/18 70	for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.2 TFSI	63 05/10→04/15				
1.4 TDI	66 11/14→10/18				
1.4 TFSI	90 - 05/10→10/18 136				
1.4 TSI	110 11/14→10/18				
1.6 TDI	66 - 05/10→10/18 85				
1.8 TFSI	141 02/15→10/18				
2.0 TDI	100 - 09/11→04/15 105				
2.0 TFSI quattro	188 03/12→11/12	Construction year from: 10/12 →; for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>AUDI - A1 City Carver (GBH) 07/19→</b>					
 <b>Brake Pad Set, disc brake</b>					
25 TFSI	70 07/19→	for PR number: 1ZE / 1ZQ / 1ZR / 1ZS / 1ZM; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact	
30 TFSI	81 - 07/19→ 85				
35 TFSI	110 07/19→				
		for PR number: 1KD / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>AUDI - A1 Sportback (8XA, 8XF) 09/11→10/18</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TFSI	60 - 03/15→10/18 70	for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.2 TFSI	63 01/12→04/15				
1.4 TDI	66 11/14→10/18				
1.4 TFSI	90 - 11/11→10/18 136				
1.4 TSI	110 11/14→10/18				
1.6 TDI	66 - 11/11→10/18 85				
1.8 TFSI	141 02/15→10/18				
2.0 TDI	100 - 09/11→04/15 105				
<b>AUDI - A1 Sportback (GBA) 07/18→</b>					
 <b>Brake Pad Set, disc brake</b>					
25 TFSI	70 11/18→	for PR number: 1ZE / 1ZQ / 1ZR / 1ZS / 1ZM; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact	
30 TFSI	81 - 07/18→ 85				
35 TFSI	110 09/18→				
40 TFSI	147 - 09/18→ 152				
		for PR number: 1KD / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	









	kW								
<b>AUDI - A3 (8L1) 09/96→09/06</b>									
 <b>Brake Pad Set, disc brake</b>									
S3 quattro	154 - 03/99→05/03 165	for PR number: 1KF; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic					
<b>AUDI - A3 (8P1) 05/03→12/13</b>									
 <b>Brake Pad Set, disc brake</b>									
1.2 TSI	77 04/10→08/12	for PR number: 1KQ / 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
1.4 TFSI	92 09/07→08/12								
1.6	75 05/03→08/12								
1.6 E-Power	75 01/11→08/12								
1.6 FSI	85 08/03→09/07								
1.6 TDI	66 - 05/09→08/12 77								
2.0 FSI	110 05/03→06/08								
2.0 TDI	100 - 05/03→08/12 125								
2.0 TDI 16V	103 05/03→08/12								
2.0 TFSI	147 09/04→08/12								
1.8 T	110 08/06→08/12	Construction year from: 01/07 →; for PR number: 1KQ / 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
1.8 TFSI	118 11/06→08/12								
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic					
1.9 TDI	77 05/03→05/10	Construction year from: 06/03 →; for PR number: 1KQ / 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic					
<b>AUDI - A3 Convertible (8P7) 04/08→05/13</b>									
 <b>Brake Pad Set, disc brake</b>									
1.2 TFSI	77 03/10→05/13	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
1.4 TFSI	92 02/11→05/13								
1.6	75 09/08→05/10								
1.6 TDI	77 05/09→05/13								
1.8 TFSI	118 04/08→05/13								
1.9 TDI	77 04/08→10/09								
2.0 TDI	100 - 04/08→05/13 103								
2.0 TFSI	147 04/08→05/13								
							<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>AUDI - A3 Sportback (8PA) 09/04→12/15</b>									
 <b>Brake Pad Set, disc brake</b>									
1.2 TSI	77 04/10→03/13	for PR number: 1KQ / 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
1.4 TFSI	92 09/07→03/13								
1.6	75 09/04→03/13								
1.6 E-Power	75 01/11→03/13								
1.6 FSI	85 09/04→09/07								
1.6 TDI	66 - 05/09→03/13 77								
1.9 TDI	77 09/04→05/10								
2.0 FSI	110 09/04→06/08								
2.0 TDI	100 - 09/04→03/13 125								
2.0 TDI 16V	103 09/04→03/13								
2.0 TFSI	147 09/04→03/13								
1.8 TFSI	118 11/06→03/13	Construction year from: 01/07 →; for PR number: 1KQ / 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic					

	kW				
<b>AUDI - A4 B5 (8D2) 11/94→12/01</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6	74 - 11/94→11/00 75	Vehicle Identification Number from: 8D-V-160001 →; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.8	85 - 11/94→11/00 92				
1.8 T	110 - 01/95→11/00 132		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.9 TDI	55 - 01/95→11/00 81				
2.6	110 01/95→11/00				
2.8	128 - 09/95→11/00 142				
1.9 TDI	85 03/00→11/00	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
2.4	120 08/97→11/00				
2.5 TDI	110 09/97→11/00		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.4	121 03/97→11/00	Vehicle Identification Number from: 8D-V-160001 →; → Construction year to: 07/97; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
		Construction year from: 08/97 →; Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
S4 quattro	195 09/97→09/01	Construction year from: 10/97 → → Construction year to: 04/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>AUDI - A4 B5 Avant (8D5) 11/94→12/02</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6	74 - 11/94→09/01 75	Vehicle Identification Number from: 8D-V-160001 →; → Construction year to: 04/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.8	85 - 07/95→09/01 92				
1.8 T	110 - 03/96→09/01 132		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.9 TDI	55 - 02/96→09/01 81				
2.6	110 02/96→09/01				
2.8	142 10/96→09/01				
1.9 Hybrid	66 03/98→06/00	Vehicle Identification Number from: 8D-V-160001 →; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
2.8	128 - 03/96→09/00 140				
1.9 TDI	85 03/00→09/01	→ Construction year to: 04/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
2.4	120 08/97→09/01				
2.5 TDI	110 09/97→09/01		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.4	121 03/97→09/01	Construction year from: 08/97 → → Construction year to: 04/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
→					






	kW							
<b>AUDI - A4 B5 Avant (8D5) 11/94→12/02</b>								
 <b>Brake Pad Set, disc brake</b>								
2.4	121	03/97→09/01	Construction year from: 08/97 → → Construction year to: 04/01; Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic			
S4 quattro	195	09/97→09/01	Construction year from: 10/97 → → Construction year to: 04/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic			
<b>AUDI - A6 C5 (4B2) 01/97→12/05</b>								
 <b>Brake Pad Set, disc brake</b>								
1.8	85	05/97→01/05	→ Construction year to: 05/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact			
1.8 T	132	12/97→01/05						
1.8 T quattro	132	12/97→01/05						
1.9 TDI	85	07/00→01/05						
2.4	100	07/98→01/05						
2.5 TDI	110	07/97→01/05						
2.5 TDI quattro	110	07/97→01/05						
2.7 quattro	187	05/01→07/04						
2.7 T	169	02/99→01/05						
2.7 T quattro	169	12/97→01/05						
2.8	140	07/99→01/05						
4.2 quattro	220	11/98→01/05						
1.8 T	110	01/97→01/05				Construction year from: 04/97 → → Construction year to: 05/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.8 T quattro	110	02/97→01/05						
2.4	115	02/97→01/05						
2.4 quattro	120	02/97→01/05						
2.8	142	02/97→01/05						
2.8 quattro	142	02/97→01/05						
1.9 TDI	81	04/97→10/00	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact			
2.4 quattro	115	08/98→07/99						
2.8	132	10/97→05/00						
2.8 quattro	132	01/98→05/01						
S6 quattro	250	09/99→01/05	→ Construction year to: 05/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact			
<b>AUDI - A6 C5 Avant (4B5) 11/97→01/05</b>								
 <b>Brake Pad Set, disc brake</b>								
1.8	85	12/97→01/05	→ Construction year to: 05/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact			
1.8 T	110	12/97→01/05						
1.8 T quattro	110	12/97→01/05						
1.9 TDI	85	07/00→01/05						
2.4	100	12/97→01/05						
2.4 quattro	120	12/97→01/05						
2.5 TDI	110	12/97→01/05						
2.5 TDI quattro	110	12/97→01/05						
2.7 T	169	02/99→01/05						
2.7 T quattro	169	12/97→01/05						
2.8	140	12/97→01/05						
2.8 quattro	142	12/97→01/05						
4.2 quattro	220	11/98→01/05						
1.9 TDI	81	02/98→04/01				Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
2.4 quattro	115	08/98→05/01						
2.8	132	12/97→05/00						
→								







	kW				
<b>AUDI - A6 C5 Avant (4B5) 11/97→01/05</b>					
 <b>Brake Pad Set, disc brake</b>					
1.9 TDI 2.4 quattro 2.8	81 02/98→04/01 115 08/98→05/01 132 12/97→05/00	Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
S6 quattro	250 09/99→01/05	→ Construction year to: 05/01; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
<b>AUDI - A8 D2 (4D2, 4D8) 03/94→12/05</b>					
 <b>Brake Pad Set, disc brake</b>					
2.5 TDI 2.8 quattro 3.7	110 01/97→04/00 142 04/96→09/02 169 07/95→12/98	Construction year from: 10/98 →; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.5 TDI 3.7	132 09/00→09/02 191 11/98→09/02	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.5 TDI quattro 2.8 3.7 quattro 4.2 quattro	110 07/97→04/00 142 04/96→09/02 169 07/95→11/98 220 03/94→11/98	Construction year from: 10/98 →; Special Purpose Vehicle: not for special-purpose vehicles; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.5 TDI quattro 3.3 TDI quattro 3.7 quattro 4.2 quattro	132 09/00→09/02 165 06/00→09/02 191 11/98→09/02 175 02/99→04/00	Special Purpose Vehicle: not for special-purpose vehicles; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
4.2 quattro 6.0 W12 quattro S8 quattro	228 11/98→09/02 309 01/01→09/02 265 06/99→09/02	Special Purpose Vehicle: not for special-purpose vehicles; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
S8 quattro	250 07/96→06/99	Construction year from: 10/98 →; Special Purpose Vehicle: not for special-purpose vehicles; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
<b>AUDI - Q5 (FYB, FYG) 05/16→</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 TDI 2.0 TDI quattro 2.0 TFSI quattro 3.0 TDI quattro 30 TDI Mild Hybrid 35 TDI 35 TDI Mild Hybrid 35 TDI quattro 40 TDI Mild Hybrid quattro 40 TDI quattro 40 TFSI Mild Hybrid quattro 45 TDI quattro 45 TFSI Mild Hybrid quattro 50 TDI Mild Hybrid quattro 50 TDI quattro →	100 - 01/17→11/20 110 120 - 06/16→08/18 140 183 - 06/16→ 185 210 07/17→11/20 100 09/19→ 120 10/21→ 120 09/19→11/20 120 08/18→11/20 150 09/19→11/20 140 10/18→ 150 10/21→ 170 08/18→11/20 180 - 12/18→ 195 210 06/20→ 210 03/19→11/20 →	for PR number: 1LG; Fitting Position: Front Axle	<b>13.0470-4700.2 LD4700</b>	Brake System: Brembo Wear Warning Contact: prepared for wear indicator / excl. wear warning contact Ceramic	





	kW				
<b>AUDI - Q5 (FYB, FYG) 05/16→</b>					
 <b>Brake Pad Set, disc brake</b>					
50 TFSI e quattro	185 - 04/19→ 220	for PR number: 1LG; Fitting Position: Front Axle		<b>13.0470-4700.2 LD4700</b>	Brake System: Brembo Wear Warning Contact: prepared for wear indicator / excl. wear warning contact Ceramic
55 TFSI e quattro	185 - 08/19→ 195				
<b>AUDI - Q5 Sportback (FYT) 11/20→</b>					
 <b>Brake Pad Set, disc brake</b>					
35 TDI	120 04/21→	for PR number: 1LG; Fitting Position: Front Axle		<b>13.0470-4700.2 LD4700</b>	Brake System: Brembo Wear Warning Contact: prepared for wear indicator / excl. wear warning contact Ceramic
40 TDI quattro	150 11/20→				
40 TFSI Mild Hybrid quattro	150 10/21→				
45 TFSI quattro	195 11/20→				
50 TDI quattro	210 11/20→				
50 TFSI e quattro	195 02/21→				
55 TFSI e quattro	195 06/21→				
<b>AUDI - Q5 Van (FYB, FYG) 05/16→</b>					
 <b>Brake Pad Set, disc brake</b>					
3.0 TDI quattro	210 07/17→11/20	for PR number: 1LG; Fitting Position: Front Axle		<b>13.0470-4700.2 LD4700</b>	Brake System: Brembo Wear Warning Contact: prepared for wear indicator / excl. wear warning contact Ceramic
<b>AUDI - TT (8N3) 10/98→12/06</b>					
 <b>Brake Pad Set, disc brake</b>					
1.8 T quattro	132 - 10/98→06/06 180	for PR number: 1KF / 2EH; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
3.2 VR6 quattro	184 07/03→06/06			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>BMW - 2 Coupe (G42) 08/21→</b>					
 <b>Wheel Speed Sensor</b>					
M240 i xDrive	275 08/21→	Required quantity: 2; Fitting Position: Front Axle		<b>2 24.0710-2130.3 360655</b>	Length [mm]: 1,055
<b>BMW - 3 (G20, G80, G28) 11/18→</b>					
 <b>Wheel Speed Sensor</b>					
320 d Mild-Hybrid xDrive	120 - 03/20→ 140	Required quantity: 2; Fitting Position: Front Axle		<b>2 24.0710-2130.3 360655</b>	Length [mm]: 1,055
320 d xDrive	120 11/18→02/20				
320 i xDrive	135 07/19→				
330 d Mild-Hybrid xDrive	210 11/20→				
330 d xDrive	195 07/19→				
330 e Plug-in-Hybrid xDrive	135 - 07/20→ 215				
330 i xDrive	190 11/18→				
M340 d Mild-Hybrid xDrive	250 04/20→				
M 340 i	285 03/19→				
M 340 i Mild-Hybrid xDrive	275 11/20→				
M 340 i xDrive	275 - 03/19→ 285				
<b>BMW - 3 Gran Turismo (F34) 07/12→</b>					
 <b>Wheel Speed Sensor</b>					
318 d	100 - 03/13→ 110	Required quantity: 2; Vehicle Equipment: for vehicles without start-stop function / for vehicles without parking assistant system; Fitting Position: Front Axle		<b>2 24.0710-2133.3 360657</b>	Length [mm]: 630
320 d	120 - 03/13→ 147				
320 i	120 - 03/13→ 135				
325 d	155 - 07/13→02/18 165				
328 i	180 03/13→06/16				
330 d	190 03/14→				
330 i	185 07/16→				
335 i	225 - 03/13→06/16 250				
340 i	240 - 07/16→ 265				
→					






	kW					
<b>BMW - 3 Gran Turismo (F34) 07/12</b> →						
 <b>Wheel Speed Sensor</b>						
330 d	210 03/14 →	Construction year from: 09/15 →; Required quantity: 2; Vehicle Equipment: for vehicles without start-stop function / for vehicles without parking assistant system; Fitting Position: Front Axle		2	24.0710-2133.3 360657	Length [mm]: 630
<b>BMW - 3 Touring (G21, G81) 07/19</b> →						
 <b>Wheel Speed Sensor</b>						
320 d Mild-Hybrid xDrive	120 - 03/20 → 140	Required quantity: 2; Fitting Position: Front Axle		2	24.0710-2130.3 360655	Length [mm]: 1,055
320 d xDrive	120 07/19 → 02/20					
320 e Plug-in-Hybrid xDrive	120 - 03/21 → 150					
330 d Mild-Hybrid xDrive	210 11/20 →					
330 d xDrive	195 07/19 →					
330 e Plug-in-Hybrid xDrive	135 07/20 →					
330 i xDrive	190 07/19 →					
M 340 d Mild-Hybrid xDrive	250 04/20 →					
M 340 i Mild-Hybrid xDrive	275 11/20 →					
M 340 i xDrive	275 - 11/19 → 285					
<b>BMW - 3 Touring Van (G21) 07/19</b> →						
 <b>Wheel Speed Sensor</b>						
330 d xDrive	195 11/19 →	Required quantity: 2; Fitting Position: Front Axle		2	24.0710-2130.3 360655	Length [mm]: 1,055
M 340 i xDrive	275 11/19 →					
<b>BMW - 4 Convertible (G23, G83) 11/20</b> →						
 <b>Wheel Speed Sensor</b>						
M440 d Mild-Hybrid xDrive	250 11/21 →	Required quantity: 2; Fitting Position: Front Axle		2	24.0710-2130.3 360655	Length [mm]: 1,055
M 440 i Mild-Hybrid xDrive	275 - 11/20 → 285					
M4 Competition M xDrive	375 07/21 →					
<b>BMW - 4 Coupe (G22, G82) 07/20</b> →						
 <b>Wheel Speed Sensor</b>						
420 d Mild-Hybrid xDrive	120 - 07/20 → 140	Required quantity: 2; Fitting Position: Front Axle		2	24.0710-2130.3 360655	Length [mm]: 1,055
420 i xDrive	135 07/21 →					
430 d Mild-Hybrid xDrive	210 03/21 →					
430 i xDrive	180 - 07/21 → 190					
M440 d Mild-Hybrid xDrive	250 03/21 →					
M 440 i Mild-Hybrid xDrive	285 07/20 →					
M4 Competition M xDrive	375 05/21 →					
<b>BMW - 4 Gran Coupe (F36) 03/14</b> →						
 <b>Wheel Speed Sensor</b>						
430 d	190 - 07/14 → 210	Required quantity: 2; Vehicle Equipment: for vehicles without start-stop function / for vehicles without parking assistant system; Fitting Position: Front Axle		2	24.0710-2133.3 360657	Length [mm]: 630
<b>BMW - 4 Gran Coupe (G26) 07/21</b> →						
 <b>Wheel Speed Sensor</b>						
2.0 430 i xDrive	180 03/22 →	Required quantity: 2; Fitting Position: Front Axle		2	24.0710-2130.3 360655	Length [mm]: 1,055
420 d Mild-Hybrid xDrive	140 07/21 →					
M440 i Mild-Hybrid xDrive	275 07/21 →					
<b>BMW - 5 (E34) 02/87</b> → 12/95						
 <b>Brake Hose</b>						
518 i	83 09/89 → 04/94	+ ASC; Fitting Position: Front Axle Right			83.7704-0100.3 331598	Length [mm]: 100
520 i 24V	110 04/90 → 08/95					
524 td	85 03/88 → 08/91	+ ASC; Fitting Position: Rear Axle Right			83.7704-0100.3 331598	Length [mm]: 100
→						









	kW				
<b>BMW - 5 (E34) 02/87→12/95</b>					
 <b>Brake Hose</b>					
525 i	125	02/88→08/90	+ ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
525 i 24V	141	03/90→08/95	+ ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
525 iX 24V	141	10/91→08/95			
525 tds	105	09/91→08/95			
530 i	138	01/88→04/90			
M5	250	01/92→07/95			
518 i	85	05/94→08/95	+ ASC / + ABS; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
520 i	95	06/87→09/90	Construction year from: 01/88 →; + ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
535 i	155	11/87→02/93			
			Construction year from: 01/88 →; + ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
525 td	85	03/93→08/95	Construction year from: 04/93 →; + ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
			Construction year from: 04/93 →; + ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
530 i V8	160	09/92→12/95	→ Construction year to: 09/95; + ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
540 i V8	210	09/92→12/95			
			→ Construction year to: 09/95; + ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
M5	232	09/88→03/92	Construction year from: 10/88 →; + ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
			Construction year from: 10/88 →; + ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
<b>BMW - 5 Touring (E34) 07/91→07/96</b>					
 <b>Brake Hose</b>					
518 g	85	02/96→07/96	+ ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
518 i	83 -	04/93→07/96	+ ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
	85				
525 td	85	03/93→07/96			
525 tds	105	12/91→07/96			
530 i	160	09/92→07/96			
540 i	210	09/93→07/96			
520 i	110	07/91→07/96	Construction year from: 11/91 →; + ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
525 i	141	07/91→07/96			
			Construction year from: 11/91 →; + ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
525 ix	141	01/92→03/96	Construction year from: 02/92 →; + ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
			Construction year from: 02/92 →; + ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
M5	250	04/92→07/95	Construction year from: 09/94 →; + ASC; Fitting Position: Front Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
			Construction year from: 09/94 →; + ASC; Fitting Position: Rear Axle Right	<b>83.7704-0100.3 331598</b>	Length [mm]: 100
<b>BMW - i4 (G26) 11/21→</b>					
 <b>Wheel Speed Sensor</b>					
eDrive40	250	11/21→	Required quantity: 2; Fitting Position: Front Axle	<b>2 24.0710-2130.3 360655</b>	Length [mm]: 1,055
M50 All-wheel Drive	400	11/21→			
<b>BMW - X3 (F25) 09/10→08/17</b>					
 <b>Brake Caliper</b>					
sDrive 18 d	100 -	10/12→08/17	Fitting Position: Front Axle Left	<b>24.3571-9973.5 241437</b>	Brake System: FTE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
	110				
sDrive 20 i	125 -	04/14→08/17			
	135				
xDrive 20 d	120 -	09/10→08/17			
	140				
xDrive 20 i	135	10/11→08/17			
xDrive 28 i	180 -	01/11→08/17			
	190				
xDrive 30 d	155 -	04/11→08/17			
	210				
xDrive 35 d	230	10/11→08/17			
xDrive 35 i	225	09/10→08/17			
<b>BMW - X4 (F26) 05/13→03/18</b>					
 <b>Brake Caliper</b>					
xDrive 20 d	120 -	04/14→03/18	Fitting Position: Front Axle Left	<b>24.3571-9973.5 241437</b>	Brake System: FTE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
	140				
xDrive 20 i	135	04/14→03/18			
xDrive 28 i	179 -	04/14→03/18			
	180				
→					






	kW				
<b>BMW - X4 (F26) 05/13→03/18</b>					
 <b>Brake Caliper</b>					
xDrive 30 d	155 - 04/14→03/18 210	Fitting Position: Front Axle Left	<b>24.3571-9973.5 241437</b>	Brake System: FTE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
xDrive 35 d	230 04/14→03/18				
xDrive 35 i	225 04/14→03/18				
<b>BMW - X5 (E70) 02/06→07/13</b>					
 <b>Brake Caliper</b>					
3.0 3.0d	155 02/07→09/08	Fitting Position: Rear Axle Left	<b>24.3446-9993.5 241393</b>	Brake System: ATE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
3.0 d	173 12/06→09/08				
3.0 sd	210 10/07→09/08				
3.0 si	200 10/06→09/08				
xDrive 30 d	155 - 10/08→07/13 180	Fitting Position: Rear Axle Right	<b>24.3446-9994.5 241394</b>	Brake System: ATE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
xDrive 30 i	172 - 02/07→12/12 200				
xDrive 35 d	210 10/08→07/13				
xDrive 35 i	225 - 04/10→07/13 235				
xDrive 40 d	225 09/10→06/13				
xDrive 40 i	225 01/12→06/13				
<b>BMW - X5 (F15, F85) 08/13→07/18</b>					
 <b>Brake Caliper</b>					
sDrive 25 d	155 - 12/13→07/18 170	Fitting Position: Rear Axle Left	<b>24.3446-9993.5 241393</b>	Brake System: ATE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
xDrive 25 d	155 - 12/13→07/18 170				
xDrive 28 i	180 06/15→07/18	Fitting Position: Rear Axle Right	<b>24.3446-9994.5 241394</b>	Brake System: ATE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
xDrive 30 d	183 - 08/13→07/18 210				
xDrive 40e	155 - 08/15→07/18 230				
<b>BMW - X6 (E71, E72) 06/07→07/14</b>					
 <b>Brake Caliper</b>					
xDrive 30 d	155 - 04/08→07/14 180	Fitting Position: Rear Axle Left	<b>24.3446-9993.5 241393</b>	Brake System: ATE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
xDrive 35 d	210 01/08→03/10				
xDrive 35 i	224 - 06/07→07/14 240	Fitting Position: Rear Axle Right	<b>24.3446-9994.5 241394</b>	Brake System: ATE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
xDrive 40 d	225 07/09→06/14				
<b>BMW - X6 (F16, F86) 08/14→07/19</b>					
 <b>Brake Caliper</b>					
xDrive 28 i	180 06/15→07/19	Fitting Position: Rear Axle Left	<b>24.3446-9993.5 241393</b>	Brake System: ATE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
xDrive 30 d	155 - 08/14→07/19 204				
		Fitting Position: Rear Axle Right	<b>24.3446-9994.5 241394</b>	Brake System: ATE Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
<b>CHRYSLER - GRAND VOYAGER V (RT) 10/07→</b>					
 <b>Brake Disc</b>					
2.8 CRD	120 10/07→	- ABS; Fitting Position: Front Axle	<b>24.0128-0290.1 428290</b>	Outer diameter [mm]: 302 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26.4 Brake Disc Type: Vented	
3.3	125 01/08→				
3.8	142 - 10/07→ 148				
4.0	179 - 10/07→ 187				



	kW				
<b>CHRYSLER - GRAND VOYAGER V (RT) 01/08→12/11</b>					
 <b>Brake Disc</b>					
2.8 CRDi 3.8	120 01/08→12/11 142 01/08→12/11	- ABS; Fitting Position: Front Axle		<b>24.0128-0290.1 428290</b>	Outer diameter [mm]: 302 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26.4 Brake Disc Type: Vented
<b>CITROËN - BERLINGO / BERLINGO FIRST Box Body/MPV (M_) 07/96→12/11</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 HDI 92	68 11/09→12/10	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDI 90	66 12/99→12/11	→ Construction year to: 03/08; + ESP; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDI 90 4WD	66 11/00→10/05	+ ESP; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>CITROËN - BERLINGO / BERLINGO FIRST MPV (MF_, GJK_, GFK_) 07/96→12/11</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 16V 1.6 HDI 90	80 - 10/00→12/11 81 66 07/05→05/08	→ Construction year to: 03/08; + ESP; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 HDI 92	68 11/09→12/10	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDi 4x4 2.0 HDI 90	66 11/02→10/05 66 12/99→10/05	+ ESP; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>CITROËN - C2 (JM_) 07/03→09/17</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.4 16V 1.4 HDi 1.6 HDi 1.6 VTS	54 - 09/03→12/09 55 65 04/05→12/09 50 - 07/03→12/09 51 80 09/05→12/09 90 10/04→12/09	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 →	80 07/03→10/10	→ Construction year to: 12/09; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact

	kW				
<b>CITROËN - C2 (JM_) 07/03→09/17</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6	80 07/03→10/10	→ Construction year to: 12/09; Fitting Position: Rear Axle		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>CITROËN - C2 ENTERPRISE (JG_) 11/03→12/09</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 HDi	50 - 11/03→12/09 51	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>CITROËN - C3 I (FC_, FN_) 02/02→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 16V HDi 1.6 16V 1.6 16V HDi	66 02/02→ 80 02/02→08/10 66 - 09/05→ 80	→ Construction year to: 08/09; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 16V	81 05/03→09/05	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>CITROËN - C3 Pluriel (HB_) 05/03→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6	80 05/03→	→ Construction year to: 07/10; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>CITROËN - C4 I (LC_) 11/04→11/14</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 16V 1.6 16V 1.6 16V Bio-Flex 1.6 HDi	65 11/04→07/11 80 11/04→07/11 80 09/07→07/08 66 - 11/04→07/11 85	for RPO number (vehicle manufacturing date) from: 12334 →; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.6 THP 140 1.6 THP 150 1.6 VTi 120 2.0 16V	103 07/08→07/11 110 07/08→07/11 88 07/08→07/11 100 - 11/04→07/11 130			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDi	100 - 11/04→07/11 103	→ for RPO number (vehicle manufacturing date) up to: 11584; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDi	81 04/07→07/08	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic






		kW					
<b>CITROËN - C4 I Hatchback Van (LR_) 02/05→12/10</b>							
 <b>Brake Pad Set, disc brake</b>							
2.0 HDi	100	02/05→12/10	for RPO number (vehicle manufacturing date) from: 12334 →; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
			→ for RPO number (vehicle manufacturing date) up to: 11584; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
<b>CITROËN - C4 I Saloon 07/06→</b>							
 <b>Brake Pad Set, disc brake</b>							
1.6	81	03/11→	for RPO number (vehicle manufacturing date) from: 12334 →; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
1.6 16V	80	07/06→07/11					
1.6 HDi	80 - 85	07/06→08/13					
2.0 16V	103	07/06→07/11		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
			→ for RPO number (vehicle manufacturing date) up to: 11584; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
<b>CITROËN - C4 Coupe (LA_) 11/04→12/13</b>							
 <b>Brake Pad Set, disc brake</b>							
1.4 16V	65	11/04→07/11	for RPO number (vehicle manufacturing date) from: 12334 →; → Construction year to: 07/10; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
1.6 16V	80	11/04→07/11					
1.6 HDi	66 - 80	11/04→07/11					
1.6 THP	103	06/08→07/11		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
1.6 THP 150	110	07/08→07/11					
1.6 VTi 120	88	07/08→07/11					
2.0 16V	130	11/04→12/10					
2.0 HDi	100 - 103	11/04→07/11		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
			→ for RPO number (vehicle manufacturing date) up to: 11584; Fitting Position: Rear Axle				
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
2.0 16V	100	11/04→07/07	for RPO number (vehicle manufacturing date) from: 12334 →; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
2.0 VTR	103	10/06→12/07					
			→ for RPO number (vehicle manufacturing date) up to: 11584; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		







	kW				
<b>CITROËN - C6 (TD_) 09/05→12/12</b>					
 <b>Brake Caliper</b>					
2.2 HDi 2.7 HDi 3.0 HDi 3.0 V6	120 - 06/06→12/12 125 150 09/05→12/11 155 06/09→12/10 155 09/05→12/12	Fitting Position: Rear Axle Right	<b>24.3384-1770.5 241152</b>	Brake System: Lucas / TRW Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
3.0 HDi	177 04/09→12/12	Construction year from: 07/09 →; Fitting Position: Rear Axle Right	<b>24.3384-1770.5 241152</b>	Brake System: Lucas / TRW Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
<b>CITROËN - XSARA PICASSO (N68) 09/99→06/12</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 16V 1.6 16V LPG 2.0	80 09/05→12/11 80 06/04→12/10 88 02/04→10/04	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.6 16V	81 06/05→09/06	Construction year from: 09/05 →; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.6 HDi 2.0 16V	66 - 05/04→12/11 80 100 01/03→06/12	→ Construction year to: 03/10; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.8 16V	85 02/00→08/05	+ ESP; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.0 16V	101 12/99→11/11	Construction year from: 01/03 → → Construction year to: 03/10; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.0 HDi	66 12/99→12/11	Construction year from: 06/00 → → Construction year to: 03/10; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>FIAT - FREEMONT (345_) 08/11→</b>					
 <b>Brake Disc</b>					
2.0 JTD 2.0 JTD 4x4 2.4 3.6 3.6 4x4	100 - 08/11→ 125 120 - 08/11→ 125 125 08/11→ 206 08/11→12/16 206 08/11→	Equipment Code: BRF; Fitting Position: Front Axle	<b>24.0128-0290.1 428290</b>	Outer diameter [mm]: 302 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 26.4 Brake Disc Type: Vented	








	kW				
<b>FORD - RANGER (ER, EQ, R_) 04/97→12/11</b>					
 <b>Brake Pad Set, disc brake</b>					
1.8	85	06/99→02/02	Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.2	78	03/02→09/05			
2.5 D	57	10/99→04/02			
2.5 TD	62	04/02→06/06			
2.5 TDdi	86	04/02→09/05			
2.5 TDdi 4x4	86	04/02→09/05			
2.6	80	10/02→09/04			
2.9 D	70	06/99→02/02			
3.0	109	06/99→06/06			
4.0 4x4	152	10/05→06/06			
<b>FORD - RANGER (ET) 01/05→07/12</b>					
 <b>Brake Pad Set, disc brake</b>					
2.2	68	06/07→01/09	Trim Level: - High Rider; Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.5 TDdi	105	05/06→07/12	Construction year from: 04/10 →;	<b>13.0460-5796.2 605796</b>	
2.5 TDi 4x4	80	06/07→07/12	Trim Level: - High Rider;		
3.0 TDCi	115	05/06→07/12	→ Construction year to: 10/11; Fitting Position: Front Axle		Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
<b>FORD - TOURNEO CUSTOM V362 Bus (F3) 04/12→</b>					
<b>Warning Contact, brake pad wear</b>					
2.0 EcoBlue	77 - 12/15→	136	Required quantity: 1; Fitting Position: Front Axle	<b>1 24.8190-0999.2 620999</b>	
2.0 EcoBlue mHEV	96 - 05/19→	136			
2.2 TDCi	74 - 04/12→12/15	114			
 <b>Brake Hose</b>					
1.0 EcoBoost PHEV	92	04/20→	Required quantity: 2;	<b>2 24.5141-0331.3 331653</b>	Length [mm]: 375
2.0 EcoBlue	77 - 12/15→	136	Fitting Position: Front Axle		
2.0 EcoBlue mHEV	96 - 05/19→	136			
2.2 TDCi	74 - 04/12→12/15	114	Construction year from: 05/12 →;	<b>2 24.5141-0331.3 331653</b>	Length [mm]: 375
			Required quantity: 2; Fitting Position: Front Axle		
<b>FORD - TRANSIT CUSTOM V362 Bus (F3) 04/12→</b>					
<b>Warning Contact, brake pad wear</b>					
2.0 EcoBlue	77 - 12/15→	136	Required quantity: 1; Fitting Position: Front Axle	<b>1 24.8190-0999.2 620999</b>	
2.0 EcoBlue mHEV	77 - 05/19→	136			
2.2 TDCi	74 - 04/12→12/15	114			
 <b>Brake Hose</b>					
1.0 EcoBoost PHEV	92	04/20→	Required quantity: 2;	<b>2 24.5141-0331.3 331653</b>	Length [mm]: 375
2.0 EcoBlue	77 - 12/15→	136	Fitting Position: Front Axle		
2.0 EcoBlue mHEV	77 - 05/19→	136			
2.2 TDCi	74 - 04/12→12/15	114			
<b>FORD - TRANSIT CUSTOM V362 Van (FY, FZ) 09/12→</b>					
<b>Warning Contact, brake pad wear</b>					
1.0 EcoBoost PHEV	92	04/20→	Required quantity: 1;	<b>1 24.8190-0999.2 620999</b>	
2.0 EcoBlue	77 - 12/15→	136	Fitting Position: Front Axle		
2.0 EcoBlue mHEV	96 - 05/19→	136			
2.2 TDCi	74 - 09/12→04/16	114			
 <b>Brake Hose</b>					
1.0 EcoBoost PHEV	92	04/20→	Required quantity: 2;	<b>2 24.5141-0331.3 331653</b>	Length [mm]: 375
2.0 EcoBlue	77 - 12/15→	136	Fitting Position: Front Axle		
2.0 EcoBlue mHEV	96 - 05/19→	136			
2.2 TDCi	74 - 09/12→04/16	114			






	kW				
<b>FORD - TRANSIT V363 Bus (FAD, FBD) 08/13→</b>					
<b>Warning Contact, brake pad wear</b>					
2.0 EcoBlue	77 - 03/16→ 125	Required quantity: 2; Fitting Position: Front Axle	2	24.8190-0999.2	620999
2.0 EcoBlue mHEV	96 - 05/19→ 125				
2.0 EcoBlue RWD	96 - 05/19→ 125				
2.2 TDCi	74 - 08/13→12/18 114				
2.2 TDCi 4x4	92 08/13→12/18				
2.2 TDCi All-wheel Drive	114 08/15→12/18				
2.2 TDCi RWD	74 - 08/13→12/18 114				
 <b>Brake Hose</b>					
2.0 EcoBlue	77 - 03/16→ 125	Required quantity: 2; Fitting Position: Front Axle	2	24.5141-0331.3	331653 Length [mm]: 375
2.0 EcoBlue mHEV	96 - 05/19→ 125				
2.0 EcoBlue RWD	96 - 05/19→ 125				
2.2 TDCi	74 - 08/13→12/18 114				
2.2 TDCi 4x4	92 08/13→12/18				
2.2 TDCi All-wheel Drive	114 08/15→12/18				
2.2 TDCi RWD	74 - 08/13→12/18 114				
<b>FORD - TRANSIT V363 Platform/Chassis (FED, FFD) 08/13→</b>					
<b>Warning Contact, brake pad wear</b>					
2.0 EcoBlue	77 - 03/16→ 136	Required quantity: 2; Fitting Position: Front Axle	2	24.8190-0999.2	620999
2.0 EcoBlue 4x4	96 - 01/17→ 125				
2.0 EcoBlue mHEV	96 - 05/19→ 125				
2.0 EcoBlue mHEV RWD	96 - 05/19→ 125				
2.0 EcoBlue RWD	77 - 03/16→ 136				
2.2 TDCi	74 - 08/13→12/18 114				
2.2 TDCi 4x4	92 - 08/13→12/18 114				
2.2 TDCi RWD	74 - 08/13→12/18 114				
E-TRANSIT	135 - 03/22→ 198				
 <b>Brake Hose</b>					
2.0 EcoBlue	77 - 03/16→ 136	Required quantity: 2; Fitting Position: Front Axle	2	24.5141-0331.3	331653 Length [mm]: 375
2.0 EcoBlue 4x4	96 - 01/17→ 125				
2.0 EcoBlue mHEV	96 - 05/19→ 125				
2.0 EcoBlue mHEV RWD	96 - 05/19→ 125				
2.0 EcoBlue RWD	77 - 03/16→ 136				
2.2 TDCi	74 - 08/13→12/18 114				
2.2 TDCi 4x4	92 - 08/13→12/18 114				
2.2 TDCi RWD	74 - 08/13→12/18 114				
E-TRANSIT	135 - 03/22→ 198				
<b>FORD - TRANSIT V363 Van (FCD, FDD) 08/13→</b>					
<b>Warning Contact, brake pad wear</b>					
2.0 EcoBlue	77 - 03/16→ 136	Required quantity: 2; Fitting Position: Front Axle	2	24.8190-0999.2	620999
2.0 EcoBlue 4x4	96 - 01/17→ 125				
2.0 EcoBlue mHEV	96 - 05/19→ 125				
2.0 EcoBlue mHEV RWD	96 - 05/19→ 125				
2.0 EcoBlue RWD	77 - 03/16→ 136				
→					












	kW				
<b>FORD - TRANSIT V363 Van (FCD, FDD) 08/13→</b>					
<b>Warning Contact, brake pad wear</b>					
2.2 TDCi	74 - 08/13→12/18 114	Required quantity: 2; Fitting Position: Front Axle	2	<b>24.8190-0999.2 620999</b>	
2.2 TDCi 4x4	92 - 08/13→12/18 114				
2.2 TDCi RWD	74 - 08/13→12/18 114				
E-TRANSIT	135 - 03/22→ 198				
 <b>Brake Hose</b>					
2.0 EcoBlue	77 - 03/16→ 136	Required quantity: 2; Fitting Position: Front Axle	2	<b>24.5141-0331.3 331653</b>	Length [mm]: 375
2.0 EcoBlue 4x4	96 - 01/17→ 125				
2.0 EcoBlue mHEV	96 - 05/19→ 125				
2.0 EcoBlue mHEV RWD	96 - 05/19→ 125				
2.0 EcoBlue RWD	77 - 03/16→ 136				
2.2 TDCi	74 - 08/13→12/18 114				
2.2 TDCi 4x4	92 - 08/13→12/18 114				
2.2 TDCi RWD	74 - 08/13→12/18 114				
E-TRANSIT	135 - 03/22→ 198				
<b>HONDA - ACCORD VIII (CP) 09/07→</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 i-VTEC	114 07/08→09/12	Transmission Type: Automatic Transmission; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
<b>HONDA - ACCORD VIII (CU) 04/08→</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 i	115 06/08→06/15	Construction year from: 07/08 →; Transmission Type: Automatic Transmission; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.2 i-DTEC	110 - 07/08→06/15 132	for brake disc diameter [mm]: 305; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.4 i 3.5 i	148 07/08→06/15 202 07/08→	Transmission Type: Automatic Transmission; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
<b>HONDA - ACCORD VIII Estate (CW) 07/08→</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 i	115 07/08→06/15	Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.2 i-DTEC 2.4 i	110 07/08→06/15 148 07/08→	for brake disc diameter [mm]: 305; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.2 i-DTEC	132 07/08→	→ Vehicle Identification Number to: 9C201346; for brake disc diameter [mm]: 305; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
<b>HONDA - ACCORD IX Coupe 09/12→</b>					
 <b>Brake Pad Set, disc brake</b>					
2.4	138 09/12→	Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories




	kw				
<b>HONDA - ACCORD IX Saloon (CR) 09/12→</b>					
 <b>Brake Pad Set, disc brake</b>					
2.4	129 - 11/13→ 139	Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.4	141 09/12→	Construction year from: 07/14 →; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
<b>HONDA - ACCORD Hatchback (TF) 01/09→</b>					
 <b>Brake Pad Set, disc brake</b>					
3.5 i	202 01/10→12/12	Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
<b>HONDA - CR-V II (RD_) 09/01→07/07</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0	110 - 09/01→03/07 112	Construction year from: 07/02 → → Construction year to: 12/04; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.2 CTDi	103 02/05→09/06	Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
2.4 Vtec 4WD	118 09/01→09/06	Construction year from: 03/02 → → Construction year to: 12/04; Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
<b>HONDA - STEPWGN (DBA-RK_) 10/09→12/15</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 i-VTEC	110 10/09→03/15	Fitting Position: Rear Axle		<b>13.0460-5741.2 605741</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
<b>HYUNDAI - ACCENT IV (RB) 11/10→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.6 1.6 CRDi 1.6 CVVT 1.6 GDI	73 - 11/10→ 79 91 11/10→ 94 07/11→ 90 12/10→ 103 09/11→	Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - ACCENT IV Saloon (RB) 08/10→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.4 CRDi 1.6 1.6 CRDi 1.6 CRDi 1.6 GDI	74 - 11/10→ 80 66 11/10→ 90 - 11/10→ 91 94 11/10→12/17 100 04/11→ 103 11/10→	Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic





	kW				
<b>HYUNDAI - ACCENT V Saloon (HC) 01/17→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4	74 07/18→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>HYUNDAI - BAYON (BC3) 05/21→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 T-GDI 1.0 T-GDI 48V-Hybrid 1.2 MPI 1.4 MPI	74 05/21→ 74 - 05/21→ 88 62 05/21→ 74 05/21→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>HYUNDAI - CRETA 01/16→01/21</b>					
 <b>Brake Disc</b>					
1.6	90 01/16→01/21	Vehicle Production Country: Russia-made; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
<b>HYUNDAI - ELANTRA IV Saloon (HD) 11/05→</b>					
 <b>Brake Disc</b>					
1.6 CVVT	89 01/16→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
<b>HYUNDAI - ELANTRA V Coupe (JK) 09/12→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 1.8	96 12/14→ 108 - 09/12→ 110	→ Construction year to: 08/15; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
 <b>Brake Disc</b>					
1.6 1.8	96 12/14→ 108 - 09/12→ 110	→ Construction year to: 08/15; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
<b>HYUNDAI - ELANTRA V Saloon (MD, UD) 09/10→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6	94 - 04/11→04/16 97	→ Construction year to: 08/15; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
→					

	kW				
<b>HYUNDAI - ELANTRA V Saloon (MD, UD) 09/10→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6	94 - 04/11→04/16 97	→ Construction year to: 08/15; Fitting Position: Rear Axle		<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 1.6 CRDi 1.8	103 06/11→08/15 94 02/11→12/15 110 09/10→	Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
 <b>Brake Disc</b>					
1.6	94 - 04/11→04/16 97	→ Construction year to: 08/15; Fitting Position: Front Axle		<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
1.6 1.6 CRDi 1.8	103 06/11→08/15 94 02/11→12/15 110 09/10→	Fitting Position: Front Axle		<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
<b>HYUNDAI - ELANTRA VI Saloon (AD, ADA) 09/15→</b>					
 <b>Brake Disc</b>					
1.6 1.6 D 2.0 2.0 MPI	94 - 09/15→ 97 100 02/16→ 110 - 10/15→ 112 115 10/17→	Fitting Position: Front Axle		<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
<b>HYUNDAI - i10 I (PA) 10/07→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2	64 12/15→	Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - i10 II (BA, IA) 08/13→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 1.0 LPG 1.2	49 08/13→ 49 - 02/14→ 51 64 12/13→	Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic




	kW			
<b>HYUNDAI - i10 II Saloon 12/13→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.2	64 08/15→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - i10 III (AC3, AI3) 09/19→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 MPI 1.0 T-GDi 1.2 MPI	49 09/19→ 74 02/20→ 62 09/19→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - i20 II (GB, IB) 11/14→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI 1.2 LPG 1.2 LPGi	74 - 01/16→ 88 55 01/19→ 61 11/14→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.1 CRDi 1.2 1.4 1.4 CRDi	55 11/14→ 55 - 11/14→ 62 74 11/14→ 66 11/14→	Construction year from: 12/14 →; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - i20 II Coupe (GB) 03/15→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI 1.1 CRDi 1.2 1.4 1.4 CRDi	74 - 01/16→ 88 55 05/15→ 62 05/15→ 74 05/15→ 66 05/15→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic





	kW				
<b>HYUNDAI - i20 II Hatchback Van (GB, IB) 11/14→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 T-GDi 1.1 CRDi 1.2 MPI 1.4 CRDi 1.4 MPi	74 01/16→ 55 05/15→ 55 - 05/15→ 62 66 05/15→ 74 05/15→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>HYUNDAI - i20 III (BC3, BI3) 08/20→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 T-GDI 1.0 T-GDI hybrid 48V 1.2 1.4 MPI	74 08/20→ 74 - 08/20→ 88 62 08/20→ 74 05/21→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>HYUNDAI - i20 ACTIVE (IB, GB) 09/15→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 T-GDI 1.4 1.4 CRDI	74 - 09/15→ 88 74 09/15→ 66 09/15→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>HYUNDAI - i30 (GD) 06/11→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.4 CRDi 1.4 LPG 1.6 1.6 CRDi 1.6 GDI 1.6 T-GDI 1.8	73 - 12/11→12/16 74 66 12/11→12/16 73 01/13→ 88 - 12/11→ 96 94 - 11/11→12/16 100 99 12/11→12/16 137 01/15→ 110 01/12→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
1.6 CRDi	81 12/11→12/16	Construction year from: 06/12 →; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
 <b>Brake Disc</b>					
1.4 1.4 CRDi 1.4 LPG →	73 - 12/11→12/16 74 66 12/11→12/16 73 01/13→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	






<b>HYUNDAI - i30 (GD) 06/11→</b>						
 <b>Brake Disc</b>						
1.6	88 - 12/11→ 96	Brake Size: 15"; Fitting Position: Front Axle		<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
1.6 CRDi	94 - 11/11→12/16 100					
1.6 GDI	99 12/11→12/16					
1.6 T-GDI	137 01/15→					
1.8	110 01/12→					
1.6 CRDi	81 12/11→12/16	Construction year from: 06/12 →; Brake Size: 15"; Fitting Position: Front Axle		<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
<b>HYUNDAI - i30 (PDE, PD, PDEN) 11/16→</b>						
 <b>Brake Pad Set, disc brake</b>						
1.0 T-GDI	88 11/16→	Brake Size: 15" / 16"; Fitting Position: Front Axle		<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
1.0 T-GDI hybrid 48V	88 03/20→					
1.4 T-GDI	103 11/16→					
1.5 T-GDI hybrid 48V	118 03/20→					
1.6 CRDi	70 - 11/16→ 100					
1.6 CRDi hybrid 48V	100 03/20→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories	
				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
1.4 MPI	74 11/16→	Brake Size: 16" / 15"; Fitting Position: Front Axle		<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
1.6 CRDi	100 11/16→					
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories	
				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
1.5	81 06/20→	Brake Size: 16"; Fitting Position: Front Axle		<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories	
				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
 <b>Brake Disc</b>						
1.4 MPI	74 11/16→	Construction year from: 01/17 →; Brake Size: 15"; Fitting Position: Front Axle		<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
1.5	81 06/20→	Brake Size: 15"; Fitting Position: Front Axle		<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	





	kW				
<b>HYUNDAI - i30 Coupe 05/13→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.6 CRDi 1.6 GDI 1.6 T-GDI	73 - 05/13→ 74 81 - 12/14→ 100 99 05/13→ 137 01/15→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
1.4 CRDi 1.6 CRDi	66 05/13→ 94 05/13→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
1.6 MPI	88 - 06/14→ 96	Vehicle Equipment: for vehicles with start-stop function / for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
 <b>Brake Disc</b>					
1.4 1.4 CRDi 1.6 CRDi 1.6 GDI 1.6 MPI 1.6 T-GDI	73 - 05/13→ 74 66 05/13→ 81 - 05/13→ 100 99 05/13→ 88 - 06/14→ 96 137 01/15→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
<b>HYUNDAI - i30 Estate (GD) 06/12→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.4 CRDi 1.6 1.6 CRDi 1.6 GDI	73 - 06/12→ 74 66 06/12→ 88 - 06/12→ 95 81 - 06/12→ 100 99 06/12→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
 <b>Brake Disc</b>					
1.4 1.4 CRDi 1.6 1.6 CRDi 1.6 GDI	73 - 06/12→ 74 66 06/12→ 88 - 06/12→ 95 81 - 06/12→ 100 99 06/12→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	












		kW					
<b>HYUNDAI - i30 Estate (PDE) 03/17→</b>							
 <b>Brake Pad Set, disc brake</b>							
1.0 T-GDI	88	03/17→	Brake Size: 15" / 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic		
1.0 T-GDI hybrid 48V	88	03/20→					
1.4 T-GDI	103	03/17→					
1.5 T-GDI Hybrid 48V	118	03/20→					
1.6 CRDi	81 -	03/17→					
1.6 CRDi hybrid 48V	100	03/20→					
			Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories		
				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic		
1.4 MPI	74	03/17→	Brake Size: 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic		
			Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories		
				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic		
1.5	81	06/20→	Brake Size: 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic		
			Brake Size: 15"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic		
			Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories		
				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic		
 <b>Brake Disc</b>							
1.5	81	06/20→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented		
<b>HYUNDAI - i30 FASTBACK (PDE, PDEN) 06/17→</b>							
 <b>Brake Pad Set, disc brake</b>							
1.0 T-GDI	88	06/17→	Brake Size: 15" / 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic		
1.4 T-GDI	103	06/17→					
1.5 T-GDI Hybrid 48V	118	03/20→					
1.6 CRDi	100	08/18→					
1.6 CRDi hybrid 48V	100	03/20→					







	kW			
<b>HYUNDAI - i30 FASTBACK (PDE, PDEN) 06/17→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI 1.4 T-GDI 1.5 T-GDI Hybrid 48V 1.6 CRDi 1.6 CRDi hybrid 48V	88 06/17→ 103 06/17→ 118 03/20→ 100 08/18→ 100 03/20→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.0 T-GDI hybrid 48V	88 06/17→	Brake Size: 15"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Brake Size: 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - i30 Hatchback Van (GDE) 06/12→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.4 MPI 1.6 CRDi 1.6 GDI	74 05/15→ 81 05/15→ 99 05/15→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
 <b>Brake Disc</b>				
1.4 MPI 1.6 CRDi 1.6 GDI	74 05/15→ 81 05/15→ 99 05/15→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
<b>HYUNDAI - i30 Hatchback Van (PDE) 11/16→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDi 1.4 T-GDi	88 11/16→ 103 11/16→	Brake Size: 15" / 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic





		kW						
<b>HYUNDAI - i30 Kombi Van (GDE, GD) 06/12→</b>								
 <b>Brake Pad Set, disc brake</b>								
1.4 MPI	74 05/15→	Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories			
1.6 CRDI	81 05/15→				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic		
1.6 GDI	99 05/15→							
 <b>Brake Disc</b>								
1.4 MPI	74 05/15→	Brake Size: 15"; Fitting Position: Front Axle		<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented			
1.6 CRDI	81 05/15→							
1.6 GDI	99 05/15→							
<b>HYUNDAI - i30 Kombi Van (PDE) 03/17→</b>								
 <b>Brake Pad Set, disc brake</b>								
1.0 T-GDi	88 03/17→	Brake Size: 15" / 16"; Fitting Position: Front Axle		<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic			
1.4 T-GDi	103 03/17→				<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories		
1.6 CRDi VGT	81 - 03/17→ 100	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>HYUNDAI - i40 I (VF) 03/12→05/19</b>								
 <b>Brake Pad Set, disc brake</b>								
1.6 CRDi	85 - 07/18→05/19 100	Rim Size [in]: 16 / 17 / 18; Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories			
1.6 GDI	99 03/12→05/19				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic		
1.7 CRDi	85 - 03/12→05/19 100							
1.7 CRDI	103 - 10/12→05/19 104							
2.0 CVVT	110 - 03/12→05/19 130							
2.0 GDi	121 12/14→05/19							
2.0 GDI	130 - 03/12→05/19 131							
<b>HYUNDAI - i40 I CW (VF) 07/11→05/19</b>								
 <b>Brake Pad Set, disc brake</b>								
1.6 CRDi	85 - 07/18→05/19 100	Rim Size [in]: 16 / 17 / 18; Fitting Position: Rear Axle		<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories			
1.6 GDI	99 07/11→05/19				<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic		
1.7 CRDi	85 - 07/11→05/19 104							
2.0 CVVT	110 - 07/11→05/19 130							
2.0 GDi	121 12/14→05/19							
2.0 GDI	130 07/11→05/19							

	kw			
<b>HYUNDAI - i40 I Kombi Van (VF) 07/11→05/19</b>				
 <b>Brake Pad Set, disc brake</b>				
1.7 CRDI	85 05/15→05/19	Rim Size [in]: 16 / 17 / 18; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - IONIQ (AE) 03/16→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 GDI Hybrid	77 - 03/16→ 104	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
1.6 GDI Plug-in Hybrid Electric	77 03/16→ 88 - 03/16→ 100		<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
Elektro	25 03/16→			
<b>HYUNDAI - IONIQ 5 (NE) 07/20→</b>				
 <b>Brake Pad Set, disc brake</b>				
EV	125 - 05/21→ 225	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - ix35 (LM, EL, ELH) 08/09→</b>				
 <b>Brake Caliper</b>				
1.6	99 11/10→	→ Construction year to: 12/15; Vehicle Production Country: Czech Republic; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.7 CRDi 2.0 CRDi	85 11/10→ 130 - 01/12→ 135	→ Construction year to: 12/15; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.0	120 01/10→07/13	Construction year from: 04/10 → → Construction year to: 03/13; Vehicle Production Country: Republic of Korea (South Korea); Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.0 2.0 CVVT 2.0 CVVT AWD 2.4 4WD	122 01/10→ 110 08/09→07/13 110 08/09→07/13 129 - 01/10→ 130	Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.0 4WD	120 01/10→	Construction year from: 04/10 → → Construction year to: 07/13; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.0 CRDi 2.0 CRDi 4WD	100 01/10→ 100 - 01/10→ 135	Construction year from: 04/10 → → Construction year to: 12/15; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.0 CRDi 4WD	130 01/11→	Construction year from: 01/12 → → Construction year to: 12/15; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
→				





	kW				
<b>HYUNDAI - ix35 (LM, EL, ELH) 08/09→</b>					
 <b>Brake Caliper</b>					
2.0 CRDi 4WD	132 01/10→06/15	Construction year from: 04/10 →; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
2.0 CVVT 4WD	122 08/09→	→ Construction year to: 07/13; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
2.4 DCVVT-I 4WD	128 07/10→12/13	→ Construction year to: 04/13; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
 <b>Brake Pad Set, disc brake</b>					
2.0 2.0 AWD 2.0 Flex	114 11/13→ 114 11/13→ 131 05/12→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>HYUNDAI - ix35 Van 08/09→12/15</b>					
 <b>Brake Caliper</b>					
CRDi	85 09/10→12/15	Construction year from: 11/10 →; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
CRDi CRDi 4WD	100 08/09→12/15 100 08/09→12/15	Construction year from: 04/10 →; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
GDi	99 05/15→12/15	Vehicle Production Country: Czech Republic; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
<b>HYUNDAI - KONA (OS, OSE, OSI) 06/17→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 GDi Hybrid EV	77 - 06/19→ 104 100 - 04/18→ 150	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
 <b>Brake Disc</b>					
1.0 T-GDi 1.6 CRDi e-VGT 1.6 T-GDi 1.6 T-GDi 4WD	88 07/17→ 100 07/17→ 130 07/17→ 130 06/17→	→ Construction year to: 09/17; Rims: for steel rims; Rim Size [in]: 16; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
		Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
1.0 T-GDi Hybrid 48V 1.6 CRDi 1.6 CRDi e-VGT 1.6 CRDi e-VGT AWD 1.6 CRDi Hybrid 48V 1.6 CRDi Hybrid 48V 4WD	88 11/20→ 85 08/18→ 100 08/18→ 100 07/17→ 100 11/20→ 100 11/20→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	




	kW			
<b>HYUNDAI - KONA SUV Van (OS, OSE, OSI) 06/17→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 GDi Hybrid EV	77 - 06/19→ 104 150 04/18→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
 <b>Brake Disc</b>				
1.0 T-GDi	88 07/17→	→ Construction year to: 09/17; Rims: for steel rims; Rim Size [in]: 16; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
		Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
<b>HYUNDAI - SOLARIS Saloon (HCR) 01/17→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.4 1.6	74 01/17→ 89 - 01/17→ 90	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - TUCSON (TL, TLE) 05/15→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 CRDi 1.6 CRDi All-wheel Drive 1.6 CRDi hybrid 48V 1.6 CRDi hybrid 48V All-wheel Drive 1.6 GDi 1.6 T-GDi 1.6 T-GDi All-wheel Drive 1.7 CRDi 2.0 2.0 All-wheel Drive 2.0 CRDi 2.0 CRDi All-wheel Drive 2.0 CRDi Hybrid 48V All-wheel Drive 2.0 CVVT 2.0 CVVT All-wheel Drive 2.0 GDi All-wheel Drive 2.4 GDI All-wheel Drive	85 - 08/18→ 100 85 - 08/18→ 100 85 - 03/19→ 100 100 03/19→ 96 - 06/15→09/20 97 130 06/15→09/20 130 06/15→09/20 85 - 06/15→09/20 104 114 - 06/15→09/20 115 114 - 06/15→09/20 115 100 - 06/15→09/20 136 100 - 06/15→09/20 136 136 10/18→ 110 06/15→09/20 110 06/15→09/20 122 09/15→09/20 135 07/19→09/20	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic




	kW			
<b>HYUNDAI - TUCSON SUV Van (TLE) 05/15→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 CRDi 1.6 T-GDi	100 08/18→ 130 06/15→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>HYUNDAI - VELOSTER (FS) 03/11→12/17</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 1.6 GDi 1.6 GDi 1.6 MPI 1.6 T-GDi	94 06/11→12/17 95 10/11→12/17 103 03/11→12/17 97 04/11→12/17 137 - 08/12→12/17 150	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
 <b>Brake Disc</b>				
1.6 1.6 GDi 1.6 GDi 1.6 MPI 1.6 T-GDi	94 06/11→12/17 95 10/11→12/17 103 03/11→12/17 97 04/11→12/17 150 08/12→12/17	Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
<b>KIA - CADENZA I (VG) 01/10→</b>				
 <b>Brake Pad Set, disc brake</b>				
3.0 GDi 3.5 CVVT	175 01/10→12/15 213 01/10→12/15	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - CARENS IV 01/13→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 GDi 1.7 CRDi 2.0 GDi 2.0 MPI	99 03/13→ 85 - 03/13→ 104 122 - 03/13→ 130 110 - 03/13→ 112	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - CARENS IV Van (A4) 03/13→</b>				
 <b>Brake Pad Set, disc brake</b>				
CRDi	85 - 04/15→ 100	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
→				







	kW			
<b>KIA - CARENS IV Van (A4) 03/13→</b>				
 <b>Brake Pad Set, disc brake</b>				
CRDi	85 - 04/15→ 100	Fitting Position: Rear Axle	<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - CEE'D (JD) 05/12→07/18</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI	74 - 07/15→07/18 88	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
1.4 CRDi 90	66 05/12→07/18			
1.4 CVVT	66 - 05/12→07/18 73			
1.4 LPG	72 05/12→07/18			
1.4 MPI	74 04/15→07/18			
1.6 CRDi 110	81 05/12→07/18			
1.6 CRDi 128	94 05/12→07/18			
1.6 CRDi 136	100 07/15→07/18			
1.6 CVVT	95 - 01/13→07/18 96			
1.6 GDI	99 05/12→07/18		<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 GT	150 06/13→07/18	Construction year from: 07/13 →; Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
 <b>Brake Disc</b>				
1.0 T-GDI	74 - 07/15→07/18 88	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
1.4 MPI	74 04/15→07/18			
1.6 CRDi 136	100 07/15→07/18			
1.4 CRDi 90	66 05/12→07/18	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
1.4 CVVT	66 - 05/12→07/18 73			
1.4 LPG	72 05/12→07/18			
1.6 CRDi 110	81 05/12→07/18			
1.6 CRDi 128	94 05/12→07/18			
1.6 GDI	99 05/12→07/18			
1.6 CVVT	95 - 01/13→07/18 96	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
		Construction year from: 06/15 →; Country-spec. model: Russia; Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
1.6 GT	150 06/13→07/18	Construction year from: 07/13 →; Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
<b>KIA - CEE'D Combi Van (JD) 07/12→07/18</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI	74 - 04/15→07/18 88	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
1.4 CRDi	66 04/15→07/18			
1.4 CVVT	73 04/15→07/18			
1.6 CRDi	94 07/12→07/18			
1.6 GDi	99 04/15→07/18			
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic











	kW				
<b>KIA - CEE'D Combi Van (JD) 07/12→07/18</b>					
 <b>Brake Disc</b>					
1.0 T-GDI	74 - 04/15→07/18 88	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
1.4 CRDi 1.4 CVVT 1.6 GDi	66 04/15→07/18 73 04/15→07/18 99 04/15→07/18	→ Construction year to: 05/15; Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
		Construction year from: 06/15 →; Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
1.6 CRDi	94 07/12→07/18	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
<b>KIA - CEE'D Sportswagon (JD) 09/12→07/18</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 T-GDI 1.4 CRDi 90 1.4 CVVT 1.4 LPG 1.4 MPI 1.6 CRDi 110 1.6 CRDi 128 1.6 CRDi 136 1.6 CVVT 1.6 GDI	74 - 07/15→07/18 88 66 09/12→07/18 73 09/12→07/15 72 01/13→07/18 74 04/15→07/18 81 03/13→07/18 94 09/12→07/15 100 07/15→07/18 95 - 11/14→07/18 96 99 09/12→07/18	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
 <b>Brake Disc</b>					
1.0 T-GDI 1.4 MPI 1.6 CRDi 136	74 - 07/15→07/18 88 74 04/15→07/18 100 07/15→07/18	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
1.4 CRDi 90 1.4 CVVT 1.4 LPG 1.6 CRDi 110 1.6 CRDi 128 1.6 GDI	66 09/12→07/18 73 09/12→07/15 72 01/13→07/18 81 03/13→07/18 94 09/12→07/15 99 09/12→07/18	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
1.6 CVVT	95 - 11/14→07/18 96	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
		Construction year from: 06/15 →; Country-spec. model: Russia; Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
<b>KIA - CEED (CD) 03/18→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 T-GDI 1.4 T-GDI 1.5 T-GDI 1.6 CRDi 115 1.6 CRDi 115 Eco-Dynamics+ 1.6 CRDi 136 1.6 CRDi 136 Eco-Dynamics+	74 - 03/18→ 88 103 03/18→ 118 01/21→ 85 03/18→ 85 12/19→  100 03/18→ 100 12/19→	Brake Size: 15" / 16"; Fitting Position: Front Axle      Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0470-5510.2 LD5510</b>      <b>13.0460-5650.2 605650</b>   <b>13.0470-5650.2 LD5650</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic  Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
→					





	kw			
<b>KIA - CEED (CD) 03/18→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.4 1.4 LPG	73 03/18→ 71 12/18→	Brake Size: 16" / 15"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6	94 03/18→	Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 T-GDI GT	150 10/18→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
 <b>Brake Disc</b>				
1.4 1.4 LPG	73 03/18→ 71 12/18→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
<b>KIA - CEED Combi Van (CD) 03/18→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.4 T-GDI CRDi 115 CRDi 136 T-GDI	103 04/18→ 85 05/18→ 100 05/18→ 88 05/18→	Brake Size: 15" / 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
→				





	kW			
<b>KIA - CEED Combi Van (CD) 03/18→</b>				
 <b>Brake Pad Set, disc brake</b>				
GDI Hybrid	77 - 12/19→ 104	Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - CEED Hatchback Van (CD) 03/18→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.4 T-GDI CRDi 115 CRDi 136 T-GDI	103 03/18→ 85 03/18→ 100 03/18→ 88 03/18→	Brake Size: 15" / 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
T-GDI GT	150 10/18→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - CEED Sportswagon (CD) 03/18→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI 1.4 T-GDI 1.5 T-GDI 1.6 CRDi 115 1.6 CRDi 115 Eco-Dynamics+ 1.6 CRDi 136 1.6 CRDi 136 Eco-Dynamics+	74 - 05/18→ 88 103 04/18→ 118 01/21→ 85 05/18→ 85 12/19→ 100 05/18→ 100 12/19→	Brake Size: 15" / 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
→				

	kw			
<b>KIA - CEED Sportswagon (CD) 03/18→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.4 1.4 LPG	73 04/18→ 71 12/18→	Brake Size: 16" / 15"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 1.6 GDI Hybrid	94 05/18→ 77 - 12/19→ 104	Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
 <b>Brake Disc</b>				
1.4 1.4 LPG	73 04/18→ 71 12/18→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
<b>KIA - CERATO III Hatchback (YD) 09/12→</b>				
 <b>Brake Disc</b>				
1.6 CVVT	95 11/14→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
<b>KIA - CERATO III Saloon (YD) 09/12→</b>				
 <b>Brake Disc</b>				
1.6 CRDI 1.6 CVVT 2.0 MPI	100 08/16→ 94 - 11/14→ 95 112 03/16→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
<b>KIA - CERATO IV Saloon (BD, BDM) 02/18→</b>				
 <b>Brake Disc</b>				
1.6 MPI 1.6 TCI 2.0 MPI	94 - 02/18→ 96 100 11/18→ 110 - 02/18→ 112	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
<b>KIA - CERATO KOUP II (TD) 01/09→</b>				
 <b>Brake Disc</b>				
1.6 CVVT	150 09/13→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented





	kW				
<b>KIA - CERATO KOUP III (YD) 12/13→</b>					
 <b>Brake Disc</b>					
1.6 T-GDI	150 12/13→	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
<b>KIA - NIRO (DE) 09/16→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 GDI Hybrid E-NIRO	77 - 09/16→ 107 100 - 08/18→ 150	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
<b>KIA - NIRO VAN (DE) 09/16→</b>					
 <b>Brake Pad Set, disc brake</b>					
GDI Hybrid	77 - 09/16→ 104	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
<b>KIA - OPTIMA (FSGDS6B) 01/10→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.7 CRDi 2.0 2.0 CVVL 2.0 CVVT Hybrid 2.4 2.4 CVVT	100 03/12→ 125 03/12→ 121 03/12→ 110 - 03/12→ 140 132 03/12→ 132 01/12→	→ Construction year to: 12/15; Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
2.0 2.4 2.4 Hybrid	204 09/10→ 149 09/10→ 154 09/11→	Construction year from: 03/12 → → Construction year to: 12/15; Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
2.0 CVVT 2.4	110 - 01/11→12/15 121 129 06/10→12/15	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	





	kW			
<b>KIA - OPTIMA (JF) 09/15→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 CRDi 1.6 T-GDI 1.7 CRDi 2.0 2.0 CVVL 2.0 GDI Hybrid 2.4 GDI 2.4 MPI	100 09/18→ 132 09/18→ 99 - 11/15→ 104 110 - 09/15→ 113 120 - 09/15→ 124 115 09/16→ 138 09/15→ 126 - 09/15→ 131	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
2.0 T-GDi	180 09/15→12/17	Rim Size [in]: 16 / 17; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - OPTIMA Sportswagon (JF) 09/16→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 CRDi 1.6 T-GDI 1.7 CRDi 2.0 CVVL	100 01/18→ 132 01/18→ 99 - 09/16→ 104 120 09/16→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
2.0 T-GDi	180 09/16→	Rim Size [in]: 16 / 17; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - PRO CEE'D (JD) 03/13→07/18</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI 1.4 CRDi 90 1.4 CVVT 1.4 MPI 1.6 CRDi 110 1.6 CRDi 128 1.6 CRDi 136 1.6 CVVT 1.6 GDI 1.6 GT	74 - 07/15→07/18 88 66 03/13→07/18 73 - 03/13→07/18 74 73 - 07/13→07/18 74 81 03/13→07/18 94 03/13→07/15 100 07/15→07/18 95 03/13→07/18 99 03/13→07/18 150 06/13→07/18	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
 <b>Brake Disc</b>				
1.0 T-GDI 1.4 MPI 1.6 CRDi 136	74 - 07/15→07/18 88 74 04/15→07/18 100 07/15→07/18	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented
1.4 CRDi 90 1.4 CVVT 1.6 CRDi 110 1.6 CRDi 128	66 03/13→07/18 73 - 03/13→07/18 74 81 03/13→07/18 94 03/13→07/15	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented





	kW				
<b>KIA - PRO CEE'D (JD) 03/13→07/18</b>					
 <b>Brake Disc</b>					
1.6 CVVT 1.6 GDI 1.6 GT	95 03/13→07/18 99 03/13→07/18 150 06/13→07/18	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
1.4 MPI	73 07/13→07/18	→ Construction year to: 05/15; Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
		Construction year from: 06/15 →; Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0123.1 423123</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21 Brake Disc Type: Vented	
<b>KIA - PRO CEE'D Hatchback Van (JD) 03/12→07/18</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 CRDi 1.4 CVVT 1.6 CRDi 1.6 GDI	66 05/15→07/18 73 05/12→07/18 94 10/12→07/18 99 04/15→07/18	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
 <b>Brake Disc</b>					
1.4 CRDi 1.4 CVVT 1.6 GDI	66 05/15→07/18 73 05/12→07/18 99 04/15→07/18	Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
1.6 CRDi	94 10/12→07/18	Construction year from: 03/13 →; Brake Size: 15"; Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented	
<b>KIA - PROCEED (CD) 10/18→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 T-GDI 1.4 T-GDI 1.6 CRDi 136	88 10/18→ 103 10/18→ 100 10/18→	Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
1.5 T-GDI 1.6 CRDi 136 Eco- Dynamics+	118 01/21→ 100 12/19→	Brake Size: 15" / 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic	
→					



	kW			
<b>KIA - PROCEED (CD) 10/18→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 T-GDI 1.6 T-GDI GT	147 10/18→ 150 10/18→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - PROCEED Combi Van (CD) 10/18→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.4 T-GDI 1.6 CRDI 136	103 10/18→ 100 10/18→	Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 T-GDI GT	150 10/18→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - RIO III (UB) 09/11→12/17</b>				
 <b>Brake Pad Set, disc brake</b>				
1.1 CRDi 1.2 1.25 1.25 CVVT  1.25 LPG 1.2 CVVT 1.4 CRDi 1.4 CVVT  1.6 CVVT	55 09/11→12/17 51 09/11→12/17 64 11/14→12/17 63 - 09/11→12/17 65 63 09/11→12/17 62 11/14→12/17 66 09/11→12/17 79 - 09/11→12/17 80 90 06/12→12/17	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - RIO III Hatchback Van (UB) 09/11→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.1 CRDi 1.2 CVVT 1.4 CRDi 1.4 CVVT	55 09/11→ 63 04/15→12/17 66 04/15→ 80 04/15→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic














	kW			
<b>KIA - RIO III Saloon (UB) 09/10→12/17</b>				
 <b>Brake Pad Set, disc brake</b>				
1.25 CVVT 1.2 CVVT 1.4 CVVT 1.6 CVVT	61 - 06/11→12/17 65 64 11/14→12/17 80 10/11→12/17 90 06/12→12/17	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.4 CVVT	79 06/11→12/17	Construction year from: 09/11 →; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - RIO IV (YB, SC, FB) 01/17→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI 100 1.0 T-GDI 100 Eco-Dynamics+ 1.0 T-GDI 120 1.0 T-GDI 120 Eco-Dynamics+ 1.25 1.25 LPG 1.2 CVVT 1.4  1.4 CRDi 77 1.4 CRDi 90 1.6 1.6 Flex	74 01/17→ 74 02/17→ 88 01/17→ 88 02/17→ 62 01/17→ 60 07/20→ 62 05/20→ 73 - 01/17→ 74 57 01/17→ 66 01/17→ 89 - 01/17→ 90 94 07/17→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - RIO IV Hatchback Van (YB, SC, FB) 01/17→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI 100 1.0 T-GDI 120	74 01/17→ 88 01/17→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - RIO IV Saloon (SC, FB) 07/17→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.4 1.6	73 - 07/17→ 74 90 07/17→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic




	kW			
<b>KIA - SELTOS (SP2, SP2I) 08/19→</b>				
 <b>Brake Disc</b>				
2.0 MPI	110 08/19→	Fitting Position: Front Axle	<b>24.0123-0118.1 423118</b>	Outer diameter [mm]: 280 Brake Disc Thickness [mm] 23.1 Minimum thickness [mm] 21.4 Brake Disc Type: Vented
<b>KIA - SOUL II (PS) 02/14→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 CRDi 128 1.6 CRDi 136 1.6 CVVT 1.6 CVVT Flex 1.6 GDI 1.6 LPG 1.6 MPI 1.6 TGDI 2.0 CVVT	94 02/14→ 100 04/15→ 91 - 02/14→ 95 94 09/14→ 97 02/14→ 87 - 12/14→ 96 90 07/18→ 150 11/16→ 110 08/16→	Brake Size: 14"; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic
2.0 CVVT	113 02/14→	Construction year from: 04/14 →; Brake Size: 14"; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic
EV Electric	25 - 09/14→ 81	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic
<b>KIA - SOUL III (SK3) 01/19→</b>				
 <b>Brake Pad Set, disc brake</b>				
E-SOUL	100 - 01/19→ 150	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic
<b>KIA - SOUL III Cargo (SK3) 06/20→</b>				
 <b>Brake Pad Set, disc brake</b>				
E-SOUL	100 - 06/20→ 150	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>  <b>13.0470-5650.2 LD5650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories  Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic





	kW				
<b>KIA - SPORTAGE III (SL) 09/09→</b>					
 <b>Brake Caliper</b>					
1.6 GDI	99 02/11→		→ Construction year to: 12/15; Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.7 CRDi	85 12/10→				
2.0 CRDi	100 - 07/10→				
	135				
2.0 CRDi AWD	100 - 07/10→				
	135				
2.0 CVVT	120 - 07/10→				
	122				
2.0 CVVT AWD	120 - 07/10→				
	122				
2.0 CVVT Flex	131 02/12→12/16				
2.0 GDI	122 - 09/13→				
	194				
2.0 GDI AWD	122 02/14→				
2.4 i AWD	130 08/10→				
2.0 CVVT	110 06/10→12/13		Fitting Position: Front Axle Left	<b>24.3601-1749.5 241441</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.0 CVVT AWD	110 06/10→12/13				
<b>KIA - SPORTAGE IV (QL, QLE) 09/15→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 CRDi	85 - 07/18→		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
1.6 CRDi AWD	100 07/18→				
1.6 CRDi Eco-Dynamics	85 - 03/19→				
+	100				
1.6 CRDi Eco-Dynamics	100 03/19→				
+ AWD					
1.6 GDI	97 09/15→				
1.6 LPG	93 07/20→				
1.6 T-GDI	130 09/15→				
1.6 T-GDI AWD	130 09/15→				
1.7 CRDi	85 - 09/15→			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
	104				
2.0	110 - 12/15→				
	115				
2.0 Alcohol	114 12/15→				
2.0 AWD	110 - 12/15→				
	114				
2.0 CRDi	100 - 09/15→				
	136				
2.0 CRDi AWD	100 - 09/15→				
	136				
2.0 CRDi Eco-Dynamics	136 06/18→				
+ AWD					
2.4 GDI	135 05/16→				
2.4 GDI AWD	135 09/15→				
<b>KIA - SPORTAGE IV VAN (QL, QLE) 09/15→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 CRDi Eco-Dynamics	100 03/19→		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
+					
1.6 CRDi Eco-Dynamics	100 03/19→				
+ All-wheel Drive					
1.6 T-GDI	130 05/18→			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - STONIC (YB) 07/17→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 T-GDi	74 - 07/17→		Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
	88				
1.0 T-GDi Eco-Dynamics	74 - 07/20→				
+	88				
1.2 CVVT	62 07/17→				
1.4 CVVT	73 07/17→				
1.4 LPG	71 11/18→				
1.6 CRDi	81 - 07/17→				
	100				

	kW			
<b>KIA - STONIC Hatchback Van (YB) 07/17→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDi	74 - 07/17→ 88	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories
1.6 CRDi	85 08/18→			<b>13.0470-5650.2 LD5650</b> Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
<b>KIA - XCEED (CD) 06/19→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 T-GDI	88 06/19→	Brake Size: 16" / 15"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.4 T-GDI	103 06/19→			
1.5 T-GDI	118 01/21→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 CRDi 115	85 06/19→			
1.6 CRDi 136	100 06/19→			
1.6 CRDi 115 Eco-Dynamics+	85 12/19→	Brake Size: 15" / 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 CRDi 136 Eco-Dynamics+	100 12/19→			
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 GDI Hybrid	77 - 12/19→ 104	Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
1.6 T-GDI	147 - 06/19→ 150	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic
→				





	kW				
<b>KIA - XCEED (CD) 06/19→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 T-GDI	147 - 06/19→ 150	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>KIA - XCEED Van (CD) 06/19→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 T-GDI	103 06/19→	Brake Size: 16"; Fitting Position: Front Axle	<b>13.0470-5510.2 LD5510</b>	Brake System: Mobis Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
1.6 CRDI	100 06/19→				
1.6 GDI Hybrid	77 - 12/19→ 104				
1.6 T-GDI	150 06/19→				
		Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
			<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories Ceramic	
<b>LEXUS - CT (ZWA10_) 12/10→</b>					
 <b>Brake Pad Set, disc brake</b>					
200h	73 12/10→	Construction year from: 03/11 →; Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
200h	100 09/11→	Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
<b>MAZDA - B-SERIE (UF) 01/85→12/99</b>					
 <b>Brake Pad Set, disc brake</b>					
2.5 D 4WD	57 - 02/96→06/99 63	Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
2.6 12V 4WD	90 01/90→06/99				
<b>MAZDA - B-SERIE (UN) 11/98→12/08</b>					
 <b>Brake Pad Set, disc brake</b>					
2.2	68 11/99→08/02	Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
2.2 4WD	60 02/99→11/06				
2.2 8V 4WD	68 06/99→11/06				
2.5 D	61 11/99→12/01				
2.5 D 4WD	57 - 06/99→11/06 61				
2.6 12V 4WD	90 06/99→11/06				
2.6 i	92 02/99→11/06	Construction year from: 08/02 → → Construction year to: 05/04; Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
2.5 D	57 06/99→11/06	→ Construction year to: 07/06; Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
2.5 TD 4WD	80 06/99→07/06	→ Construction year to: 07/02; Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
<b>MAZDA - BT-50 Pickup (CD, UN) 08/06→12/15</b>					
 <b>Brake Pad Set, disc brake</b>					
2.5 MRZ-CD	105 08/06→06/13	Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories	
→					








	kW							
<b>MAZDA - BT-50 Pickup (CD, UN) 08/06→12/15</b>								
 <b>Brake Pad Set, disc brake</b>								
3.0 CDVi	115	12/06→12/15	→ Construction year to: 07/12; Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories			
<b>MAZDA - BT-50 Platform/Chassis (CD, UN) 08/06→</b>								
 <b>Brake Pad Set, disc brake</b>								
2.5 CDVi	105	12/06→	→ Construction year to: 07/12; Fitting Position: Front Axle	<b>13.0460-5796.2 605796</b>	Wear Warning Contact: with acoustic wear warning Supplementary Article/Supplementary Info: with accessories			
<b>MERCEDES-BENZ - A-CLASS (W177) 03/18→</b>								
 <b>Wheel Speed Sensor</b>								
A 160	80	06/18→	Required quantity: 2; Axle: Multi-Link Axle; Fitting Position: Rear Axle	2	<b>24.0710-2131.3 360656</b> Length [mm]: 52.9			
A 160 d	70	05/19→						
A 180	100	06/18→						
A 180 d	85	03/18→						
A 200	110 - 03/18→							
	120							
A 200 4-matic	120	10/20→						
A 200 d	110	11/18→						
A 200 d 4-matic	110	10/19→						
A 220	140	07/18→						
A 220 4-matic	140	07/18→10/19						
A 220 d	140	11/18→						
A 220 d 4-matic	140	10/19→						
A 250	165	03/18→						
A 250 4-matic	165	07/18→						
A 250 e	118 - 08/19→							
	160							
AMG A 35 4-matic	225	09/18→						
AMG A 45 4-matic+	285	07/19→						
AMG A 45 S 4-matic+	310	07/19→						
<b>MERCEDES-BENZ - A-CLASS Saloon (V177) 09/18→</b>								
 <b>Wheel Speed Sensor</b>								
A 160 d	70	10/19→	Required quantity: 2; Axle: Multi-Link Axle; Fitting Position: Rear Axle	2	<b>24.0710-2131.3 360656</b> Length [mm]: 52.9			
A 180	100	04/19→						
A 180 d	85	09/18→						
A 200	110 - 09/18→							
	120							
A 200 4-matic	120	10/20→						
A 200 d	110	08/19→						
A 200 d 4-matic	110	10/19→						
A 220	140	01/19→						
A 220 4-matic	140	09/18→						
A 220 d	140	08/19→						
A 220 d 4-matic	140	10/19→						
A 250	165	09/18→						
A 250 4-matic	165	09/18→						
A 250 e	118 - 08/19→							
	160							
AMG A 35 4-matic	225	03/19→						
<b>MERCEDES-BENZ - B-CLASS Sports Tourer (W247) 12/18→</b>								
 <b>Wheel Speed Sensor</b>								
B 160	80	04/19→				Required quantity: 2; Axle: Multi-Link Axle; Fitting Position: Rear Axle	2	<b>24.0710-2131.3 360656</b> Length [mm]: 52.9
B 160 d	70	05/19→						
B 180	100	12/18→						
B 180 d	85	12/18→						
B 200	110 - 12/18→							
	120							
B 200 4-matic	120	10/20→						
B 200 d	110	12/18→						
B 200 d 4-matic	110	10/19→09/21						
B 220	140	04/19→						
B 220 4-matic	140	01/19→						
B 220 d	140	12/18→						
B 220 d 4-matic	140	10/19→						
B 250	165	01/19→						
B 250 4-matic	165	01/19→						
B 250 e	118 - 06/20→							
	160							










	kW					
<b>MERCEDES-BENZ - C-CLASS (W205) 07/13→</b>						
 <b>Brake Hose</b>						
C 160	95	04/15→	Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2 <b>24.5102-0362.3 331652</b> Length [mm]: 390		
C 180	110	03/14→				
		115				
C 180 BlueTEC / d	85	05/14→05/18				
C 200 4-matic	135	04/15→08/18				
C 200 BlueTEC / d	100	05/14→05/18				
C 200 d	100	10/15→05/18				
C 220 BlueTEC / d	120	02/14→05/18				
		125				
C 220 d 4-matic	125	04/15→05/18				
C 250	155	03/14→05/18				
C 250 BlueTEC / d	150	02/14→05/18				
C 250 BlueTEC / d 4-matic	150	02/14→05/18				
C 300	180	09/15→08/18				
C 300 BlueTEC Hybrid / h	150	05/14→05/18				
C 350 e	155	02/15→08/18				
		205				
C 400 4-matic	245	10/14→				
C 160	95	06/19→	for vehicles without Airmatic DC; Suspension: for vehicles without electronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2 <b>24.5102-0362.3 331652</b> Length [mm]: 390		
C 180	115	06/19→				
C 180 d	90	05/18→				
C 200	150	08/19→				
C 200 d	110	05/18→				
		118				
C 200 EQ Boost	135	04/18→				
C 220 d	143	05/18→				
C 300	183	05/18→				
		190				
C 300 d	180	06/18→				
C 300 de	143	05/19→				
		225				
C 300 e	155	07/19→				
		235				
C 300 EQ Boost	190	05/19→				
C 200	135	12/13→08/18	Construction year from: 02/14 →; Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2 <b>24.5102-0362.3 331652</b> Length [mm]: 390		
<b>MERCEDES-BENZ - C-CLASS Convertible (A205) 06/16→</b>						
 <b>Brake Hose</b>						
C 180	115	06/16→	Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2 <b>24.5102-0362.3 331652</b> Length [mm]: 390		
C 200	135	06/16→05/18				
C 200 4-matic	135	06/16→05/18				
C 220 d	120	06/16→05/18				
		125				
C 250	155	06/16→05/18				
C 250 d	150	06/16→05/18				
C 300	180	06/16→05/18				
C 180	115	06/19→			for vehicles without Airmatic DC; Suspension: for vehicles without electronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2 <b>24.5102-0362.3 331652</b> Length [mm]: 390
C 200	150	08/19→				
C 200 d	118	07/18→				
C 200 EQ Boost	135	05/18→				
C 220 d	143	04/18→				
C 300	190	05/18→				
C 300 d	180	07/18→				
C 300 EQ Boost	190	05/19→				
<b>MERCEDES-BENZ - C-CLASS Coupe (C205) 10/15→</b>						
 <b>Brake Hose</b>						
C 180	110	10/15→	Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2 <b>24.5102-0362.3 331652</b> Length [mm]: 390		
		115				
C 200	135	10/15→05/18				
C 220 d	120	10/15→05/18				
		125				
C 250	155	10/15→05/18				
C 250 d	150	10/15→05/18				
C 300	180	10/15→12/18				
C 180	115	06/19→			for vehicles without Airmatic DC; Suspension: for vehicles without electronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2 <b>24.5102-0362.3 331652</b> Length [mm]: 390
C 200 d	118	07/18→				
C 200 EQ Boost	135	05/18→				
C 220 d	143	04/18→				
C 300	190	05/18→				
C 300 d	180	07/18→				
C 300 EQ Boost	190	05/19→				






	kW						
<b>MERCEDES-BENZ - C-CLASS T-Model (S205) 09/14→</b>							
 <b>Brake Hose</b>							
C 160	95 04/15→	Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
C 180	115 09/14→						
C 180 BlueTEC / d	85 09/14→05/18						
C 200	135 09/14→05/18						
C 200 BlueTEC / d	100 09/14→05/18						
C 200 d	100 10/15→05/18						
C 220 BlueTEC / d	120 - 09/14→05/18						
	125						
C 250	155 09/14→05/18						
C 250 BlueTEC / d	150 09/14→05/18						
C 300	180 09/15→05/18						
C 300 BlueTEC Hybrid / h	150 10/14→05/18						
C 350 e	155 - 02/15→05/18						
	205						
C 400 4-matic	245 10/14→						
C 160	95 06/19→	for vehicles without Airmatic DC; Suspension: for vehicles without elec- tronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
C 180	115 06/19→						
C 180 d	90 05/18→						
C 200 d	110 - 05/18→						
	118						
C 200 EQ Boost	135 04/18→						
C 220 d	143 04/18→						
C 300	190 05/18→						
C 300 d	180 06/18→						
C 300 de	143 - 05/19→						
	225						
C 300 e	155 - 07/19→						
	235						
C 300 EQ Boost	190 05/19→						
<b>MERCEDES-BENZ - CLA (C118) 03/19→</b>							
 <b>Wheel Speed Sensor</b>							
AMG CLA 35 4-matic	225 04/19→	Required quantity: 2; Axle: Multi-Link Axle; Fitting Position: Rear Axle	2	24.0710-2131.3 360656 Length [mm]: 52.9			
AMG CLA 45 4-matic+	285 07/19→						
AMG CLA 45 S 4-matic+	310 07/19→						
CLA 180	100 03/19→						
CLA 180 d	85 03/19→						
CLA 200	110 - 03/19→						
	120						
CLA 200 4-matic	120 10/20→						
CLA 200 d	110 04/19→						
CLA 200 d 4-matic	110 04/19→						
CLA 220	140 03/19→						
CLA 220 4-matic	140 03/19→						
CLA 220 d	140 04/19→						
CLA 220 d 4-matic	140 07/20→						
CLA 250	165 03/19→						
CLA 250 4-matic	165 03/19→						
CLA 250 e	118 - 06/20→						
	160						
<b>MERCEDES-BENZ - CLA Shooting Brake (X118) 06/19→</b>							
 <b>Wheel Speed Sensor</b>							
AMG CLA 35 4-matic	225 06/19→	Required quantity: 2; Axle: Multi-Link Axle; Fitting Position: Rear Axle	2	24.0710-2131.3 360656 Length [mm]: 52.9			
AMG CLA 45 4-matic+	285 07/19→						
AMG CLA 45 S 4-matic+	310 07/19→						
CLA 180	100 06/19→						
CLA 180 d	85 06/19→						
CLA 200	110 - 06/19→						
	120						
CLA 200 d	110 06/19→						
CLA 200 d 4-matic	110 10/19→						
CLA 220	140 06/19→						
CLA 220 d	140 06/19→						
CLA 220 d 4-matic	140 10/19→						
CLA 250	165 06/19→						
CLA 250 4-matic	165 06/19→						
CLA 250 e	118 - 06/20→						
	160						
<b>MERCEDES-BENZ - CLS (C257) 12/17→</b>							
 <b>Brake Hose</b>							
CLS 220 d	143 06/18→	for vehicles without Airmatic DC; Suspension: for vehicles without elec- tronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
CLS 300 d	180 04/18→						
CLS 350 d	210 08/18→						
CLS 350 EQ Boost	220 08/18→						













	kW						
<b>MERCEDES-BENZ - E-CLASS (W213) 01/16→</b>							
 <b>Brake Hose</b>							
2.0 E 220 d	147 02/22→	for vehicles without Airmatic DC; Suspension: for vehicles without electronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
E 200	145 10/18→						
E 200 d	118 11/18→						
E 200 EQ Boost	145 06/19→						
E 300	190 04/19→						
E 300 d	180 12/17→						
E 300 de	143 - 10/18→						
	225						
E 300 e	155 - 11/18→						
	235						
E 300 EQ Boost	190 06/19→						
E 350 d	210 08/18→						
E 350 EQ Boost	220 08/18→						
E 400 d	250 12/18→						
E 180	115 01/17→	Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
E 200	135 01/16→						
E 200 d	110 07/16→						
E 220 d	120 - 01/16→						
	143						
E 250	155 07/16→						
E 300	180 - 07/16→						
	190						
E 350 d	190 01/16→05/18						
E 350 e	155 - 07/16→						
	235						
<b>MERCEDES-BENZ - E-CLASS Convertible (A238) 06/17→</b>							
 <b>Brake Hose</b>							
E 200	135 06/17→	for vehicles without Airmatic DC; Suspension: for vehicles without electronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
E 200 EQ Boost	145 06/19→						
E 300	190 03/19→						
E 300 d	180 05/18→						
E 300 EQ Boost	190 06/19→						
E 350 d	210 11/18→						
E 350 EQ Boost	220 10/17→						
E 450	270 07/20→						
E 220 d	120 - 06/17→	Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
E 300	143						
E 300	180 06/17→						
E 400 4-matic	245 06/17→	Required quantity: 2; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
<b>MERCEDES-BENZ - E-CLASS Coupe (C238) 12/16→</b>							
 <b>Brake Hose</b>							
E 200	135 12/16→	Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
E 220 d	143 12/16→						
E 300	180 12/16→						
E 200 EQ Boost	145 06/19→	for vehicles without Airmatic DC; Suspension: for vehicles without electronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
E 220 d	120 12/16→						
E 300	190 08/18→						
E 300 d	180 05/18→						
E 300 EQ Boost	190 06/19→						
E 350 d	210 11/18→						
E 350 EQ Boost	220 10/17→						
E 450	270 07/20→						
<b>MERCEDES-BENZ - E-CLASS T-Model (S213) 07/16→</b>							
 <b>Brake Hose</b>							
E 200	135 07/16→	Required quantity: 2; for vehicles without Airmatic DC; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
E 200 d	110 10/16→						
E 220 d	120 - 07/16→						
	143						
E 250	155 07/16→						
E 350 d	190 10/16→						
E 200 d	118 11/18→	for vehicles without Airmatic DC; Suspension: for vehicles without electronic suspension control; Required quantity: 2; Fitting Position: Front Axle	2	24.5102-0362.3 331652 Length [mm]: 390			
E 200 EQ Boost	145 06/19→						
E 220 d	143 - 09/20→						
	147						
E 300 d	180 12/17→						
E 300 de	143 - 10/18→						
	225						
E 300 e	155 - 06/20→						
	235						
E 300 EQ Boost	190 06/19→						
E 350 d	210 08/18→						
E 400 d	250 02/19→						






<b>MERCEDES-BENZ - EQA (H243) 02/21→</b>								
 <b>Wheel Speed Sensor</b>								
EQA 250	140	02/21→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9	
EQA 250+	140	03/22→	Fitting Position: Rear Axle					
EQA 300 4-matic	168	05/21→						
EQA 350 4-matic	215	05/21→						
<b>MERCEDES-BENZ - EQB (X243) 09/21→</b>								
 <b>Wheel Speed Sensor</b>								
EQB 250	140	02/22→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9	
EQB 300 4-matic	168	12/21→	Fitting Position: Rear Axle					
EQB 350 4-matic	215	12/21→						
<b>MERCEDES-BENZ - eSPRINTER Van (B910) 02/20→</b>								
 <b>Wheel Speed Sensor</b>								
Electric	85	02/20→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9	
			Fitting Position: Rear Axle					
<b>MERCEDES-BENZ - GLA (H247) 02/20→</b>								
 <b>Wheel Speed Sensor</b>								
AMG GLA 35 4-matic	225	06/20→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9	
AMG GLA 45 4-matic+	285	06/20→	Axle: Multi-Link Axle;					
AMG GLA 45 S 4-matic+	310	06/20→	Fitting Position: Rear Axle					
GLA 180	100	07/20→						
GLA 180 d	85	03/20→						
GLA 200	120	02/20→						
GLA 200 4-matic	120	10/20→						
GLA 200 d	110	02/20→						
GLA 200 d 4-matic	110	02/20→						
GLA 220 d	140	02/20→						
GLA 220 d 4-matic	140	02/20→						
GLA 250	165	02/20→						
GLA 250 4-matic	165	02/20→						
GLA 250 e	118 -	06/20→						
	160							
<b>MERCEDES-BENZ - GLB (X247) 07/19→</b>								
 <b>Wheel Speed Sensor</b>								
AMG GLB 35 4-matic	225	08/19→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9	
GLB 180	100	04/20→	Axle: Multi-Link Axle;					
GLB 180 d	85	08/19→	Fitting Position: Rear Axle					
GLB 200	120	08/19→						
GLB 200 4-matic	120	10/20→						
GLB 200 d	110	08/19→						
GLB 200 d 4-matic	110	08/19→						
GLB 220 d	140	12/19→						
GLB 220 d 4-matic	140	08/19→						
GLB 250	165	12/19→						
GLB 250 4-matic	165	08/19→						
<b>MERCEDES-BENZ - GLK-CLASS (X204) 06/08→12/15</b>								
 <b>Brake Caliper</b>								
200	135	08/13→06/15	Fitting Position: Front Axle Left		24.3441-1707.5	241453	Brake System: Bosch	
200 CDI	100 -	07/10→06/15					Supplementary Article/Supplementary Info: without holder	
	105						Brake Caliper Type: Fist-type	
220 CDI	120 -	12/08→06/15					Caliper (2 pistons)	
	125							
220 CDI 4-matic	120 -	12/08→06/15	Fitting Position: Front Axle Right		24.3441-1708.5	241454	Brake System: Bosch	
	125						Supplementary Article/Supplementary Info: without holder	
250	155	08/13→06/15					Brake Caliper Type: Fist-type	
250 4-matic	155	08/13→06/15					Caliper (2 pistons)	
250 CDI 4-matic	150	09/09→06/15						
280 4-matic	170	06/08→06/09						
300 4-matic	170 -	07/09→12/15						
	185							
320 CDI 4-matic	165	06/08→06/15						
350	200	04/09→06/15						
350 4-matic	200 -	06/08→06/15						
	225							
350 CDI 4-matic	165 -	07/09→06/15						
	195							
<b>MERCEDES-BENZ - SPRINTER 3,5-t Platform/Chassis (B907, B910) 02/18→</b>								
 <b>Wheel Speed Sensor</b>								
311 CDI	84	02/18→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9	
314 CDI	105	02/18→	Fitting Position: Rear Axle					
315 CDI	110	06/20→						
317 CDI	125	02/18→						
318 CDI	130	02/18→						






		kW					
<b>MERCEDES-BENZ - SPRINTER 3,5-t Van (B907, B910) 02/18→</b>							
	<b>Wheel Speed Sensor</b>						
311 CDI	84	02/18→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9
314 CDI	105	02/18→	Fitting Position: Rear Axle				
315 CDI	110	10/21→					
<b>MERCEDES-BENZ - SPRINTER 3-t Platform/Chassis (B910, B907) 02/18→</b>							
	<b>Wheel Speed Sensor</b>						
211 CDI	84	02/18→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9
214 CDI	105	02/18→	Fitting Position: Rear Axle				
215 CDI	110	10/21→					
<b>MERCEDES-BENZ - SPRINTER 3-t Van (B910) 02/18→</b>							
	<b>Wheel Speed Sensor</b>						
211 CDI	84	02/18→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9
214 CDI	105	02/18→	Fitting Position: Rear Axle				
215 CDI	110	10/21→					
<b>MERCEDES-BENZ - SPRINTER 4-t Platform/Chassis (B907, B910) 02/18→</b>							
	<b>Wheel Speed Sensor</b>						
411 CDI	84	02/18→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9
414 CDI	105	02/18→	Fitting Position: Rear Axle				
415 CDI	110	06/20→					
417 CDI	125	02/18→					
418 CDI	130	02/18→					
<b>MERCEDES-BENZ - SPRINTER 4-t Van (B907, B910) 02/18→</b>							
	<b>Wheel Speed Sensor</b>						
411 CDI	84	02/18→	Required quantity: 2;	2	24.0710-2131.3	360656	Length [mm]: 52.9
414 CDI	105	02/18→	Fitting Position: Rear Axle				
415 CDI	110	10/21→					
<b>NISSAN - LEAF (ZE1) 08/17→</b>							
	<b>Brake Pad Set, disc brake</b>						
Electric	110 - 08/17→	160	Vehicle Equipment: for vehicles with collision warning system;		13.0460-2600.2	602600	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
			Fitting Position: Rear Axle				
<b>NISSAN - QASHQAI II SUV (J11, J11_) 11/13→</b>							
	<b>Brake Pad Set, disc brake</b>						
1.2 DIG-T	85	11/13→	Construction year from: 02/14 →;		13.0460-2600.2	602600	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
1.5 dCi	81	11/13→	Fitting Position: Rear Axle				
1.6 dCi	96	11/13→					
1.6 dCi ALL MODE 4x4-i	96	11/13→					
1.3 DIG-T	103 - 08/18→	118	Fitting Position: Rear Axle		13.0460-2600.2	602600	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
1.5 dCi	85	06/18→					
1.6 DIG-T	120	10/14→					
1.7 dCi	110	01/19→					
1.7 dCi ALL MODE 4x4-i	110	01/19→					
2.0	103 - 06/14→	106					
2.0 ALL MODE 4x4-i	103 - 01/15→	106					
<b>NISSAN - QASHQAI II VAN (J11_) 11/13→</b>							
	<b>Brake Pad Set, disc brake</b>						
1.5 dCi	81 - 05/15→	85	Fitting Position: Rear Axle		13.0460-2600.2	602600	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
<b>NISSAN - X-TRAIL I (T30) 01/01→12/13</b>							
	<b>Brake Caliper</b>						
2.0	103 - 07/01→01/13	110	Fitting Position: Rear Axle Left		24.3351-1709.5	241451	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.0 4x4	103 - 06/01→01/13	206					
2.2 dCi	100	12/03→01/13	Fitting Position: Rear Axle Right		24.3351-1710.5	241452	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.2 DCi	84	10/04→01/13					
2.2 dCi 4x4	100	06/01→12/08					
2.2 DCi FWD	84	06/01→09/04					
2.2 Di 4x4	84	07/01→10/05					
2.5 4x4	121 - 09/01→01/13	134					

	kW				
<b>NISSAN - X-TRAIL III (T32_, T32R, T32RR) 10/13→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.3 DIG-T	116	04/19→ 118	Fitting Position: Rear Axle	<b>13.0460-2600.2 602600</b>	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
1.6 dCi		96 04/14→			
1.6 dCi ALL MODE 4x4-i		96 04/14→			
1.6 DIG-T		120 06/15→			
1.7 dCi		96 - 04/19→ 120			
1.7 dCi ALL MODE 4x4-i		96 - 04/19→ 120			
2.0		104 - 12/13→ 108			
2.0 ALL MODE 4x4-i		106 - 12/13→ 108			
2.0 dCi		130 10/16→			
2.0 dCi ALL MODE 4x4-i		130 10/16→			
2.0 Flexfuel		106 09/14→			
2.0 Flexfuel ALL MODE 4x4-i		106 02/14→			
2.0 Hybrid		106 - 09/14→ 138			
2.0 Hybrid ALL MODE 4x4-i		106 - 09/14→ 138			
2.5		124 - 12/13→ 126			
2.5 ALL MODE 4x4-i		124 - 12/13→ 126			
2.5 Flexfuel ALL MODE 4x4-i		126 02/14→			
<b>NISSAN - X-TRAIL VAN (T32) 10/13→</b>					
 <b>Brake Pad Set, disc brake</b>					
dCi		96 04/14→	Fitting Position: Rear Axle	<b>13.0460-2600.2 602600</b>	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
dCi 4x4		96 04/14→			
<b>PEUGEOT - 307 (3A/C) 08/00→12/12</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4		55 08/00→09/03	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4 16V		65 11/03→07/07			
1.4 HDi		50 10/01→06/05			
1.6 Flex		83 07/06→12/12			
2.0 16V		100 08/00→06/05		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDi 110		79 08/00→03/07			
2.0 HDi 90		66 08/00→03/07			
1.6		81 07/06→04/12	→ Construction year to: 07/07; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.6 16V		80 08/00→11/07			
1.6 HDi		66 04/05→03/09			
1.6 HDi 110		80 02/04→03/09			
2.0 16V		103 - 03/05→11/07 130		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDi 135		100 10/03→11/07			
<b>PEUGEOT - 307 Break (3E) 03/02→12/09</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4		55 04/02→09/03	→ for RPO number (vehicle manufac- turing date) up to: 12056; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4 16V		65 11/03→07/07			
1.4 HDi		50 03/02→06/05			
1.6 16V		80 03/02→04/08			
1.6 BioFlex		80 09/07→04/08		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 HDi		66 04/05→04/08			
1.6 HDi 110		80 02/04→04/08			
2.0		100 03/02→06/05			
2.0 16V		103 - 03/05→04/08 130			
2.0 HDi 110		79 03/02→12/09			
2.0 HDi 135		100 02/04→04/08			
2.0 HDi 90		66 03/02→04/08			
<b>PEUGEOT - 307 CC (3B) 03/03→06/09</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 16V		80 03/03→04/09	Construction year from: 03/05 →; → for RPO number (vehicle manufac- turing date) up to: 12056; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
→					





	kW				
<b>PEUGEOT - 307 CC (3B) 03/03→06/09</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 16V	80	03/03→04/09	Construction year from: 03/05 →; → for RPO number (vehicle manufacturing date) up to: 12056; Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 16V	100	10/03→04/09	→ for RPO number (vehicle manufacturing date) up to: 12056; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
2.0 HDi 135	100	06/05→04/09			
<b>PEUGEOT - 307 Saloon 01/01→12/12</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6	81	08/06→12/12	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
2.0	103	09/06→12/08			
2.0 HDi	80	09/06→03/12			
<b>PEUGEOT - 307 SW (3H) 03/02→12/09</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4	55	04/02→09/03	→ for RPO number (vehicle manufacturing date) up to: 12056; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4 16V	65	11/03→07/07			
1.6 16V	80	03/02→04/08			
1.6 BioFlex	80	09/07→04/08			
1.6 HDi 110	80	11/03→12/07			
1.6 HDi 90	66	04/05→04/08		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 16V	100	03/02→04/08			
	103				
2.0 HDi 110	79	03/02→12/09			
2.0 HDi 135	100	02/04→04/08			
2.0 HDi 90	66	03/02→04/08			
<b>PEUGEOT - 307 SW Estate Van (3E_, 3H_) 04/02→12/09</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 HDi	51	04/02→06/05	→ for RPO number (vehicle manufacturing date) up to: 12056; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.6 HDi	66	04/06→10/08			
2.0 HDi	66	01/03→12/09			
	100			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>PEUGEOT - 1007 (KM_) 04/05→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 16V	80	04/05→	→ Construction year to: 02/11; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.6 HDi	80	06/07→			
<b>PEUGEOT - PARTNER Box Body/MPV (5_, G_) 06/96→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 HDi 92	68	11/09→12/10	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDi	66	04/00→07/08	→ Construction year to: 03/08; + ESP; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact




	kW				
<b>PEUGEOT - PARTNER Box Body/MPV (5_, G_) 06/96→</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 HDi	66	04/00→07/08	→ Construction year to: 03/08; + ESP; Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 HDi 4x4	66	04/04→08/05	+ ESP; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>PEUGEOT - PARTNER MPV (5_, G_) 05/96→12/15</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 16V 1.6 Flexfuel 2.0 HDi 4x4	80 80 66	07/01→03/08 09/00→10/02 04/04→08/05	+ ESP; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 HDi 75 2.0 HDI	55 66	08/05→07/08 02/00→07/08	→ Construction year to: 03/08; + ESP; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 HDi 90	66	08/05→12/15	Construction year from: 02/06 → → Construction year to: 03/08; + ESP; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 HDI 92	68	11/09→12/10	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>PEUGEOT - PARTNER ORIGIN Box Body/MPV (G_) 07/08→12/15</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.6 1.6 HDi 75 1.6 HDi 90 1.9 D Electric	55 81 55 66 51 42	08/08→12/15 09/11→12/15 08/08→12/15 08/08→12/15 08/08→12/15 01/11→12/12	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>PEUGEOT - PARTNER ORIGIN MPV (G_) 07/08→12/13</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.6 16V 1.6 HDi 75 1.9 D	55 81 55 51	07/08→12/13 09/11→12/13 08/08→12/13 08/08→12/13	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic




	kW				
<b>PEUGEOT - PARTNER Platform/Chassis (5_, G_) 03/97→07/08</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 HDi	66	11/02→07/08	→ Construction year to: 03/08; + ESP; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>RENAULT - KADJAR (HA_, HL_) 06/15→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TCe 130	96	06/15→	Fitting Position: Rear Axle	<b>13.0460-2600.2 602600</b>	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
1.3 TCe 140	103	08/18→			
1.3 TCe 160	116	08/18→			
		117			
1.5 BLUE dCi 115	85	08/18→			
1.5 dCi 110	81	06/15→			
1.6 dCi 130	96	06/15→			
1.6 dCi 130 4x4	96	06/15→			
1.6 TCe 165	120	11/16→			
1.7 Blue dCi 150	110	08/18→			
1.7 Blue dCi 150 4WD	110	08/18→			
<b>RENAULT - KOLEOS II (HC_) 04/16→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.3 TCe 160	116	07/20→	Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-2600.2 602600</b>	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
1.7 BLUE dCi 150	110	06/19→			
2.0 BLUE DCI 185	135	01/20→			
2.0 BLUE DCI 185 4WD	135	01/20→			
2.0 BLUE dCi 190 4WD	140	06/19→			
2.0 TCe	107	04/16→			
1.6 dCi 130	96	04/16→	→ Construction year to: 03/18; Vehicle Equipment: for vehicles with electric parking brake; Fitting Position: Rear Axle	<b>13.0460-2600.2 602600</b>	Brake System: Lucas / TRW 25965 15,0 Wear Warning Contact: with acoustic wear warning
2.0 dCi 175	130	04/16→			
2.0 dCi 175 4WD	130	04/16→			
2.5 Sce	126	04/16→			
2.5 Sce 4WD	126	04/16→			
<b>SEAT - ALTEA (5P1) 03/04→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI	77	04/10→	for PR number: 1KD / 1KQ / 1KZ; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4 16V	63	05/06→			
1.4 TSI	92	11/07→			
1.6	75	03/04→			
1.6 LPG	75	09/09→			
1.6 Multifuel	75	11/10→05/11			
1.6 TDI	66	10/09→			
	77				
1.8 TFSI	118	01/07→			
1.9 TDI	66	04/04→			
	77				
2.0 FSI	110	05/04→03/09			
2.0 TDI	100	03/04→			
	125				
2.0 TDI 16V	103	03/04→			
2.0 TDI 16V 4WD	103	10/10→			
2.0 TFSI	147	04/06→05/09			
<b>SEAT - ALTEA XL (5P5, 5P8) 10/06→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI	77	04/10→	for PR number: 1KD / 1KQ / 1KZ; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4 TSI	92	11/07→			
1.6	75	10/06→			
1.6 LPG	75	09/09→			
1.6 Multifuel	75	10/06→11/10			
1.6 TDI	66	10/09→			
	77				
1.8 TFSI	118	01/07→			
1.9 TDI	66	10/06→12/10			
	77				
1.9 TDI 4x4	77	06/09→12/10			
2.0 FSI	110	10/06→03/09			
2.0 TDI	100	10/06→			
	125				
2.0 TDI 16V	103	10/06→			
2.0 TDI 16V 4x4	103	10/10→			
2.0 TDI 4x4	103	06/07→			
	125				
→					





	kW				
<b>SEAT - ALTEA XL (5P5, 5P8) 10/06→</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 TFSI 2.0 TFSI 4x4	147 - 10/06→ 155 147 - 06/07→ 155	for PR number: 1KD / 1KQ / 1KZ; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.4 16V	63 10/06→	Construction year from: 05/08 →; for PR number: 1KD / 1KQ / 1KZ; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>SEAT - ARONA (KJ7, KJP) 07/17→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TGI 1.0 TSI  1.5 TSI 1.6 SRE 1.6 TDI	66 11/18→ 70 - 07/17→ 85 110 07/17→ 81 07/17→ 70 - 07/17→ 85	for PR number: 1ZE / 1ZQ / 1ZR / 1ZS; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic	
		for PR number: 1KD / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>SEAT - AROSA (6H1) 05/97→06/04</b>					
 <b>Brake Caliper</b>					
1.0	37 05/97→06/04	Fitting Position: Front Axle Left	<b>24.3481-1753.5 240287</b>	Brake System: ATE Supplementary Article/Supple- mentary Info: without holder Brake Caliper Type: Fist-type Caliper	
<b>SEAT - IBIZA IV (6J5, 6P1) 03/08→12/17</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 1.0 TSI  1.2 TSI  1.4 TDI  1.6	55 05/15→06/17 70 - 05/15→06/17 81 66 - 05/15→06/17 81 55 - 05/15→06/17 77 81 07/15→06/17	for PR number: 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>SEAT - IBIZA IV SC (6J1, 6P5) 06/08→12/18</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 1.0 TSI  1.2 TSI  1.4 TDI  1.6 1.8 TSI Cupra 1.4 TSI Cupra	55 05/15→12/16 70 - 05/15→12/16 81 66 - 05/15→12/16 81 55 - 05/15→12/16 77 81 07/15→12/16 141 11/15→12/16 132 06/09→05/15	for PR number: 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
		for PR number: 1KP; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	










<b>SEAT - IBIZA IV ST (6J8, 6P8) 03/10→07/16</b>						
 <b>Brake Pad Set, disc brake</b>						
1.0	55 05/15→07/16	for PR number: 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
1.0 TSI	70 - 05/15→07/16 81					
1.2 TSI	66 - 05/15→07/16 81					
1.4 TDI	55 - 05/15→07/16 77					
<b>SEAT - IBIZA V (KJ1, KJG) 01/17→</b>						
 <b>Brake Pad Set, disc brake</b>						
1.0	48 - 01/17→ 55	for PR number: 1ZE / 1ZQ / 1ZR / 1ZS; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact		
1.0 MPi	59 07/18→					
1.0 TGI	66 11/17→					
1.0 TSI	70 - 01/17→ 85					
1.5 TSI	110 07/17→	for PR number: 1KD / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
1.6	81 05/17→					
1.6 TDI	59 - 09/17→ 85					
<b>SEAT - LEON (1M1) 11/99→06/06</b>						
 <b>Brake Pad Set, disc brake</b>						
1.8 20V T 4	132 11/99→06/06	for PR number: 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
2.8 Cupra 4	150 02/01→06/06					
<b>SEAT - LEON (1P1) 05/05→12/13</b>						
 <b>Brake Pad Set, disc brake</b>						
1.2 TSI	77 02/10→12/12	→ Construction year to: 10/12; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
1.4 16V	63 06/06→12/12					
1.4 TSI	92 11/07→12/12					
1.6 LPG	75 12/09→12/12					
1.6 MultiFuel	75 07/05→08/13					
1.6 TDI	66 - 02/10→12/12 77					
1.8 TSI	118 06/07→12/12					
2.0 Cupra R	195 09/09→12/12					
2.0 TDI	125 05/06→12/12					
2.0 TFSI	155 06/09→12/12					
1.6	75 07/05→12/12	Construction year from: 08/05 → → Construction year to: 10/12; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
2.0 TDI 16V	103 07/05→12/12					
1.9 TDI	66 06/07→12/10	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
2.0 TDI	103 10/05→10/10					
2.0 TFSI	136 - 09/05→05/11 177					
1.9 TDI	77 07/05→12/10	Construction year from: 08/05 → →; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
2.0 FSI	110 07/05→05/10					
2.0 TDI	100 07/05→05/10					
2.0 TFSI	147 05/05→03/09					




	kW				
<b>SEAT - LEON (5F1) 09/12→05/21</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSi 1.0 TSI 1.2 TSI 1.4 TSI 1.5 TGI 1.5 TSI 1.6 TDI 1.8 TSI 2.0 Cupra 2.0 TDI 2.0 TSI	63 09/18→08/20 85 05/15→08/20 63 - 12/12→08/20 81 90 - 09/12→08/20 110 96 10/18→08/20 96 - 09/18→08/20 110 66 - 09/12→08/20 81 132 02/13→08/18 195 - 10/13→08/20 221 81 - 09/12→08/20 135 140 09/18→08/20	for PR number: 1ZF / 1ZH; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
1.4 TGI	81 02/13→08/18	Construction year from: 10/13 →; for PR number: 1ZF / 1ZH; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
1.6 TDI	85 11/16→08/20	Construction year from: 01/17 →; for PR number: 1ZF / 1ZH; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
2.0 Cupra R	228 11/17→08/18	for PR number: 1ZF / 1ZH; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact
<b>SEAT - LEON Hatchback Van (5F1) 09/12→08/20</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSI 1.2 TSI 1.4 TSI 1.6 TDI 1.8 TFSI 2.0 Cupra 2.0 TDI	85 05/15→08/20 81 04/14→08/18 90 - 09/12→08/20 110 66 - 09/12→10/16 81 132 02/13→08/18 213 - 09/15→08/18 221 110 - 10/12→08/18 135	for PR number: 1ZF / 1ZH; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
1.2 TSI	63 01/13→08/18	Construction year from: 04/14 →; for PR number: 1ZF / 1ZH; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
1.6 TDI	85 11/16→08/20	Construction year from: 01/17 →; for PR number: 1ZF / 1ZH; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
<b>SEAT - LEON SC (5F5) 01/13→12/18</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSI 1.2 TSI 1.4 TSI 1.6 TDI 1.8 TSI →	85 05/15→08/18 63 - 01/13→08/18 81 90 - 02/13→08/18 110 66 - 02/13→08/18 81 132 02/13→08/18	for PR number: 1ZF / 1ZH; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact




	kW				
<b>SEAT - LEON SC (5F5) 01/13→12/18</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 Cupra	195 - 10/13→08/18 221		for PR number: 1ZF / 1ZH; Fitting Position: Front Axle	<b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
2.0 TDI	81 - 02/13→08/18 135				
1.6 TDI	85 11/16→08/18		Construction year from: 01/17 →; for PR number: 1ZF / 1ZH; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
<b>SEAT - LEON ST (5F8) 09/12→08/20</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSi	63 09/18→08/20		for PR number: 1ZF / 1ZH; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact
1.0 TSI	85 05/15→08/20				
1.2 TSI	63 - 08/13→08/20 81				
1.4 TGI	81 10/13→08/18			<b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
1.4 TSI	90 - 09/12→08/20 110				
1.5 TGi	96 10/18→08/20				
1.5 TSI	96 - 09/18→08/20 110				
1.6 TDI	66 - 09/13→08/20 81				
1.6 TDI 4Drive	77 - 04/14→08/20 85				
1.8 TSI	132 10/13→08/18				
1.8 TSI 4Drive	132 11/14→08/18				
2.0 Cupra	195 - 10/13→08/20 221				
2.0 Cupra 4Drive	221 11/16→08/20				
2.0 TDI	81 - 02/13→08/20 135				
2.0 TDI 4Drive	110 - 04/14→08/18 135				
2.0 TSI	140 07/18→08/20				
2.0 TSI 4Drive	140 09/18→08/20				
1.6 TDI	85 11/16→08/20		Construction year from: 01/17 →; for PR number: 1ZF / 1ZH; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
<b>SEAT - LEON ST Estate Van (5F8) 01/13→08/20</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSI	85 05/15→08/20		for PR number: 1ZF / 1ZH; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact
1.2 TSI	63 - 01/13→08/18 81				
1.4 TSI	110 05/14→08/20			<b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
1.6 TDI	81 09/13→08/20				
1.8 TFSI	132 10/13→08/18				
2.0 Cupra	206 - 10/13→08/20 221				
2.0 Cupra 4Drive	221 11/16→08/18				
2.0 TDI	110 - 04/13→08/18 135				
2.0 TDI 4Drive	110 09/14→08/18				
1.6 TDI	85 11/16→08/20		Construction year from: 01/17 →; for PR number: 1ZF / 1ZH; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
2.0 TDI 4Drive	135 10/14→08/18		Construction year from: 11/14 →; for PR number: 1ZF / 1ZH; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic

	kW				
<b>SEAT - TOLEDO II (1M2) 10/98→05/06</b>					
 <b>Brake Pad Set, disc brake</b>					
1.9 TDI 4Drive	110	10/00→10/05	for PR number: 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>SEAT - TOLEDO III (5P2) 04/04→05/09</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 16V	63	05/06→05/09	→ Construction year to: 03/09; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4 TSI	92	11/07→05/09			
1.6	75	10/04→05/09			
1.8 TFSI	118	01/07→05/09			
1.9 TDI	77	10/04→05/09			
2.0 FSI	110	10/04→05/09			
2.0 TDI	103 - 125	11/05→05/09			
2.0 TFSI	147	11/05→05/09	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.0 TDI	100	09/04→05/09	Construction year from: 10/04 → → Construction year to: 03/09; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
2.0 TDI 16V	103	04/04→05/09			
<b>SEAT - TOLEDO IV (KG3) 07/12→04/19</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSI	70 - 81	05/17→04/19	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2	55	07/12→06/15			
1.2 TSI	63 - 81	07/12→05/17			
1.4 TDI	66	05/15→04/19			
1.4 TSI	90 - 92	07/12→04/19			
1.6	77 - 81	07/13→04/19			
1.6 TDI	66 - 85	07/12→04/19			
<b>SKODA - FABIA II (542) 12/06→12/14</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2	44 - 51	12/06→12/14	Construction year from: 03/07 → → Construction year to: 06/14; for PR number: 1KT / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4	63	01/07→12/14			
1.4 LPG	63	01/07→11/14			
1.2 12V	44	11/11→12/14	→ Construction year to: 06/14; for PR number: 1KT / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2 LPG	51	07/07→11/14			
1.2 TDI	55	05/10→12/14			
1.2 TSI	63 - 77	03/10→12/14			
1.4 TSI RS	132	05/10→12/14			
1.6	77	04/07→12/14			
1.6 TDI	55 - 77	03/10→12/14			
1.2 12V	55	10/10→12/14	for PR number: 1KT / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2 LPG	44	03/09→11/11			
1.9 TDI	77	04/07→03/10			
1.4 TDI	51 - 59	01/07→03/10	Construction year from: 03/07 → →; for PR number: 1KT / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
→					





	kW				
<b>SKODA - FABIA II (542) 12/06→12/14</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 TDI	51 - 01/07→03/10 59	Construction year from: 03/07 →; for PR number: 1KT / 1KV; Fitting Position: Rear Axle		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>SKODA - FABIA II Combi (545) 10/07→12/14</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2	44 - 10/07→12/14 51	→ Construction year to: 06/14; for PR number: 1KT / 1KV; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2 12V	44 11/11→12/14				
1.2 LPG	51 10/07→11/14				
1.2 TDI	55 05/10→12/14				
1.2 TSI	63 - 03/10→12/14 77			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4	63 10/07→12/14				
1.4 LPG	63 10/07→11/14				
1.4 TSI RS	132 05/10→12/14				
1.6	77 10/07→12/14				
1.6 TDI	55 - 03/10→12/14 77				
1.2 LPG	44 03/09→11/11	for PR number: 1KT / 1KV; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4 TDI	51 - 10/07→03/10 59				
1.9 TDI	77 10/07→03/10			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>SKODA - FABIA III (NJ3) 08/14→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0	44 - 08/14→ 55	for PR number: 1KK / 1KT / 2EJ; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.0 TSI	70 - 08/14→ 81				
1.2 TSI	66 - 08/14→ 81			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TDI	66 - 08/14→ 77				
1.4 TSI R5	92 02/18→				
1.4 TDI	55 05/15→	for PR number: 1KT; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.6	81 01/15→				<b>13.0470-2820.2 LD2820</b>
<b>SKODA - FABIA III Estate (NJ5) 08/14→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0	44 - 10/14→ 55	for PR number: 1KK / 1KT / 2EJ; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.0 TSI	70 - 08/14→ 81				
1.2 TSI	66 - 10/14→ 81			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TDI	66 - 10/14→ 77				
1.4 TDI	55 05/15→	for PR number: 1KT; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.6	81 01/15→				<b>13.0470-2820.2 LD2820</b>
<b>SKODA - FABIA IV (PJ3) 06/21→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 MPI	48 - 06/21→ 59	for PR number: 1ZE; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact
1.0 TSI	70 - 06/21→ 81				
1.5 TSI	110 11/21→				
→					







	kW				
<b>SKODA - FABIA IV (PJ3) 06/21→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 MPI	48 - 06/21→ 59		for PR number: 1ZE; Fitting Position: Front Axle	<b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
1.0 TSI	70 - 06/21→ 81				
1.5 TSI	110 11/21→		for PR number: 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>SKODA - KAMIQ (NW4) 07/19→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TGI CNG	66 11/19→		for PR number: 1ZE / 1ZS; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact
1.0 TSI	70 - 07/19→ 85				
1.5 TSI	110 07/19→				
1.6 SRE	81 07/19→			<b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
1.6 TDI	70 - 07/19→ 85				
			for PR number: 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>SKODA - OCTAVIA II (1Z3) 02/04→06/13</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI	77 02/10→06/13		→ Construction year to: 01/13; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.4	59 06/04→04/13				
1.4 TSI	90 11/08→06/13				
1.6	75 06/04→06/13				
1.6 TDI	77 06/09→04/13			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.8 TSI	112 - 06/07→06/13 118				
2.0 TDI	81 03/10→06/13				
1.4	55 05/04→05/06		Construction year from: 06/04 →; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.6 FSI	85 02/04→10/08				
2.0 TDI	100 02/04→05/10			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 LPG	75 08/09→11/12		Construction year from: 09/09 →; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 MultiFuel	75 01/08→06/13		Construction year from: 09/09 →; for PR number: 1KD; → Construction year to: 01/13; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI	77 06/04→12/10		for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
2.0 FSI	110 11/04→10/08				
2.0 TDI	103 11/05→05/10			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
→					










<b>SKODA - OCTAVIA II (1Z3) 02/04→06/13</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 TDI 16V	103 02/04→04/13	Construction year from: 06/04 → → Construction year to: 01/13; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>SKODA - OCTAVIA II Combi (1Z5) 02/04→06/13</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI	77 02/10→04/13	for PR number: 1KD; → Construction year to: 01/13; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.4	59 05/06→06/13				
1.4 TSI	90 11/08→06/13				
1.6	75 09/04→06/13				
1.6 TDI	77 06/09→04/13				
1.8 TSI	112 - 06/07→06/13 118			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TDI	81 03/10→06/13	Construction year from: 06/04 →; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
2.0 TDI 4x4	81 05/11→02/13				
1.4	55 05/04→05/06				
1.6 FSI	85 02/04→10/08		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.0 TDI 16V	100 02/04→05/10				
1.6 LPG	75 08/09→11/12	Construction year from: 09/09 →; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.6 MultiFuel	75 01/08→06/13	Construction year from: 09/09 →; for PR number: 1KD; → Construction year to: 01/13; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.9 TDI	77 09/04→12/10	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
2.0 FSI	110 11/04→10/08				
2.0 TDI	103 11/05→05/10			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TDI 16V	103 02/04→05/13	Construction year from: 06/04 → → Construction year to: 01/13; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>SKODA - RAPID (NA2) 09/11→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 TDI	77 10/11→12/13	for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	








	kW			
<b>SKODA - RAPID (NH3, NK3, NK6) 07/12→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 TSI	70 - 06/17→12/19 81	for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2 TSI	66 - 05/15→12/19 81			
1.4 TDI	66 05/15→12/19		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TSI	92 05/15→12/19			
1.6	81 05/15→12/19			
1.6 SRE	66 06/15→12/19			
1.6 TDI	66 - 08/13→12/19 85			
1.2	55 07/12→06/15	Construction year from: 10/12 →; for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2 LPG	55 - 07/12→06/15 63			
1.2 TSI	63 - 07/12→05/15 77		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TSI	90 07/12→06/15			
1.6 TDI	77 07/12→12/19			
1.6	77 07/12→06/15	Construction year from: 07/13 →; for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>SKODA - RAPID Spaceback (NH1) 07/12→12/19</b>				
 <b>Brake Pad Set, disc brake</b>				
1.0 TSI	70 - 06/17→12/19 81	for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2 TSI	66 - 05/15→12/19 81			
1.4 TDI	66 05/15→12/19		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TSI	92 05/15→12/19			
1.6 SRE	81 05/15→12/19			
1.6 TDI	66 - 08/13→12/19 85			
1.2	55 07/12→06/15	Construction year from: 10/12 →; for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2 LPG	55 - 07/12→06/15 63			
1.2 TSI	63 - 07/12→05/15 77		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TSI	90 07/12→06/15			
1.6 TDI	77 07/12→12/19			
1.6	77 07/12→06/15	Construction year from: 07/13 →; for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>SKODA - ROOMSTER (5J7) 03/06→05/15</b>				
 <b>Brake Pad Set, disc brake</b>				
1.2	47 05/06→01/07	Construction year from: 07/06 →; for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.2	51 01/07→05/15	→ Construction year to: 04/15; for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
1.2 LPG	51 03/09→05/15			
1.2 TDI	55 03/10→05/15		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.2 TSI	63 - 03/10→05/15 77			
1.4	63 09/06→05/15			
1.4 LPG	63 03/10→05/15			
1.6	77 09/06→05/15			
1.6 TDI	66 - 03/10→05/15 77			
→				







	kW				
<b>SKODA - ROOMSTER (5J7) 03/06→05/15</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 TDI 1.6 LPG 1.9 TDI	51 - 07/06→03/10 59 77 06/06→07/10 77 09/06→03/10	for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>SKODA - ROOMSTER Praktik (5J) 03/07→05/15</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 1.2 TDI 1.2 TSI 1.4 1.6 TDI	51 03/07→05/15 55 03/10→05/15 63 03/10→05/15 63 03/07→05/15 66 03/10→05/15	→ Construction year to: 04/15; for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.4 TDI	51 - 03/07→03/10 59	for PR number: 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>SKODA - SCALA (NW1) 02/19→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TGI CNG 1.0 TSI  1.5 TSI 1.6 SRE 1.6 TDI	66 11/19→ 70 - 02/19→ 85 110 02/19→ 81 02/19→ 70 - 02/19→ 85	for PR number: 1ZE / 1ZS; Fitting Position: Front Axle     for PR number: 1KV; Fitting Position: Rear Axle	<b>13.0460-7335.2 607335</b>     <b>13.0470-7335.2 LD7335</b>     <b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact  Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>SKODA - SUPERB I (3U4) 12/01→03/08</b>					
 <b>Brake Pad Set, disc brake</b>					
1.8 T 2.0	110 12/01→03/08 85 12/01→03/08	→ Construction year to: 02/08; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.9 TDI 2.0 TDI 2.5 TDI	74 - 08/02→05/07 77 91 02/06→03/08 114 12/01→08/03	Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.9 TDI 2.0 TDI 2.5 TDI 2.8 V6	85 - 12/01→03/08 96 103 10/05→03/08 120 06/03→03/08 140 - 12/01→03/08 142	→ Construction year to: 12/07; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	



	kW			
<b>SKODA - YETI (5L) 05/09→12/17</b>				
 <b>Brake Pad Set, disc brake</b>				
1.2 TSI	77 - 09/09→12/17 81	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17.2 Wear Warning Contact: excl. wear warning contact
1.4 TSI	90 - 06/10→12/17 92			
1.6	81 04/14→12/17		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17.2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 TDI	77 11/10→05/15			
2.0 TDI	81 - 11/09→12/17 110			
<b>SSANGYONG - TIVOLI 01/15→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.5	120 06/19→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning
1.6	93 - 04/15→ 94			Supplementary Article/Supple- mentary Info: with accessories
1.6 CNG	94 07/18→		<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic
1.6 GPL	94 04/15→			
1.6 XDi 160	83 - 04/15→ 100			
<b>SSANGYONG - XLV SUV 04/16→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 CNG	94 07/18→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories
1.6 GPL	94 05/16→			
e-XDi 160	85 04/16→		<b>13.0470-5650.2 LD5650</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories Ceramic
e-XGi 160	93 - 04/16→ 94			
<b>SSANGYONG - XLV VAN 04/16→</b>				
 <b>Brake Pad Set, disc brake</b>				
e-XDi	85 12/16→	Fitting Position: Rear Axle	<b>13.0460-5650.2 605650</b>	Brake System: Akebono 25337 15,5 Wear Warning Contact: with acoustic wear warning Supplementary Article/Supple- mentary Info: with accessories
e-XGi	94 12/16→			
<b>SUBARU - TREZIA 11/10→</b>				
 <b>Brake Pad Set, disc brake</b>				
1.3	73 03/11→	Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
1.4 D	66 03/11→			
<b>TOYOTA - AURIS (E15) 10/06→09/12</b>				
 <b>Brake Pad Set, disc brake</b>				
1.33 Dual-VVTi	73 - 05/09→09/12 74	Vehicle Production Country: Japan; Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
1.4	71 03/07→09/12			
1.5	81 10/06→08/12			
1.5 4WD	77 10/06→09/12			
1.6	91 - 03/07→09/12 97			
1.8	100 - 10/06→09/12 108			
1.8 4WD	100 10/06→10/09			
1.8 Hybrid	73 09/10→09/12	Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic





	kW				
<b>TOYOTA - COROLLA Saloon (_E15_) 10/06→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.33 1.6	74 12/08→07/14 97 11/06→11/13	→ Construction year to: 05/13; Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
1.4 VVT-i 1.6 Dual VVTi 1.6 VVTi 1.8	71 11/06→11/13 91 01/07→07/14 81 08/07→06/13 100 10/06→07/14	→ Construction year to: 12/08; Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
1.6 VVTi 1.8 1.8 VVTi	90 - 03/07→05/14 100 97 - 12/07→07/14 99 97 01/08→07/14	Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
<b>TOYOTA - COROLLA Saloon (_E16_) 05/12→</b>					
 <b>Brake Hose</b>					
1.5	80 05/12→	Fitting Position: Front Axle Right		<b>24.5265-0498.3 331546</b>	Length [mm]: 498 Length 1 [mm]: 262 Length 2 [mm]: 215
<b>TOYOTA - COROLLA Saloon (_E18_, ZRE1_) 06/13→08/19</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 D-4D 1.6 1.6 CNG 1.6 VVTi 2.0 VVT-i CNG	66 06/13→12/18 96 - 06/13→12/18 97 92 11/17→12/18 92 11/17→12/18 105 12/13→12/18	for vehicles with brake assist; Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
1.6 1.8 VVTi	89 - 06/13→12/18 90 103 06/13→08/19	- ESP; Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
<b>TOYOTA - IQ (_J1_) 11/08→12/15</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 1.33 1.4 D-4D	50 01/09→12/15 72 01/09→12/15 66 01/09→12/15	+ ABS; Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
<b>TOYOTA - PRIUS (_W3_) 06/08→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.8 Hybrid	73 - 06/08→ 100	Construction year from: 06/11 →; Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
1.8 Plug-in Hybrid	73 04/09→	Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
<b>TOYOTA - PRIUS (_W5_) 09/15→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.8 Hybrid 1.8 Hybrid E-Four	72 - 09/15→ 90 72 09/15→	Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
<b>TOYOTA - PRIUS PHV (_W52_) 01/16→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.8 Plug-in Hybrid	72 01/16→	Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
<b>TOYOTA - RACTIS (_P10_) 09/05→08/10</b>					
 <b>Brake Pad Set, disc brake</b>					
1.5	81 09/05→08/10	Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
<b>TOYOTA - URBAN CRUISER (_P1_) 07/07→03/16</b>					
 <b>Brake Pad Set, disc brake</b>					
1.33	73 01/09→03/16	Construction year from: 04/10 →; Fitting Position: Rear Axle		<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic
→					

		kW				
<b>TOYOTA - URBAN CRUISER (_P1_) 07/07→03/16</b>						
 <b>Brake Pad Set, disc brake</b>						
1.33	74	04/09→03/16	Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
1.5 VVTi	80	07/07→03/16				
1.5 VVTi 4WD	76	07/07→03/16				
1.8	97	07/07→07/10				
1.4 D-4D	66	01/09→04/14	Construction year from: 04/09 →;	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
1.4 D-4D 4WD	66	01/09→04/14	Fitting Position: Rear Axle			
 <b>Brake Hose</b>						
1.33	73	01/09→03/16	Construction year from: 04/10 →; Fitting Position: Front Axle Right	<b>24.5265-0498.3 331546</b>	Length [mm]: 498 Length 1 [mm]: 262 Length 2 [mm]: 215	
<b>TOYOTA - VERSO S (_P12_) 11/10→10/16</b>						
 <b>Brake Pad Set, disc brake</b>						
1.33	70 -	11/10→10/16	Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
	73					
1.4 D4-D	66	11/10→10/16				
 <b>Brake Hose</b>						
1.33	70	11/10→10/16	Construction year from: 12/11 →; Fitting Position: Front Axle Right	<b>24.5265-0498.3 331546</b>	Length [mm]: 498 Length 1 [mm]: 262 Length 2 [mm]: 215	
<b>TOYOTA - YARIS / VIOS Saloon (_P9_) 08/05→12/13</b>						
 <b>Brake Pad Set, disc brake</b>						
1.3	64	09/05→10/13	Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
 <b>Brake Hose</b>						
1.0	52	09/05→10/13	Construction year from: 12/11 → →	<b>24.5265-0498.3 331546</b>	Length [mm]: 498	
1.3	63 -	09/05→10/13	Construction year to: 12/12;		Length 1 [mm]: 262	
	64		Fitting Position: Front Axle Right		Length 2 [mm]: 215	
1.3 4WD	64	09/05→04/13				
<b>TOYOTA - YARIS / VIOS Saloon (_P15_) 05/13→</b>						
 <b>Brake Pad Set, disc brake</b>						
1.5	79	05/13→	Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
<b>TOYOTA - YARIS (_P9_) 01/05→12/14</b>						
 <b>Brake Pad Set, disc brake</b>						
1.0 GPL	51	01/06→12/11	Vehicle Production Country: Japan;	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
1.0 VVT-i	51 -	08/05→12/11	Fitting Position: Rear Axle			
	52					
1.3 4WD	64	08/07→11/10				
1.8 VVTi	98	01/07→12/11	→ Construction year to: 08/11; Vehicle Production Country: Japan;	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
			Fitting Position: Rear Axle			
<b>TOYOTA - YARIS (_P13_) 12/10→</b>						
 <b>Brake Hose</b>						
1.0	51	12/10→	Vehicle Production Country: Japan;	<b>24.5265-0498.3 331546</b>	Length [mm]: 498	
1.3	63 -	12/10→	Fitting Position: Front Axle Right		Length 1 [mm]: 262	
	73				Length 2 [mm]: 215	
1.3 4WD	70	12/10→				
1.5	80	12/10→				
<b>TOYOTA - YARIS (_P15_) 10/13→</b>						
 <b>Brake Pad Set, disc brake</b>						
1.3	63 -	10/13→	Fitting Position: Rear Axle	<b>13.0470-5690.2 LD5690</b>	Brake System: Akebono Wear Warning Contact: with acoustic wear warning Ceramic	
	73					
1.5	79 -	03/14→				
	80					
<b>TOYOTA - YARIS Hatchback Van (_P13_) 10/12→</b>						
 <b>Brake Hose</b>						
1.0 VVTi	51	07/14→	Vehicle Production Country: Japan;	<b>24.5265-0498.3 331546</b>	Length [mm]: 498	
1.3 VVTi	73	10/12→	Fitting Position: Front Axle Right		Length 1 [mm]: 262	
					Length 2 [mm]: 215	





	kW				
<b>VW - BEETLE (5C1, 5C2) 04/11→07/19</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI 1.2 TSI 16V 1.4 TSI 1.6 TDI 2.0 TDI 2.0 TFSI 2.0 TSI 2.5	77 07/11→07/19 77 12/14→07/19 110 - 10/11→07/19 118 77 10/11→07/16 103 04/11→07/16 147 04/11→07/16 130 - 12/14→07/19 162 125 04/11→07/19	for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TDI	81 06/14→09/18	Construction year from: 12/14 →; for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TDI	110 07/14→09/18	Construction year from: 09/14 →; for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TSI	155 12/12→07/19	Construction year from: 05/13 →; for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - BEETLE Convertible (5C7, 5C8) 12/11→07/19</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI 1.4 TSI 1.6 TDI 2.0 TDI 2.0 TFSI	77 12/11→07/19 118 12/11→07/16 77 12/11→07/16 103 04/12→07/16 147 12/11→07/16	Construction year from: 11/12 →; for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.2 TSI 16V 1.4 TSI 2.0 TDI 2.0 TSI	77 12/14→07/19 110 12/14→09/18 110 09/14→09/18 162 12/14→09/18	for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TDI	81 06/14→09/18	Construction year from: 12/14 →; for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TSI	155 12/12→07/19	Construction year from: 05/13 →; for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.5	125 12/11→07/16	Construction year from: 12/12 →; for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic





	kW				
<b>VW - BORA (9M2) 01/05→12/14</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0	85	01/05→12/14	for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
				<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - BORA I (1J2) 10/98→12/13</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 16V 1.6 1.6 16V 1.6 FSI 1.8 1.8 4motion 1.9 SDI 1.9 TDI 1.9 TDI 4motion 2.0 2.0 4motion 2.3 V5 2.3 V5 4motion	55 74 - 75 77 81 92 92 50 74 74 85 85 125 125	03/00→05/05 10/98→05/05 05/00→05/05 01/02→05/05 10/98→05/05 02/99→05/05 10/98→05/05 09/00→05/05 09/00→05/05 10/98→12/13 04/00→05/05 10/00→05/05 10/00→05/05	→ Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.6 1.9 TDI 1.9 TDI 4motion 2.3 V5	78 81 85 110	06/02→10/04 10/98→06/01 02/99→06/01 10/98→10/00	for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.8 T	110	05/00→05/05	Construction year from: 09/00 → → Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.8 T	132	03/02→05/05	Construction year from: 05/02 → → Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI	66	10/98→05/05	→ Construction year to: 06/01; for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 1.9 TDI 4motion	85 66	12/98→01/02 11/98→04/02	Construction year from: 02/99 → → Construction year to: 06/01; for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 1.9 TDI 4motion	96 96	11/00→05/05 11/00→05/05	Construction year from: 04/01 → → Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 1.9 TDI 4motion	110 110	05/00→05/05 05/00→05/05	Construction year from: 10/00 → → Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
→					





	kW				
<b>VW - BORA I (1J2) 10/98→12/13</b>					
 <b>Brake Pad Set, disc brake</b>					
1.9 TDI 1.9 TDI 4motion	110 05/00→05/05 110 05/00→05/05	Construction year from: 10/00 → → Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.3 V5 4motion	110 12/98→10/00	Construction year from: 02/99 → ; for PR number: 1KU / 2EE; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.8 V6 4motion	150 03/99→05/05	Construction year from: 05/99 → → Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - BORA Variant (1J6) 05/99→05/05</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 16V 1.6 1.6 16V 1.6 FSI 1.8 4motion 1.8 T 1.9 TDI 1.9 TDI 4motion 2.0 2.0 4motion 2.3 V5 2.3 V5 4motion 2.8 V6 4motion	55 09/01→05/05 74 - 05/99→05/05 75 77 02/00→05/05 81 01/02→05/05 92 05/99→05/05 132 05/02→05/05 74 - 09/00→05/05 110 74 - 09/00→05/05 110 85 05/99→05/05 85 04/00→05/05 125 10/00→05/05 125 10/00→05/05 150 05/99→05/05	→ Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.8 T	110 05/00→05/05	Construction year from: 09/00 → → Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 1.9 TDI 4motion 2.3 V5 2.3 V5 4motion	81 - 05/99→06/01 85 85 05/99→06/01 110 05/99→10/00 110 05/99→10/00	for PR number: 1KU / 2EE; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 1.9 TDI 4motion	96 11/00→05/05 96 11/00→05/05	Construction year from: 04/01 → → Construction year to: 12/04; for PR number: 1KU / 2EE; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 4motion	88 12/99→05/03	Construction year from: 04/00 → ; for PR number: 1KU / 2EE; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic



	kW								
<b>VW - CADDY III Box Body/MPV (2KA, 2KH, 2CA, 2CH) 03/04→05/15</b>									
 <b>Brake Pad Set, disc brake</b>									
1.2 TSI	63 - 09/10→05/15 77	for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
1.6 BiFuel	75 05/11→05/15								
1.6 TDI	55 - 08/10→05/15 75								
1.9 TDI 4motion	77 11/08→08/10								
2.0 TDI	62 - 11/10→05/15 125								
2.0 TDI 16V	103 11/10→05/15								
2.0 TDI 16V 4motion	103 11/10→05/15	Construction year from: 12/07 →; for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
2.0 TDI 4motion	62 12/10→05/15								
1.4	59 05/06→08/10								
1.6	75 04/04→05/15								
1.9 TDI	55 - 04/04→08/10 77								
2.0 EcoFuel	80 04/06→05/15								
2.0 SDI	51 03/04→08/10	Construction year from: 10/10 →; for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
2.0 TDI	103 09/07→08/10								
2.0 TDI	81 08/10→05/15								
2.0 TDI 4motion	81 08/10→05/15								
						Construction year from: 12/07 →; for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
		Construction year from: 10/10 →; for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
<b>VW - CADDY III MPV (2KB, 2KJ, 2CB, 2CJ) 03/04→05/15</b>									
 <b>Brake Pad Set, disc brake</b>									
1.2 TSI	63 - 09/10→05/15 77	for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
1.6 BiFuel	75 05/11→05/15								
1.6 TDI	55 - 08/10→05/15 75								
1.9 TDI 4motion	77 05/08→08/10								
2.0 TDI	125 05/12→05/15								
2.0 TDI 16V	103 11/10→05/15								
2.0 TDI 16V 4motion	103 11/10→05/15	Construction year from: 12/07 →; for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
1.4	59 05/06→08/10								
1.6	75 04/04→05/15								
1.9 D	48 10/05→06/09								
1.9 TDI	55 - 04/04→08/10 77								
2.0 EcoFuel	80 04/06→05/15								
2.0 SDI	51 03/04→08/10	Construction year from: 10/10 →; for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
2.0 TDI	103 09/07→08/10								
2.0 TDI	81 08/10→05/15								
2.0 TDI 4motion	81 08/10→05/15								
						Construction year from: 12/07 →; for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
<b>VW - CADDY Box Body/MPV (6K9, 9E7, 9E9) 09/02→12/09</b>									
 <b>Brake Pad Set, disc brake</b>									
1.9 D	47 02/98→06/09	Construction year from: 12/07 →; for PR number: 1ZF / 2E2; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact					
<b>VW - CRAFTER Bus (SYI, SYJ) 09/16→</b>									
 <b>Brake Disc</b>									
2.0 TDI	75 - 09/16→ 130	for PR number: 1LB; Fitting Position: Rear Axle	<b>24.0128-0324.1 428324</b>	Outer diameter [mm]: 303 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Brake Disc Type: Vented					
2.0 TDI 4motion	103 - 03/17→ 130								














<b>VW - CRAFTER Platform/Chassis (SZ_) 11/16→</b>						
 <b>Brake Disc</b>						
2.0 TDI	75 - 11/16→ 130	for PR number: 1LB; Fitting Position: Rear Axle	<b>24.0128-0324.1 428324</b>	Outer diameter [mm]: 303 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Brake Disc Type: Vented		
2.0 TDI 4motion	103 - 03/17→ 130					
2.0 TDI RWD	80 - 11/16→ 130					
<b>VW - CRAFTER Van (SY_, SX_) 09/16→</b>						
 <b>Brake Disc</b>						
2.0 TDI	75 - 09/16→ 130	for PR number: 1LB; Fitting Position: Rear Axle	<b>24.0128-0324.1 428324</b>	Outer diameter [mm]: 303 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Brake Disc Type: Vented		
2.0 TDI 4motion	103 - 03/17→ 130					
2.0 TDI RWD	80 - 05/17→ 130					
<b>VW - EOS (1F7, 1F8) 03/06→08/15</b>						
 <b>Brake Pad Set, disc brake</b>						
1.4 TSI	90 - 11/07→08/15 118	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
1.6 FSI	85 06/06→05/08					
2.0 TDI	100 - 06/06→08/15 103		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
2.0 TDI 16V	103 05/08→08/15					
2.0 TSI	155 11/09→08/15					
3.2 V6	184 06/06→05/09					
3.6 V6	191 05/09→11/10					
2.0 FSI	110 03/06→05/08	Construction year from: 05/06 →;	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
2.0 TFSI	147 03/06→08/15	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
<b>VW - GOLF IV (1J1) 08/97→04/08</b>						
 <b>Brake Pad Set, disc brake</b>						
1.8 4motion	92 05/98→06/05	Construction year from: 07/98 → → Construction year to: 10/03; for PR number: 1KU / 2EE / 2EL; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
1.9 TDI 4motion	66 07/98→04/02	→ Construction year to: 06/01; for PR number: 1KU / 2EE / 2EL; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
1.9 TDI 4motion	74 09/00→06/05	for PR number: 1KU / 2EE / 2EL;	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
2.3 V5 4motion	110 12/98→10/00	Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
2.8 VR6	147 03/02→06/05					
1.9 TDI 4motion	85 09/99→06/01	Construction year from: 11/99 →; for PR number: 1KU / 2EE / 2EL; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic		
1.9 TDI 4motion	96 11/00→06/05	Construction year from: 04/01 → → Construction year to: 10/03; for PR number: 1KU / 2EE / 2EL; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact		
→						



<b>VW - GOLF IV (1J1) 08/97→04/08</b>					
 <b>Brake Pad Set, disc brake</b>					
1.9 TDI 4motion	96 11/00→06/05	Construction year from: 04/01 → → Construction year to: 10/03; for PR number: 1KU / 2EE / 2EL; Fitting Position: Rear Axle		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 4motion	110 02/00→06/05	Construction year from: 09/00 → → Construction year to: 10/03; for PR number: 1KU / 2EE / 2EL; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 4motion 2.3 V5 4motion 2.8 VR6 4motion 3.2 R32 4motion	85 10/00→06/05 125 10/00→06/05 150 03/99→06/05 177 09/02→06/05	→ Construction year to: 10/03; for PR number: 1KU / 2EE / 2EL; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - GOLF IV Van (1J1) 10/97→05/04</b>					
 <b>Brake Pad Set, disc brake</b>					
1.9 TDI 4motion	85 01/00→04/01	for PR number: 1KU / 2EE / 2EL; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - GOLF IV Variant (1J5) 05/99→06/06</b>					
 <b>Brake Pad Set, disc brake</b>					
1.8 4motion 1.9 TDI 4motion 2.0 4motion 2.3 V5 4motion 2.8 V6 4motion	92 05/99→06/06 66 - 05/99→06/06 110 85 10/00→06/06 110 - 05/99→06/06 125 150 05/99→06/06	for PR number: 2EE / 2EL; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 4motion	85 05/99→06/01	Construction year from: 11/99 → ; for PR number: 2EE / 2EL; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 4motion	96 11/00→06/06	Construction year from: 04/01 → ; for PR number: 2EE / 2EL; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 4motion	88 12/99→06/06	Construction year from: 04/00 → ; for PR number: 2EE / 2EL; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - GOLF V (1K1) 10/03→07/10</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 16V 1.4 FSI 1.6 FSI	55 10/03→05/06 66 10/03→07/06 85 10/03→07/08	for PR number: 1KD / 1KQ; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact
→					



	kW				
<b>VW - GOLF V (1K1) 10/03→07/10</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 16V 1.4 FSI 1.6 FSI	55 10/03→05/06 66 10/03→07/06 85 10/03→07/08	for PR number: 1KD / 1KQ; Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.4 16V 1.4 TSI 1.6 1.6 MultiFuel 1.9 TDI 2.0 2.0 FSI 2.0 GTI 2.0 SDI 2.0 TDI 2.0 TDI 16V 2.5	59 05/06→11/08 90 - 11/05→11/08 125 75 01/04→11/08 75 10/07→11/08 66 - 10/03→11/08 77 85 01/05→11/08 110 01/04→11/08 147 - 10/04→02/09 169 55 01/04→11/08 100 - 10/03→11/08 125 103 10/03→11/08 125 05/07→11/08	for PR number: 1KD / 1KQ; → Construction year to: 09/08; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>VW - GOLF VI (5K1) 10/08→12/14</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI 1.4 1.4 TSI 1.6 1.6 BiFuel 1.6 MultiFuel 1.6 TDI 1.8 TSI 2.0 GTI 2.0 TDI 2.5	63 05/10→11/12 59 10/08→11/12 90 - 10/08→11/12 118 75 10/08→11/12 75 03/09→11/12 75 10/08→11/12 66 - 02/09→11/12 77 118 06/09→01/11 147 - 04/09→11/13 173 81 - 10/08→05/13 125 125 07/09→05/13	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.2 TSI	77 11/08→11/12	Construction year from: 05/09 →; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>VW - GOLF VI Convertible (517) 03/11→05/16</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI 1.4 TSI 1.6 TDI	77 03/11→05/16 118 03/11→05/16 77 03/11→05/16	Construction year from: 06/11 →; for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.2 TSI 16V 1.4 TSI 2.0 GTI 2.0 R 2.0 TDI 2.0 TSI	77 11/13→05/16 90 - 11/11→05/16 110 155 05/12→05/16 195 01/13→05/16 81 - 11/11→05/16 110 162 11/13→05/16	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>VW - GOLF VI Van (5K1_) 10/08→11/12</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSi 1.2 TSi BlueMotion 1.4 TSi 1.6 TDi 1.6 TDi BlueMotion 2.0 GTi 2.0 TDi TSi	63 05/10→11/12 77 05/09→11/12 118 10/08→11/12 66 02/09→11/12 77 05/09→11/12 155 02/09→11/12 103 - 09/09→11/12 125 90 10/08→11/12	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact  Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	

	kW				
<b>VW - GOLF VII (5G1, BQ1, BE1, BE2) 08/12→</b>					
 <b>Brake Caliper</b>					
1.0 TSI	63 - 05/15→ 85		for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.2 TSI	77 - 11/12→ 81				
1.4 GTE Hybrid	110 05/14→				
1.4 TSI	92 - 05/14→ 110		for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.4 TSI MultiFuel	90 - 04/13→ 92				
1.5 TGI	96 11/18→				
1.5 TSI	96 - 04/17→ 110				
1.6	81 05/14→07/17				
1.6 TDI	66 - 04/13→08/20 85				
1.6 TDI 4motion	77 - 11/12→ 81				
2.0 GTD	135 04/13→				
2.0 GTI	155 - 04/13→ 180				
2.0 GTI Clubsport	195 02/16→03/17				
2.0 GTI Clubsport S	228 09/16→				
2.0 GTI TCR	213 11/18→				
2.0 R 360S 4motion	265 09/16→				
2.0 R 4motion	206 - 11/13→ 228				
2.0 TDI	81 - 08/12→ 110				
2.0 TDI 4motion	110 11/12→08/20				
1.2 TSI	63 08/12→03/17		Construction year from: 11/12 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.4 TSI	103 08/12→03/17				
1.6 TDI	77 08/12→03/17				
			Construction year from: 11/12 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.4 TGI CNG	81 06/13→		Construction year from: 08/13 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
			Construction year from: 08/13 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.4 TSI	90 11/12→		Construction year from: 06/13 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.6 TDI	81 01/13→				
			Construction year from: 06/13 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
<b>VW - GOLF VII Van (5G1) 08/12→</b>					
 <b>Brake Caliper</b>					
1.2 TSi BlueMotion	63 08/12→		Construction year from: 11/12 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.4 TSi BlueMotion	103 08/12→				
1.6 TDi BlueMotion	77 08/12→				
			Construction year from: 11/12 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.2 TSi BlueMotion	77 11/12→		for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
1.4 TSi BlueMotion	90 05/13→				
1.6 TDi BlueMotion	66 - 04/13→ 81				
2.0 GTD	135 04/13→				
2.0 GTi	162 - 04/13→ 169		for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
2.0 TDi BlueMotion	110 05/13→				
2.0 TDi BlueMotion 4motion	110 05/13→				

	kW				
<b>VW - GOLF VII Variant (BA5, BV5) 04/13→</b>					
 <b>Brake Caliper</b>					
1.5 TGI	96 12/18→	for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
		for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
<b>VW - GOLF PLUS V (5M1, 521) 12/04→12/13</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI	63 - 11/09→12/13 77	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.4 16V	55 - 01/05→12/13 59				
1.4 FSI	66 07/05→11/06		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.4 TSI	90 - 05/06→12/13 125				
1.6	75 05/05→12/13				
1.6 BiFuel	75 05/09→12/13				
1.6 FSI	85 12/04→05/08				
1.6 MultiFuel	75 11/07→12/13				
1.6 TDI	66 - 02/09→12/13 77				
1.9 TDI	66 - 01/05→01/09 77				
2.0 FSI	110 05/05→06/08				
2.0 TDI	81 - 05/05→12/13 103				
2.0 TDI 16V	103 01/05→12/13				
<b>VW - GOLF PLUS Van (521) 01/09→08/14</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSi	77 11/09→08/14	for PR number: 1KD; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.4 TSi	90 - 01/09→08/14 118				
1.6 TDi	66 - 02/09→08/14 77		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.0 TDi	103 11/09→08/14				
<b>VW - GOLF VAN VII Variant (BA5) 04/13→03/17</b>					
 <b>Brake Caliper</b>					
1.2 TSi BlueMotion	63 - 04/13→03/17 77	for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
1.4 TSi BlueMotion	90 - 05/13→03/17 103				
1.6 TDi BlueMotion	66 - 05/13→03/17 81	for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
1.6 TDi BlueMotion 4motion	77 05/13→03/17				
2.0 TDi BlueMotion	110 04/13→03/17				
2.0 TDi BlueMotion 4motion	110 04/13→03/17				
<b>VW - GRAND CALIFORNIA Camper (SCB, SCC) 04/19→</b>					
 <b>Brake Disc</b>					
2.0 TDI	103 - 04/19→ 130	for PR number: 1LB; Fitting Position: Rear Axle	<b>24.0128-0324.1 428324</b>	Outer diameter [mm]: 303 Brake Disc Thickness [mm] 28 Minimum thickness [mm] 25 Brake Disc Type: Vented	
2.0 TDI 4motion	103 - 04/19→ 130				
<b>VW - JETTA IV (162, 163, AV3, AV2) 01/08→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI	77 10/10→12/17	Construction year from: 04/11 →; for PR number: 1KD / 1KU; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.6 TDI	77 04/10→07/15				
2.0 TDI	103 02/11→		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.0 TFSI	147 12/10→				
2.5	125 04/10→				
→					





	kW				
<b>VW - JETTA IV (162, 163, AV3, AV2) 01/08→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI 16V 1.4 TSI 1.4 TSI Hybrid 1.6 1.6 MPI 1.8 TSI 2.0 2.0 TDI 2.0 TSI	77 08/14→12/17 90 - 04/11→ 118 110 04/11→ 63 - 12/11→ 81 66 09/15→04/18 125 07/14→ 85 06/10→12/17 81 - 10/10→ 110 155 12/12→12/17	for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - JETTA VII Saloon (BU3, BU4) 12/17→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 TSI	110 12/17→	for PR number: 1KD / 1KU; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - NEW BEETLE (9C1, 1C1) 01/98→11/10</b>					
 <b>Brake Pad Set, disc brake</b>					
3.2 RSI 4motion	165 04/00→05/01	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - PASSAT ALLTRACK B8 Variant (3G5, CB5) 05/15→</b>					
 <b>Brake Caliper</b>					
1.4 TSI 4motion 2.0 TDI 4motion 2.0 TSI 4motion	110 05/15→ 110 - 05/15→ 176 162 - 07/15→ 206	for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left  for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right		<b>24.3571-1813.5 241479</b>  <b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper
<b>VW - PASSAT B5.5 (3B3) 10/00→12/05</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 1.8 T 1.8 T 20V 1.9 TDI 1.9 TDI 4motion 2.0 2.0 4motion 2.0 TDI 2.3 V5 2.3 V5 4motion 2.5 TDI 2.5 TDI 4motion 2.8 2.8 4motion 4.0 W8 4motion 2.0	75 11/00→05/05 125 02/01→11/05 110 11/00→05/05 74 - 11/00→05/05 96 96 11/00→05/05 85 11/00→05/05 85 11/00→05/05 100 12/03→05/05 125 11/00→05/05 125 11/00→05/05 110 - 11/00→05/05 120 110 - 11/00→05/05 132 140 - 10/00→05/05 142 140 - 10/00→05/05 142 202 09/01→09/04 96 11/01→05/05	for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle  Construction year from: 05/02 →; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>  <b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic






	kW			
<b>VW - PASSAT B5.5 Variant (3B6) 09/00→08/05</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 1.8 4motion 1.8 T 20V 1.9 TDI 1.9 TDI 4motion 2.0 2.0 4motion 2.0 TDI 2.3 VR5 2.3 VR5 4motion 2.5 TDI 2.5 TDI 4motion 2.8 4motion 4.0 W8 4motion	75 11/00→05/05 125 11/03→05/05 110 11/00→05/05 74 - 11/00→05/05 96 96 11/00→05/05 85 11/00→05/05 85 11/00→05/05 100 12/03→05/05 125 11/00→05/05 125 11/00→05/05 110 - 11/00→05/05 120 110 - 11/00→05/05 132 140 - 10/00→05/05 142 202 09/01→09/04	for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.8 T 2.8	125 05/02→08/05 142 10/00→08/05	→ Construction year to: 06/05; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0	96 11/01→05/05	Construction year from: 05/02 →; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - PASSAT B5 (3B2) 08/96→12/01</b>				
 <b>Brake Pad Set, disc brake</b>				
1.6 1.8 Syncro/4motion 1.8 T 1.9 TDI 1.9 TDI 4motion 1.9 TDI Syncro/4motion 2.3 VR5 2.3 VR5 Syncro/4motion 2.5 TDI Syncro/4motion 2.8 V6 2.8 V6 4motion 2.8 V6 Syncro/4motion	74 10/96→11/00 92 12/96→08/00 110 10/96→11/00 81 - 10/96→11/00 85 85 08/99→11/00 81 06/97→08/00 110 10/96→11/00 110 10/97→11/00 110 12/98→11/00 140 - 08/96→11/00 142 140 09/99→11/00 142 10/96→11/00	for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.8	85 01/97→11/00	→ Construction year to: 09/00; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.8 1.9 TDI	92 10/96→11/00 66 10/96→11/00	→ Construction year to: 09/00; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.9 TDI 2.0 2.0 4motion	74 02/00→11/00 88 04/00→11/00 88 04/00→11/00	Construction year from: 10/00 →; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
→				




		kW					
<b>VW - PASSAT B5 (3B2) 08/96→12/01</b>							
 <b>Brake Pad Set, disc brake</b>							
2.5 TDI	110	07/98→11/00	Construction year from: 08/98 →; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
					<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.8 V6	132	05/97→09/99	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
					<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>VW - PASSAT B5 Variant (3B5) 05/97→12/01</b>							
 <b>Brake Pad Set, disc brake</b>							
1.6	74	06/97→11/00	for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.8 T	110	05/97→11/00			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.9 TDI	81 - 85	06/97→11/00					
1.9 TDI 4motion	85	08/99→11/00					
1.9 TDI Syncro/4motion	81	06/97→08/00					
2.3 VR5	110	06/97→11/00					
2.3 VR5 Syncro/4motion	110	10/97→11/00					
2.5 TDI Syncro/4motion	110	12/98→11/00					
2.8 V6	140 - 142	06/97→11/00					
2.8 V6 4motion	140	09/99→11/00					
2.8 V6 Syncro/4motion	142	06/97→11/00					
1.8	85	06/97→11/00	→ Construction year to: 09/00; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
					<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.8	92	06/97→11/00	→ Construction year to: 09/00; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.8 Syncro/4motion	92	06/97→11/00			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.9 TDI	66	06/97→11/00					
1.9 TDI	74	02/00→11/00	Construction year from: 10/00 →; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
2.0	88	04/00→11/00			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.0 4motion	88	04/00→11/00					
2.5 TDI	110	07/98→11/00	Construction year from: 08/98 →; for PR number: 1KD / 1KE / 1KF / 1KW; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
					<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
2.8 V6	132	09/97→09/99	Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
					<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	





	kW				
<b>VW - PASSAT B8 (3G2, CB2) 08/14→</b>					
 <b>Brake Caliper</b>					
1.4 GTE Hybrid 1.4 TSI	115 06/15→11/18 92 - 11/14→ 110	for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
1.4 TSI 4motion 1.5 TSI 1.8 TSI 2.0 TDI	110 02/15→ 110 08/18→ 132 02/15→ 81 - 11/14→ 147	for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
2.0 TDI 4motion 2.0 TSI 2.0 TSI 4motion	140 - 11/14→ 147 140 - 02/15→ 162 200 - 05/15→ 206				
1.6 TDI 2.0 TDI 4motion	88 08/14→ 110 - 08/14→ 176	Construction year from: 11/14 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
		Construction year from: 11/14 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
<b>VW - PASSAT B8 Variant (3G5, CB5) 08/14→</b>					
 <b>Brake Caliper</b>					
1.4 GTE Hybrid 1.4 TSI	115 06/15→ 92 - 11/14→ 110	for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
1.4 TSI 4motion 1.5 TSI 1.8 TSI 2.0 TDI	110 02/15→ 110 08/18→ 132 02/15→ 81 - 11/14→ 147	for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
2.0 TDI 4motion 2.0 TSI 2.0 TSI 4motion	140 - 11/14→ 147 140 11/18→ 200 - 05/15→ 206				
1.6 TDI 2.0 TDI 4motion 2.0 TSI	88 08/14→ 110 - 08/14→ 176 162 08/14→	Construction year from: 11/14 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Left	<b>24.3571-1813.5 241479</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
		Construction year from: 11/14 →; for PR number: 1ZC / 1ZG; Fitting Position: Front Axle Right	<b>24.3571-1814.5 241480</b>	Supplementary Article/Supplementary Info: without holder Brake Caliper Type: Fist-type Caliper	
<b>VW - POLO IV Saloon (9A4, 9A2, 9N2, 9A6) 09/02→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 1.4 1.4 TDI	58 02/03→10/03 74 11/03→06/05 55 07/03→06/05	for PR number: 1KK / 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.4 1.6 Flex 1.9 SDI 1.9 TDi 2.0 Flex	55 - 11/02→04/12 61 77 05/08→10/14 47 09/02→04/12 74 09/02→ 88 10/08→12/14	→ Construction year to: 05/09; for PR number: 1KK / 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.6	74 09/02→	Construction year from: 05/06 → → Construction year to: 05/09; for PR number: 1KK / 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.6 Flex 1.6 Total Flex	76 12/04→10/14 74 10/04→06/06	Construction year from: 05/06 →; for PR number: 1KK / 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
→					

	kW				
<b>VW - POLO IV Saloon (9A4, 9A2, 9N2, 9A6) 09/02→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.6 Flex 1.6 Total Flex	76 12/04→10/14 74 10/04→06/06	Construction year from: 05/06 →; for PR number: 1KK / 1KT; Fitting Position: Rear Axle	<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>VW - POLO IV Saloon (9N4) 09/02→12/10</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 TDi	55 01/03→12/07	for PR number: 1KK / 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.9 TDI	74 07/03→12/10	→ Construction year to: 05/09; for PR number: 1KK / 1KT; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>VW - POLO V (6R1, 6C1) 03/09→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 1.0 TSI 1.2 TSI 1.4 TDI 1.4 TSI 1.8 GTI 1.8 GTI 230	44 - 01/14→ 55 70 - 11/14→ 81 81 01/14→ 55 - 02/14→ 77 110 05/14→10/17 141 11/14→ 169 04/16→	for PR number: 1KK / 1KT / 2EJ; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.2 1.2 TDI 1.2 TSI 1.2 TSI 16V 1.4 1.4 BiFuel 1.4 GTI 1.4 TSI 1.6 1.6 BiFuel 1.6 TDI 2.0 R WRC	44 - 06/09→ 55 55 10/09→ 66 - 11/09→ 77 66 02/14→10/17 63 03/09→05/14 60 03/10→01/11 132 05/10→ 103 10/12→05/14 66 - 07/14→10/17 81 60 01/11→05/14 55 - 06/09→ 77 162 08/13→05/14	for PR number: 1KK / 1KT / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.6	77 01/10→	Construction year from: 07/14 →; for PR number: 1KK / 1KT / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
<b>VW - POLO V Saloon (602, 604, 612, 614) 05/09→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.2 TSI 1.4 TSi 1.6	77 10/13→ 92 05/16→ 66 - 07/14→ 81	for PR number: 1KK / 1KT / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic	
1.4 1.6	63 12/10→ 63 - 05/10→ 77	Construction year from: 07/14 →; for PR number: 1KK / 1KT / 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
→					

	kW				
<b>VW - POLO V Saloon (602, 604, 612, 614) 05/09→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 1.6	63 12/10→ 63 - 05/10→ 77	Construction year from: 07/14 →; for PR number: 1KK / 1KT / 1KV; Fitting Position: Rear Axle		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - POLO VI (AW1, BZ1, AE1) 06/17→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 1.0 MPI 1.0 TGI 1.0 TSI 1.5 TSI 1.6 MSi 1.6 TDI	48 - 06/17→08/21 55 59 09/18→ 66 09/17→ 70 - 06/17→ 85 110 10/18→08/21 81 09/17→ 59 - 11/17→02/21 70	for PR number: 1ZE / 1ZP; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b>  <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
2.0 GTI GTI	147 11/17→ 152 04/21→	for PR number: 1KV; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - POLO Van (6R) 03/09→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 1.0 TSI 1.2 TSI 1.4 TDI 1.4 TSI	44 - 01/14→ 55 70 11/14→ 81 01/14→ 55 - 02/14→ 66 110 05/14→	for PR number: 1KK / 1KT / 2EJ; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.2 1.2 BlueMotion 1.2 TDi BlueMotion 1.2 TSi 1.2 TSi 1.2 TSi BlueMotion 1.4 1.4 GTi 1.6 TDi 1.6 TDi BlueMotion	44 03/09→05/14 51 03/09→05/14 55 10/09→05/14 66 05/11→05/14 66 02/14→ 77 11/09→05/14 63 03/09→05/14 132 05/10→05/14 55 - 06/09→05/14 77 66 06/09→05/14	for PR number: 1KK / 1KT / 1KV; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - POLO VIVO Hatchback (6S1, 6S3) 02/10→09/17</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4	55 02/10→09/17	Construction year from: 07/14 →; for PR number: 1KK / 1KT / 1KV; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - SCIROCCO III (137, 138) 05/08→11/17</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 TSI	90 08/08→11/17	Construction year from: 09/08 →; for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>  <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TSI 2.0 R 2.0 TDI →	92 - 11/13→11/17 110 188 - 11/09→11/17 195 100 - 05/09→11/17 135	for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact

	kW				
<b>VW - SCIROCCO III (137, 138) 05/08→11/17</b>					
 <b>Brake Pad Set, disc brake</b>					
2.0 TSI	132 - 11/09→11/17 162	for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TSI 2.0 TFSI	118 05/08→11/17 147 05/08→11/09	Construction year from: 08/08 →; for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 R	206 05/14→11/17	Construction year from: 08/14 →; for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TDI	103 08/08→11/17	Construction year from: 10/08 →; for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - SCIROCCO Van (137) 06/08→05/14</b>					
 <b>Brake Pad Set, disc brake</b>					
1.4 TSi	90 08/08→05/14	Construction year from: 09/08 →; for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
1.4 TSi	118 06/08→05/14	Construction year from: 08/08 →; for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TDi	103 08/08→05/14	Construction year from: 10/08 →; for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
2.0 TDi 2.0 TFSi	125 05/09→05/14 155 11/09→05/14	for PR number: 1KD; Fitting Position: Rear Axle		<b>13.0460-2820.2 602820</b> <b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - TAIGO (CS1) 09/21→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSI 1.5 TSI	70 - 09/21→ 81 110 09/21→	for PR number: 1ZS; Fitting Position: Front Axle		<b>13.0460-7335.2 607335</b> <b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic
→					

	kW				
<b>VW - TAIGO (CS1) 09/21→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSI	70 - 09/21→ 81	for PR number: 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact	
1.5 TSI	110 09/21→			<b>13.0470-2820.2 LD2820</b>	Brake System: Lucas / TRW 20961 17,2 Wear Warning Contact: excl. wear warning contact Ceramic
<b>VW - T-CROSS (C11) 12/18→</b>					
 <b>Brake Pad Set, disc brake</b>					
1.0 TSi	70 - 12/18→ 85	for PR number: 1ZS; Fitting Position: Front Axle	<b>13.0460-7335.2 607335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact	
1.0 TSI	81 06/20→			for PR number: 1KV; Fitting Position: Rear Axle	<b>13.0460-2820.2 602820</b>
1.5 TSI	110 01/20→	<b>13.0470-7335.2 LD7335</b>	Brake System: Volkswagen Wear Warning Contact: not prepared for wear indicator / excl. wear warning contact Ceramic		
1.6 TDi	70 12/18→		<b>13.0470-2820.2 LD2820</b>		








- EN** Technical translations
- DE** Technische Übersetzungen
- ES** Traducciones técnicas
- FR** Traductions techniques
- IT** Traduzioni tecniche

09/2022

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
	Brake Hose	<b>Brake Disc Type</b>	Brake Disc Type
	Brake Caliper	<b>Brake Size</b>	Brake Size
	Brake Pad Set, disc brake	<b>Brake System</b>	Brake System
	Brake Disc	<b>Brake Type</b>	Brake Type
	Wheel Speed Sensor	<b>Bulgarian</b>	Bulgarian
<b>+ ABS</b>	for vehicles with ABS	<b>Centering Diameter [mm]</b>	Centering Diameter [mm]
<b>+ ASC</b>	for vehicles with ASC	<b>Coated</b>	Coated
<b>+ ESP</b>	for vehicles with ESP	<b>Construction year from →</b>	Construction year from
<b>14"</b>	14"	<b>Content [litre]</b>	Content [litre]
<b>15"</b>	15"	<b>Country-spec. model</b>	Country-spec. model
<b>16"</b>	16"	<b>Country specific article information</b>	Country specific article information
<b>- ABS</b>	for vehicles without ABS	<b>Country specific package and status data</b>	Country specific package and status data
<b>Alloyed / High-carbon</b>	Alloyed / High-carbon	<b>Croatian</b>	Croatian
<b>Arabic</b>	Arabic	<b>Czech</b>	Czech
<b>Article number of recommended accessories</b>	Article number of recommended accessories	<b>Czech Republic</b>	Czech Republic
<b>ATE Ceramic</b>	additional article information, ATE Ceramic	<b>Disc Brake</b>	Disc Brake
<b>Automatic Transmission</b>	Automatic Transmission	<b>DOT 5.1</b>	DOT 5.1
<b>Axle</b>	Axle	<b>DOT specification</b>	DOT specification
<b>Barrel</b>	Barrel	<b>Equipment Code</b>	Equipment Code
<b>Blue</b>	Blue	<b>- ESP</b>	for vehicles without ESP
<b>Bolt Hole Circle Ø [mm]</b>	Bolt Hole Circle Ø [mm]	<b>excl. wear warning contact</b>	excl. wear warning contact
<b>Bore Ø [mm]</b>	Bore Ø [mm]	<b>External Thread [mm]</b>	External Thread [mm]
<b>Brake Caliper Colour</b>	Brake Caliper Colour	<b>Fist-type Caliper</b>	Fist-type Caliper
<b>Brake Caliper Type</b>	Brake Caliper Type		
<b>Brake Disc Thickness [mm]</b>	Brake Disc Thickness [mm]		

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
<b>Fist-type Caliper (2 pistons)</b>	Fist-type Caliper (2 pistons)	<b>Front Axle</b>	Front Axle
<b>Fitting Position</b>	Fitting Position	<b>Front Axle Left</b>	Front Axle Left
<b>Flange Hole Diameter [mm]</b>	Flange Hole Diameter [mm]	<b>Front Axle Right</b>	Front Axle Right
<b>for brake disc diameter [mm]</b>	for brake disc diameter [mm]	<b>Georgian</b>	Georgian
<b>for PR number</b>	for PR number	<b>Height [mm]</b>	Height [mm]
<b>for RPO number (vehicle manufacturing date) from →</b>	for RPO number (vehicle manufacturing date) from	<b>Height 1 [mm]</b>	Height 1 [mm]
<b>for steel rims</b>	for steel rims	<b>Height 2 [mm]</b>	Height 2 [mm]
<b>for vehicles with brake assist</b>	for vehicles with brake assist	<b>High-carbon</b>	High-carbon
<b>for vehicles with collision warning system</b>	for vehicles with collision warning system	<b>Hungarian</b>	Hungarian
<b>for vehicles with electric parking brake</b>	for vehicles with electric parking brake	<b>Inner diameter [mm]</b>	Inner diameter [mm]
<b>for vehicles without Airmatic DC</b>	for vehicles without Airmatic DC	<b>Internal Thread [mm]</b>	Internal Thread [mm]
<b>for vehicles without electronic suspension control</b>	for vehicles without electronic suspension control	<b>Japan</b>	Japan
<b>for vehicles without parking assistant system</b>	for vehicles without parking assistant system	<b>Language Version</b>	Language Version
<b>for vehicles without start-stop function</b>	for vehicles without start-stop function	<b>Length [mm]</b>	Length [mm]
<b>for vehicles with start-stop function</b>	for vehicles with start-stop function	<b>Length 1 [mm]</b>	Length 1 [mm]
		<b>Length 2 [mm]</b>	Length 2 [mm]
		<b>Machining</b>	Machining
		<b>MAPP code available</b>	MAPP code available
		<b>Minimum thickness [mm]</b>	Minimum thickness [mm]
		<b>Multi-Link Axle</b>	Multi-Link Axle
		<b>not for special-purpose vehicles</b>	not for special-purpose vehicles
		<b>not prepared for wear indicator</b>	not prepared for wear indicator
		<b>Number of bolts/screws</b>	Number of bolts/screws
		<b>Number of Holes</b>	Number of Holes








# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		EN	
<b>Observe dimensions</b>	Observe dimensions	<b>Spanner size 2 [mm]</b>	Spanner size 2 [mm]
<b>Outer diameter [mm]</b>	Outer diameter [mm]	<b>Special Purpose Vehicle</b>	Special Purpose Vehicle
<b>Packing Type</b>	Packing Type	<b>SUPER DOT 5.1</b>	additional article information, SUPER DOT 5.1
<b>paired article number</b>	paired article number	<b>Supplementary Article/ Info 2</b>	Supplementary Article/Info 2
<b>Piston Diameter [mm]</b>	Piston Diameter [mm]	<b>Supplementary Article/ Supplementary Info</b>	Supplementary Article/Supplementary Info
<b>Polish</b>	Polish	<b>Surface</b>	Surface
<b>prepared for wear indicator</b>	prepared for wear indicator	<b>Suspension</b>	Suspension
<b>Produkttyp vorhanden</b>	Produkttyp vorhanden	<b>Test Mark</b>	Test Mark
<b>Reached Quality Gates</b>	Reached Quality Gates	<b>Thickness [mm]</b>	Thickness [mm]
<b>Rear Axle</b>	Rear Axle	<b>Transmission Type</b>	Transmission Type
<b>Rear Axle Left</b>	Rear Axle Left	<b>Trim Level</b>	Trim Level
<b>Rear Axle Right</b>	Rear Axle Right	<b>Unreached Quality Gates</b>	Unreached Quality Gates
<b>replacement part</b>	replacement part	<b>usage number</b>	usage number
<b>Republic of Korea (South Korea)</b>	Republic of Korea (South Korea)	<b>Vehicle Equipment</b>	Vehicle Equipment
<b>Required quantity</b>	Required quantity	<b>Vehicle Identification Number from →</b>	Vehicle Identification Number from →
<b>Rims</b>	Rims	<b>Vehicle Production Country</b>	Vehicle Production Country
<b>Rim Size [in]</b>	Rim Size [in]	<b>Wear Warning Contact</b>	Wear Warning Contact
<b>Romanian</b>	Romanian	<b>Width [mm]</b>	Width [mm]
<b>Russia</b>	Russia	<b>with accessories</b>	with accessories
<b>Russia-made</b>	Russia	<b>with acoustic wear warning</b>	with acoustic wear warning
<b>Russian</b>	Russian	<b>with anti-squeak plate</b>	with anti-squeak plate
<b>Service exchange part</b>	Service exchange part		
<b>Slovak</b>	Slovak		
<b>Slovenian</b>	Slovenian		
<b>Spanner size 1 [mm]</b>	Spanner size 1 [mm]		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

EN		DE	
<b>with brake caliper screws</b>	with brake caliper screws		Bremsschlauch
<b>without cable</b>	without cable		Bremssattel
<b>without hollow screw</b>	without hollow screw		Bremsbelagsatz, Scheibenbremse
<b>Yes</b>	Yes		Bremsscheibe
<b>→ Construction year to</b>	Construction year to		Raddrehzahlsensor
<b>→ for RPO number (vehicle manufacturing date) up to</b>	for RPO number (vehicle manufacturing date) up to	<b>+ ABS</b>	für Fahrzeuge mit ABS
		<b>+ ASC</b>	für Fahrzeuge mit ASC
		<b>+ ESP</b>	für Fahrzeuge mit ESP
<b>→ Vehicle Identification Number to</b>	Vehicle Identification Number to	<b>14"</b>	14"
		<b>15"</b>	15"
		<b>16"</b>	16"
		<b>- ABS</b>	für Fahrzeuge ohne ABS
		<b>Alloyed / High-carbon</b>	legiert/hochgekoht
		<b>Arabic</b>	Arabisch
		<b>Article number of recommended accessories</b>	Artikelnummer des empfohlenen Zubehörs
		<b>ATE Ceramic</b>	Artikelzusatzbezeichnung, ATE Ceramic
		<b>Automatic Transmission</b>	Automatikgetriebe
		<b>Axle</b>	Achse
		<b>Barrel</b>	Fass
		<b>Blue</b>	blau
		<b>Bolt Hole Circle Ø [mm]</b>	Lochkreis-Ø [mm]
<b>Bore Ø [mm]</b>	Bohrung-Ø [mm]		
<b>Brake Caliper Colour</b>	Bremssattelfarbe		
<b>Brake Caliper Type</b>	Bremssattelausführung		
<b>Brake Disc Thickness [mm]</b>	Bremsscheibendicke [mm]		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
<b>Brake Disc Type</b>	Bremsscheibenart	<b>Fist-type Caliper (2 pistons)</b>	Faustsattel(2-Kolben)
<b>Brake Size</b>	Bremsengröße	<b>Fitting Position</b>	Einbauseite
<b>Brake System</b>	Bremssystem	<b>Flange Hole Diameter [mm]</b>	Flanschlochdurchmesser [mm]
<b>Brake Type</b>	Bremsenart	<b>for brake disc diameter [mm]</b>	für Bremsscheibendurchmesser [mm]
<b>Bulgarian</b>	Bulgarisch	<b>for PR number</b>	für PR-Nummer
<b>Centering Diameter [mm]</b>	Zentrierungsdurchmesser [mm]	<b>for RPO number (vehicle manufacturing date) from →</b>	für Organisationsnummer ab
<b>Coated</b>	beschichtet	<b>for steel rims</b>	für Stahlfelgen
<b>Construction year from →</b>	Baujahr ab	<b>for vehicles with brake assist</b>	für Fahrzeuge mit Bremsassistent
<b>Content [litre]</b>	Inhalt [Liter]	<b>for vehicles with collision warning system</b>	für Fahrzeuge mit Kollisionswarner
<b>Country-spec. model</b>	Länderausführung	<b>for vehicles with electric parking brake</b>	für Fahrzeuge mit elektrischer Feststellbremse
<b>Country specific article information</b>	Länderspezifische Artikelinformation	<b>for vehicles without Airmatic DC</b>	für Fahrzeuge ohne Airmatic DC
<b>Country specific package and status data</b>	Länderspezifische Verpackungs- und Status-Informationen	<b>for vehicles without electronic suspension control</b>	für Fahrzeuge ohne elektr. Dämpferregulierung
<b>Croatian</b>	Kroatisch	<b>for vehicles without parking assistant system</b>	für Fahrzeuge ohne Parkassistenzsystem
<b>Czech</b>	Tschechisch	<b>for vehicles without start-stop function</b>	für Fahrzeuge ohne Start-Stopp-Funktion
<b>Czech Republic</b>	Tschechische Republik	<b>for vehicles with start-stop function</b>	für Fahrzeuge mit Start-Stopp-Funktion
<b>Disc Brake</b>	Scheibenbremse		
<b>DOT 5.1</b>	DOT 5.1		
<b>DOT specification</b>	Spezifikation nach DOT		
<b>Equipment Code</b>	Ausstattungs-Code		
<b>- ESP</b>	für Fahrzeuge ohne ESP		
<b>excl. wear warning contact</b>	exkl. Verschleißwarnkontakt		
<b>External Thread [mm]</b>	Außengewinde [mm]		
<b>Fist-type Caliper</b>	Faustsattel		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
<b>Front Axle</b>	Vorderachse	<b>Observe dimensions</b>	Abmessungen beachten
<b>Front Axle Left</b>	Vorderachse links	<b>Outer diameter [mm]</b>	Außendurchmesser [mm]
<b>Front Axle Right</b>	Vorderachse rechts	<b>Packing Type</b>	Gebindeart
<b>Georgian</b>	Georgisch	<b>paired article number</b>	paarige Artikelnummer
<b>Height [mm]</b>	Höhe [mm]	<b>Piston Diameter [mm]</b>	Kolbendurchmesser [mm]
<b>Height 1 [mm]</b>	Höhe 1 [mm]	<b>Polish</b>	Polnisch
<b>Height 2 [mm]</b>	Höhe 2 [mm]	<b>prepared for wear indicator</b>	für Verschleißwarnanzeiger vorbereitet
<b>High-carbon</b>	hochgekohlt	<b>Produkttyp vorhanden</b>	Produkttyp vorhanden
<b>Hungarian</b>	Ungarisch	<b>Reached Quality Gates</b>	Erfüllte Qualitätsstufen
<b>Inner diameter [mm]</b>	Innendurchmesser [mm]	<b>Rear Axle</b>	Hinterachse
<b>Internal Thread [mm]</b>	Innengewinde [mm]	<b>Rear Axle Left</b>	Hinterachse links
<b>Japan</b>	Japan	<b>Rear Axle Right</b>	Hinterachse rechts
<b>Language Version</b>	Sprachausführung	<b>replacement part</b>	Austauschteil
<b>Length [mm]</b>	Länge [mm]	<b>Republic of Korea (South Korea)</b>	Republik Korea (Südkorea)
<b>Length 1 [mm]</b>	Länge 1 [mm]	<b>Required quantity</b>	benötigte Stückzahl
<b>Length 2 [mm]</b>	Länge 2 [mm]	<b>Rims</b>	Felgen
<b>Machining</b>	Bearbeitung	<b>Rim Size [in]</b>	Felgengröße [Zoll]
<b>MAPP code available</b>	MAPP-Code vorhanden	<b>Romanian</b>	Rumänisch
<b>Minimum thickness [mm]</b>	Mindestdicke [mm]	<b>Russia</b>	Russland
<b>Multi-Link Axle</b>	Mehrlenkerachse	<b>Russia-made</b>	Russland
<b>not for special-purpose vehicles</b>	nicht für Sonderfahrzeuge	<b>Russian</b>	Russisch
<b>not prepared for wear indicator</b>	nicht für Verschleißwarnanzeiger vorbereitet	<b>Service exchange part</b>	Austauschteil
<b>Number of bolts/screws</b>	Anzahl der Schrauben	<b>Slovak</b>	Slowakisch
<b>Number of Holes</b>	Lochanzahl	<b>Slovenian</b>	Slowenisch
		<b>Spanner size 1 [mm]</b>	Schlüsselweite 1 [mm]






# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

DE		DE	
<b>Spanner size 2 [mm]</b>	Schlüsselweite 2 [mm]	<b>with brake caliper screws</b>	mit Bremssattelschrauben
<b>Special Purpose Vehicle</b>	Sondereinsatz-Fzg	<b>without cable</b>	ohne Kabel
<b>SUPER DOT 5.1</b>	Artikelzusatzbezeichnung, SUPER DOT 5.1	<b>without hollow screw</b>	ohne Hohlschraube
<b>Supplementary Article/ Info 2</b>	Ergänzungsartikel/Ergänzende Info 2	<b>Yes</b>	Ja
<b>Supplementary Article/ Supplementary Info</b>	Ergänzungsartikel/Ergänzende Info	<b>→ Construction year to</b>	Baujahr bis
<b>Surface</b>	Oberfläche	<b>→ for RPO number (vehicle manufacturing date) up to</b>	für Organisationsnummer bis
<b>Suspension</b>	Fahrwerk	<b>→ Vehicle Identification Number to</b>	Fahrgestellnummer bis
<b>Test Mark</b>	Prüfzeichen		
<b>Thickness [mm]</b>	Dicke/Stärke [mm]		
<b>Transmission Type</b>	Getriebeart		
<b>Trim Level</b>	Ausstattungsvariante		
<b>Unreached Quality Gates</b>	Nicht erfüllte Qualitätsstufen		
<b>usage number</b>	Gebrauchsnummer		
<b>Vehicle Equipment</b>	Fahrzeugausstattung		
<b>Vehicle Identification Number from</b> →	Fahrgestellnummer ab		
<b>Vehicle Production Country</b>	Fahrzeugproduktionsland		
<b>Wear Warning Contact</b>	Verschleißwarnkontakt		
<b>Width [mm]</b>	Breite [mm]		
<b>with accessories</b>	mit Zubehör		
<b>with acoustic wear warning</b>	mit akustischer Verschleißwarnung		
<b>with anti-squeak plate</b>	mit Anti-Quietsch-Blech		

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
	Tubo flexible de frenos	<b>Brake Disc Type</b>	Tipo de disco de frenos
	Pinza de freno	<b>Brake Size</b>	Tamaño freno
	Juego de pastillas de freno	<b>Brake System</b>	Sistema de frenos
	Disco de freno	<b>Brake Type</b>	Tipo de freno
	Sensor de velocidad de la rueda	<b>Bulgarian</b>	Búlgaro
<b>+ ABS</b>	para vehículos con ABS	<b>Centering Diameter [mm]</b>	Diámetro de centrado [mm]
<b>+ ASC</b>	para vehículos con ASC	<b>Coated</b>	revestido
<b>+ ESP</b>	para vehículos con ESP	<b>Construction year from →</b>	año construcción desde
<b>14"</b>	14"	<b>Content [litre]</b>	Capacidad [litros]
<b>15"</b>	15"	<b>Country-spec. model</b>	Modelo por país
<b>16"</b>	16"	<b>Country specific article information</b>	Información específica del país sobre el artículo
<b>- ABS</b>	para vehículos sin ABS	<b>Country specific package and status data</b>	Información específica del país sobre el embalaje y sobre el estado
<b>Alloyed / High-carbon</b>	aleado/alt. carburado	<b>Croatian</b>	Croata
<b>Arabic</b>	Árabe	<b>Czech</b>	Checo
<b>Article number of recommended accessories</b>	Nº art. de accesorio recomendado	<b>Czech Republic</b>	República Checa
<b>ATE Ceramic</b>	Denominación adicional del artículo, ATE Ceramic	<b>Disc Brake</b>	Discos
<b>Automatic Transmission</b>	Transmisión automática	<b>DOT 5.1</b>	DOT 5.1
<b>Axle</b>	Eje	<b>DOT specification</b>	especificación DOT
<b>Barrel</b>	Barril	<b>Equipment Code</b>	Código de equipamiento
<b>Blue</b>	azul	<b>- ESP</b>	para vehículos sin ESP
<b>Bolt Hole Circle Ø [mm]</b>	corona de agujeros - Ø [mm]	<b>excl. wear warning contact</b>	excl. contacto de avisador de desgaste
<b>Bore Ø [mm]</b>	Taladro Ø [mm]	<b>External Thread [mm]</b>	Rosca exterior [mm]
<b>Brake Caliper Colour</b>	Color pinza freno	<b>Fist-type Caliper</b>	Montura de puño
<b>Brake Caliper Type</b>	Tipo de pinza de freno		
<b>Brake Disc Thickness [mm]</b>	Espesor de disco de frenos [mm]		

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
<b>Fist-type Caliper (2 pistons)</b>	Montura de puño (2 émbolos)	<b>Front Axle</b>	Eje delantero
<b>Fitting Position</b>	Lado de montaje	<b>Front Axle Left</b>	Eje delantero, izquierda
<b>Flange Hole Diameter [mm]</b>	Diám. taladro brida [mm]	<b>Front Axle Right</b>	Eje delantero, derecha
<b>for brake disc diameter [mm]</b>	para diámetro disco de freno [mm]	<b>Georgian</b>	Georgiano
<b>for PR number</b>	Número de PR	<b>Height [mm]</b>	Altura [mm]
<b>for RPO number (vehicle manufacturing date) from →</b>	para números de organización desde	<b>Height 1 [mm]</b>	Altura 1 [mm]
<b>for steel rims</b>	para llantas de acero	<b>Height 2 [mm]</b>	Altura 2 [mm]
<b>for vehicles with brake assist</b>	para vehículos con asistencia a la frenada	<b>High-carbon</b>	altamente carbonizado
<b>for vehicles with collision warning system</b>	para vehículos con aviso de colisión	<b>Hungarian</b>	Húngaro
<b>for vehicles with electric parking brake</b>	para vehículos con freno de estacionamiento electrónico	<b>Inner diameter [mm]</b>	Diámetro interior [mm]
<b>for vehicles without Airmatic DC</b>	para vehículos sin Airmatic DC	<b>Internal Thread [mm]</b>	Rosca interior [mm]
<b>for vehicles without electronic suspension control</b>	para vehículos sin regulación eléctrica de la amortiguac.	<b>Japan</b>	Japón
<b>for vehicles without parking assistant system</b>	para vehic. sin auxiliar de aparcamiento	<b>Language Version</b>	Version de idiomas
<b>for vehicles without start-stop function</b>	para vehículos sin sistema Start&Stop	<b>Length [mm]</b>	Longitud [mm]
<b>for vehicles with start-stop function</b>	para vehículos con sistema Start&Stop	<b>Length 1 [mm]</b>	Longitud 1 [mm]
		<b>Length 2 [mm]</b>	Longitud 2 [mm]
		<b>Machining</b>	Procesamiento
		<b>MAPP code available</b>	Code MAPP disponible
		<b>Minimum thickness [mm]</b>	Espesor mínimo [mm]
		<b>Multi-Link Axle</b>	Suspensión multibrazo
		<b>not for special-purpose vehicles</b>	no para veh. especiales
		<b>not prepared for wear indicator</b>	no preparado para indicador de desgaste
		<b>Number of bolts/screws</b>	cantidad de tornillos
		<b>Number of Holes</b>	Número de orificios

# Technical translations






Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

ES		ES	
<b>Observe dimensions</b>	Observar dimensiones	<b>Spanner size 2 [mm]</b>	Ancho de llave 2 [mm]
<b>Outer diameter [mm]</b>	Diámetro exterior [mm]	<b>Special Purpose Vehicle</b>	Vehículo especial
<b>Packing Type</b>	Tipo de envase	<b>SUPER DOT 5.1</b>	Denominación adicional del artículo, SUPER DOT 5.1
<b>paired article number</b>	Referencia artículo par	<b>Supplementary Article/ Info 2</b>	Artículo complementario / información complementaria 2
<b>Piston Diameter [mm]</b>	Diámetro del pistón [mm]	<b>Supplementary Article/ Supplementary Info</b>	Artículo complementario/Información complementaria
<b>Polish</b>	Polaco	<b>Surface</b>	Superficie
<b>prepared for wear indicator</b>	preparado para indicador desgaste	<b>Suspension</b>	Suspensión
<b>Produkttyp vorhanden</b>	Produkttyp vorhanden	<b>Test Mark</b>	Homologación
<b>Reached Quality Gates</b>	Erfüllte Qualitätsstufen	<b>Thickness [mm]</b>	Espesor [mm]
<b>Rear Axle</b>	Eje trasero	<b>Transmission Type</b>	Clase de caja de cambios
<b>Rear Axle Left</b>	Eje trasero izquierda	<b>Trim Level</b>	Variante de equipamiento
<b>Rear Axle Right</b>	Eje trasero, derecha	<b>Unreached Quality Gates</b>	Nicht erfüllte Qualitätsstufen
<b>replacement part</b>	Recambio	<b>usage number</b>	Número de uso
<b>Republic of Korea (South Korea)</b>	Rep. Corea (Corea del Sur)	<b>Vehicle Equipment</b>	Equipamiento de vehículo
<b>Required quantity</b>	Número de piezas necesarias	<b>Vehicle Identification Number from</b>	nº de chasis desde
<b>Rims</b>	Llantas		→
<b>Rim Size [in]</b>	Tamaño de llanta [in]	<b>Vehicle Production Country</b>	País producción vehículo
<b>Romanian</b>	Rumano	<b>Wear Warning Contact</b>	Contacto avisador de desgaste
<b>Russia</b>	Rusia	<b>Width [mm]</b>	Ancho [mm]
<b>Russia-made</b>	Rusia	<b>with accessories</b>	con accesorios
<b>Russian</b>	Ruso	<b>with acoustic wear warning</b>	con avisador acústico de desgaste
<b>Service exchange part</b>	Pieza de intercambio	<b>with anti-squeak plate</b>	Chapa antichirridos
<b>Slovak</b>	Eslovaco		
<b>Slovenian</b>	Esloveno		
<b>Spanner size 1 [mm]</b>	Ancho de llave 1 [mm]		



# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

ES	FR
<b>with brake caliper screws</b> con tornillos pinza freno	 Flexible de frein
<b>without cable</b> sin cable	 Étrier de frein
<b>without hollow screw</b> sin tornillo hueco	 Kit de plaquettes de frein, frein à disque
<b>Yes</b> sí	 Disque de frein
<b>→ Construction year to</b> año construcción hasta	 Capteur de vitesse de roue
<b>→ for RPO number (vehicle manufacturing date) up to</b> para n.º de org. hasta	<b>+ ABS</b> pour véhicules avec système antiblo-cage
	<b>+ ASC</b> pour véhicules avec ASC
	<b>+ ESP</b> pour véhicules avec ESP
<b>→ Vehicle Identification Number to</b> nº de chasis hasta	<b>14"</b> 14"
	<b>15"</b> 15"
	<b>16"</b> 16"
	<b>- ABS</b> pour véhicules sans système antiblo-cage
	<b>Alloyed / High-carbon</b> allié/carbonisé
	<b>Arabic</b> Arabe
	<b>Article number of recommended accessories</b> Référence de l'accessoire recommandé
	<b>ATE Ceramic</b> Designation d'article complémentaire, ATE Ceramic
	<b>Automatic Transmission</b> Boîte automatique
	<b>Axle</b> Essieu
	<b>Barrel</b> Fût
	<b>Blue</b> bleu
	<b>Bolt Hole Circle Ø [mm]</b> Cercle de perçage -Ø [mm]
	<b>Bore Ø [mm]</b> Alésage-Ø [mm]
	<b>Brake Caliper Colour</b> Couleur de l'étrier
	<b>Brake Caliper Type</b> Type d'étrier de frein

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
<b>Brake Disc Thickness [mm]</b>	Épaisseur du disque de frein [mm]	<b>Fist-type Caliper</b>	Étrier flottant
<b>Brake Disc Type</b>	Type de disque de frein	<b>Fist-type Caliper (2 pistons)</b>	Étrier flottant (2 pistons)
<b>Brake Size</b>	Dimension des freins	<b>Fitting Position</b>	Côté d'assemblage
<b>Brake System</b>	Système de freinage	<b>Flange Hole Diameter [mm]</b>	Diamètre du trou de bride [mm]
<b>Brake Type</b>	Type de freinage	<b>for brake disc diameter [mm]</b>	pour diamètre du disque de frein [mm]
<b>Bulgarian</b>	Bulgare	<b>for PR number</b>	pour numéro PR
<b>Centering Diameter [mm]</b>	Diamètre du centrage [mm]	<b>for RPO number (vehicle manufacturing date) from →</b>	pour n° OPR(date de fabrication du véhicule) à partir de
<b>Coated</b>	revêtu	<b>for steel rims</b>	pour jante en acier
<b>Construction year from →</b>	Année à partir de	<b>for vehicles with brake assist</b>	pour véhicules avec assistant au freinage
<b>Content [litre]</b>	Capacité [litres]	<b>for vehicles with collision warning system</b>	pour véhicules avec système anti-collision
<b>Country-spec. model</b>	Type de pays	<b>for vehicles with electric parking brake</b>	pour véhicules avec frein d'arrêt électrique
<b>Country specific article information</b>	Informations articles spécifiques aux pays	<b>for vehicles without Airmatic DC</b>	pour véhicules sans Airmatic DC
<b>Country specific package and status data</b>	Informations d'emballage et d'état spécifiques aux pays	<b>for vehicles without electronic suspension control</b>	pour véhicules sans réglage d'amortisseur électronique
<b>Croatian</b>	Croate	<b>for vehicles without parking assistant system</b>	pour véhicules sans assistance partronic
<b>Czech</b>	Tchèque	<b>for vehicles without start-stop function</b>	pour véhicules sans fonction Stop/Start
<b>Czech Republic</b>	République tchèque		
<b>Disc Brake</b>	Frein à disque		
<b>DOT 5.1</b>	DOT 5.1		
<b>DOT specification</b>	Spécification selon l'indice DOT		
<b>Equipment Code</b>	Code d'équipement		
<b>- ESP</b>	pour véhicules sans ESP		
<b>excl. wear warning contact</b>	contact de signal d'usure exclu		
<b>External Thread [mm]</b>	Filetage extérieur [mm]		

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
<b>for vehicles with start-stop function</b>	pour véhicules avec fonction Stop/Start	<b>Number of Holes</b>	Nombre de trous
<b>Front Axle</b>	Essieu avant	<b>Observe dimensions</b>	Respecter les dimensions
<b>Front Axle Left</b>	Essieu avant gauche	<b>Outer diameter [mm]</b>	Diamètre extérieur [mm]
<b>Front Axle Right</b>	Essieu avant droit	<b>Packing Type</b>	Type d'emballage
<b>Georgian</b>	Géorgien	<b>paired article number</b>	Numéro d'article en paire
<b>Height [mm]</b>	Hauteur [mm]	<b>Piston Diameter [mm]</b>	Diamètre du piston [mm]
<b>Height 1 [mm]</b>	Hauteur 1 [mm]	<b>Polish</b>	Polonais
<b>Height 2 [mm]</b>	Hauteur 2 [mm]	<b>prepared for wear indicator</b>	préparé pour indicateur d'usure
<b>High-carbon</b>	à haute teneur en carbone	<b>Produkttyp vorhanden</b>	Produkttyp vorhanden
<b>Hungarian</b>	Hongrois	<b>Reached Quality Gates</b>	Erfüllte Qualitätsstufen
<b>Inner diameter [mm]</b>	Diamètre intérieur [mm]	<b>Rear Axle</b>	Essieu arrière
<b>Internal Thread [mm]</b>	Taraudage [mm]	<b>Rear Axle Left</b>	Essieu arrière gauche
<b>Japan</b>	Japon	<b>Rear Axle Right</b>	Essieu arrière droit
<b>Language Version</b>	Version de langues	<b>replacement part</b>	Pièce de rechange
<b>Length [mm]</b>	Longueur [mm]	<b>Republic of Korea (South Korea)</b>	République de Corée (Corée du Sud)
<b>Length 1 [mm]</b>	Longueur 1 [mm]	<b>Required quantity</b>	Nombre de pièces nécessaires
<b>Length 2 [mm]</b>	Longueur 2 [mm]	<b>Rims</b>	Jantes
<b>Machining</b>	Traitement	<b>Rim Size [in]</b>	Dimension de la jante [pouces]
<b>MAPP code available</b>	MAPP-Code existant	<b>Romanian</b>	Roumain
<b>Minimum thickness [mm]</b>	Épaisseur minimum [mm]	<b>Russia</b>	Russie
<b>Multi-Link Axle</b>	Essieu multi-bras	<b>Russia-made</b>	Russie
<b>not for special-purpose vehicles</b>	pas pour véhicules spéciaux	<b>Russian</b>	Russe
<b>not prepared for wear indicator</b>	non préparé pour indicateur d'usure	<b>Service exchange part</b>	Echange standard
<b>Number of bolts/screws</b>	Nombre de vis	<b>Slovak</b>	Slovaque
		<b>Slovenian</b>	Slovène






# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

FR		FR	
<b>Spanner size 1 [mm]</b>	Largeur de clé 1 [mm]	<b>with anti-squeak plate</b>	avec tôle anti-bruit
<b>Spanner size 2 [mm]</b>	Largeur de clé 2 [mm]	<b>with brake caliper screws</b>	avec vis d'étrier de frein
<b>Special Purpose Vehicle</b>	Véhicule à usage spécial	<b>without cable</b>	sans câble
<b>SUPER DOT 5.1</b>	Designation d'article complémentaire, SUPER DOT 5.1	<b>without hollow screw</b>	sans vis creuse
<b>Supplementary Article/ Info 2</b>	Article complémentaire / Info complémentaire 2	<b>Yes</b>	Oui
<b>Supplementary Article/ Supplementary Info</b>	Article complémentaire/Info complémentaire	<b>→ Construction year to</b>	Année jusqu'à
<b>Surface</b>	Surface	<b>→ for RPO number (vehicle manufacturing date) up to</b>	pour numéro OPR (date de fabrication du véhicule) jusqu'à
<b>Suspension</b>	Châssis	<b>→ Vehicle Identification Number to</b>	N° de châssis jusqu'à
<b>Test Mark</b>	Marque de conformité		
<b>Thickness [mm]</b>	Épaisseur [mm]		
<b>Transmission Type</b>	Type d'entraînement		
<b>Trim Level</b>	Variante d'équipement		
<b>Unreached Quality Gates</b>	Nicht erfüllte Qualitätsstufen		
<b>usage number</b>	Numéro d'utilisation		
<b>Vehicle Equipment</b>	Équipement véhicule		
<b>Vehicle Identification Number from →</b>	N° de châssis à partir de →		
<b>Vehicle Production Country</b>	Pays constructeur du véhicule		
<b>Wear Warning Contact</b>	Indicateur d'usure		
<b>Width [mm]</b>	Largeur [mm]		
<b>with accessories</b>	avec accessoires		
<b>with acoustic wear warning</b>	avec indicateur d'usure		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
	Flessibile del freno	<b>Brake Disc Type</b>	Tipo disco freno
	Pinza freno	<b>Brake Size</b>	Misura freno
	Kit pastiglie freno, Freno a disco	<b>Brake System</b>	Sistema frenante
	Discofreno	<b>Brake Type</b>	Tipo freno
	Sensore velocità ruote	<b>Bulgarian</b>	Bulgaro
<b>+ ABS</b>	per veicoli con ABS	<b>Centering Diameter [mm]</b>	Diametro centraggio [mm]
<b>+ ASC</b>	per veicoli conASC	<b>Coated</b>	rivestito
<b>+ ESP</b>	per veicoli con ESP	<b>Construction year from →</b>	Anno da
<b>14"</b>	14"	<b>Content [litre]</b>	Capacità [litri]
<b>15"</b>	15"	<b>Country-spec. model</b>	Modello p. paesi
<b>16"</b>	16"	<b>Country specific article information</b>	Informazioni sull'articolo specifiche per i diversi Paesi
<b>- ABS</b>	per veicoli senza ABS	<b>Country specific package and status data</b>	Informazioni di imballaggio e di stato specifiche per i diversi Paesi
<b>Alloyed / High-carbon</b>	legato /ad alto tenore di carbonio	<b>Croatian</b>	Croato
<b>Arabic</b>	Arabo	<b>Czech</b>	Ceco
<b>Article number of recommended accessories</b>	N° articolo accessorio consigliato	<b>Czech Republic</b>	Repubblica ceca
<b>ATE Ceramic</b>	Denominazione aggiuntiva dell'articolo, ATE Ceramic	<b>Disc Brake</b>	Freno a disco
<b>Automatic Transmission</b>	Trasmissione automatica	<b>DOT 5.1</b>	DOT 5.1
<b>Axle</b>	Assale	<b>DOT specification</b>	Specifica secondo DOT
<b>Barrel</b>	Fusto	<b>Equipment Code</b>	Codice dotazione
<b>Blue</b>	blu	<b>- ESP</b>	per veicoli senza ESP
<b>Bolt Hole Circle Ø [mm]</b>	Cerchio foro-Ø [mm]	<b>excl. wear warning contact</b>	senza contatto segnalazione usura
<b>Bore Ø [mm]</b>	Alesaggio-Ø [mm]	<b>External Thread [mm]</b>	Filetto esterno [mm]
<b>Brake Caliper Colour</b>	Colore pinza freno	<b>Fist-type Caliper</b>	Pinza a pugno
<b>Brake Caliper Type</b>	Tipo pinza freno		
<b>Brake Disc Thickness [mm]</b>	Spessore disco freno [mm]		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
<b>Fist-type Caliper (2 pistons)</b>	Pinza a pugno ( 2 pistoni )	<b>Front Axle</b>	Assale anteriore
<b>Fitting Position</b>	Lato montaggio	<b>Front Axle Left</b>	Assale anteriore Sx
<b>Flange Hole Diameter [mm]</b>	Diametro foro flangia [mm]	<b>Front Axle Right</b>	Assale anteriore Dx
<b>for brake disc diameter [mm]</b>	per diametro disco freno [mm]	<b>Georgian</b>	Georgiano
<b>for PR number</b>	per N° PR	<b>Height [mm]</b>	Altezza [mm]
<b>for RPO number (vehicle manufacturing date) from →</b>	per numero organizzazione da	<b>Height 1 [mm]</b>	Altezza 1 [mm]
<b>for steel rims</b>	per cerchi in acciaio	<b>Height 2 [mm]</b>	Altezza 2 [mm]
<b>for vehicles with brake assist</b>	per veicoli con brake assist	<b>High-carbon</b>	ad alto tenore di carbonio
<b>for vehicles with collision warning system</b>	per veicoli con segnale anticollisione	<b>Hungarian</b>	Ungherese
<b>for vehicles with electric parking brake</b>	per veicoli con freno stazionamento elettrico	<b>Inner diameter [mm]</b>	Diametro interno [mm]
<b>for vehicles without Airmatic DC</b>	per veicoli senza Airmatic DC	<b>Internal Thread [mm]</b>	Filettatura interna [mm]
<b>for vehicles without electronic suspension control</b>	per veicoli senza regolazione elettr. ammortizzatori	<b>Japan</b>	Giappone
<b>for vehicles without parking assistant system</b>	per veicoli senza sistema assistenza parcheggio	<b>Language Version</b>	Versione lingua
<b>for vehicles without start-stop function</b>	per veicoli senza funzione di start-stop	<b>Length [mm]</b>	Lunghezza [mm]
<b>for vehicles with start-stop function</b>	per veicoli con funzione di start-stop	<b>Length 1 [mm]</b>	Lunghezza 1 [mm]
		<b>Length 2 [mm]</b>	Lunghezza 2 [mm]
		<b>Machining</b>	Lavorazione/Trattamento
		<b>MAPP code available</b>	MAPP-Code disponibile
		<b>Minimum thickness [mm]</b>	Spessore min. [mm]
		<b>Multi-Link Axle</b>	Asse multimanubrio
		<b>not for special-purpose vehicles</b>	Non per veicoli speciali
		<b>not prepared for wear indicator</b>	Non predisposto per contatto segnalazione usura
		<b>Number of bolts/screws</b>	N° viti/bulloni
		<b>Number of Holes</b>	N° fori

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

IT		IT	
<b>Observe dimensions</b>	Osservare le misure	<b>Spanner size 2 [mm]</b>	Apertura chiave 2 [mm]
<b>Outer diameter [mm]</b>	Diametro esterno [mm]	<b>Special Purpose Vehicle</b>	Autoveicolo usi speciali
<b>Packing Type</b>	Tipo confezione	<b>SUPER DOT 5.1</b>	Denominazione aggiuntiva dell'articolo, SUPER DOT 5.1
<b>paired article number</b>	N° articolo appaiato	<b>Supplementary Article/ Info 2</b>	Articolo complementare/Info integrativa 2
<b>Piston Diameter [mm]</b>	Diametro pistone [mm]	<b>Supplementary Article/ Supplementary Info</b>	Articolo complementare/Info integrativa
<b>Polish</b>	Polacco	<b>Surface</b>	Superficie
<b>prepared for wear indicator</b>	Predisposto per contatto segnalazione usura	<b>Suspension</b>	Autotelaio
<b>Produkttyp vorhanden</b>	Produkttyp vorhanden	<b>Test Mark</b>	Marchio controllo
<b>Reached Quality Gates</b>	Erfüllte Qualitätsstufen	<b>Thickness [mm]</b>	Spessore [mm]
<b>Rear Axle</b>	Assale posteriore	<b>Transmission Type</b>	Modalità di trasmissione
<b>Rear Axle Left</b>	Assale posteriore Sx	<b>Trim Level</b>	Variante di dotazione
<b>Rear Axle Right</b>	Assale posteriore Dx	<b>Unreached Quality Gates</b>	Nicht erfüllte Qualitätsstufen
<b>replacement part</b>	Ricambio di rotazione	<b>usage number</b>	Codice d'uso
<b>Republic of Korea (South Korea)</b>	Repubblica di Corea(Corea del Sud)	<b>Vehicle Equipment</b>	Equipaggiamento veicolo
<b>Required quantity</b>	N° pezzi occorrenti	<b>Vehicle Identification Number from</b>	N° telaio da
<b>Rims</b>	Cerchioni		→
<b>Rim Size [in]</b>	Misura cerchione [pollici]	<b>Vehicle Production Country</b>	Paese produzione veicolo
<b>Romanian</b>	Rumeno	<b>Wear Warning Contact</b>	Contatto avvisatore usura
<b>Russia</b>	Russia	<b>Width [mm]</b>	Larghezza [mm]
<b>Russia-made</b>	Russia	<b>with accessories</b>	con accessori
<b>Russian</b>	Russo	<b>with acoustic wear warning</b>	con segnalatore acustico usura
<b>Service exchange part</b>	Ricambio di rotazione	<b>with anti-squeak plate</b>	con lamierino anticigolio
<b>Slovak</b>	Slovacco		
<b>Slovenian</b>	Sloveno		
<b>Spanner size 1 [mm]</b>	Apertura chiave 1 [mm]		

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

## IT

**with brake caliper screws**

con bulloni pinza freno

**without cable**

senza cavo

**without hollow screw**

senza vite cava

**Yes**

Sì

→ **Construction year to**

Anno fino a

→ **for RPO number (vehicle manufacturing date) up to**

per numero organizzazione fino a

→ **Vehicle Identification Number to**

N° telaio fino a



ATE – A Trademark of the  
Continental Corporation

**Continental Aftermarket & Services  
GmbH**

Sodener Straße 9  
D-65824 Schwalbach  
Tel. +49 (0) 6196 87 0  
Fax +49 (0) 6196 865 71

[www.ate.de](http://www.ate.de)

**Continental Automotive Trading  
Italia S.r.l.**

Via Matteotti, 62  
I-20092 Cinisello Balsamo (MI)  
Tel. +39 02 35680 1  
Fax +39 02 35680 325  
E-Mail: [supporto@continental-corporation.com](mailto:supporto@continental-corporation.com)

[www.ate-freni.it](http://www.ate-freni.it)

**Continental Automotive France SAS**

1 rue de Clairefontaine  
F-78120 Rambouillet  
Tél. +33 (0)1 34 57 40 19  
Fax +33 (0)1 34 57 40 72

[www.ate-freinage.fr](http://www.ate-freinage.fr)

**Continental Automotive Spain, S.A.**

C/ Sepúlveda, 11  
E-28108 Alcobendas (Madrid) Phone  
+34 (0) 657 21 21  
Fax +34 (0)91 657 21 49

[www.frenos-ate.es](http://www.frenos-ate.es)